

# SAFETY DATA SHEET

Page 1 of 4

# 1. IDENTIFICATION

PRODUCT NAME: NEXUS SYSTEM BREAKRECOMMENDED USE: ALKALINE LAUNDRY BOOSTERRESTRICTIONS ON USE: DO NOT USE IN A MANNER INCONSISTENT WITH THE LABEL.LABEL BRAND: U S CHEMICALSDS 105709CODE 4284178

USCHEMICAL316 HART STREETMEDICAL EMERGENCY:1-866-923-4913 USASPILL EMERGENCY:1-800-424-9300 USAPRODUCT INFORMATION:1-800-558-9566 USAINTERNET ADDRESS:WWW.USCHEMICAL.COM

WATERTOWN, WI 53094 USA

(8 A.M. TO 5 P.M. CST MONDAY TO FRIDAY)


# 2. HAZARD(S) IDENTIFICATION

**CLASSIFICATION:** SKIN CORROSION (CATEGORY 1B), EYE DAMAGE(CATEGORY 1), CORROSIVE TO METALS (CATEGORY 1), ACUTE TOXICITY: ORAL (CATEGORY 4)

LABEL ELEMENTS

SIGNAL WORD: DANGER

**PICTOGRAMS: CORROSION, EXCLAMATION MARK** 



PRECAUTIONARY STATEMENTS: Wear chemical-splash safety goggles, chemical-resistant protective gloves and protective footwear. Avoid contact with eyes, skin and clothing. Do not breathe vapors or mists. Do not eat, drink, or smoke when using this product. Wash hands and affected areas thoroughly after handling. Absorb spillage to prevent material damage. Mix only with water. Do not mix with any other product or chemical. Can react to release hazardous gases. FIRST AID: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Call a Poison Center or physician if you feel unwell. Do NOT induce vomiting. If conscious, dilute by drinking up to a cupful of milk or water as tolerated. IF INHALED: Remove person to fresh air and keep comfortable for breathing. START FIRST AID. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. EMERGENCY TELEPHONE: 1-866-923-4913

**Storage:** Store tightly closed only in original corrosive-resistant plastic container. Store locked up. **Disposal:** Dispose of contents in accordance with all federal, state and local applicable laws and regulations. **KEEP OUT OF REACH OF CHILDREN. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. HAZARDS NOT OTHERWISE CLASSIFIED:** Not applicable.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT(S)	CAS #	WEIGHT %
SODIUM HYDROXIDE	1310-73-2	37.5

STATE RIGHT TO KNOW: SEE SECTION 15 FOR STATE RTK CHEMICAL NAMES IN MIXTURE.

## 4. FIRST-AID MEASURES

Page 2 of 4

IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING FOR AT LEAST 15 MINUTES. IF ON SKIN (OR HAIR): TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER FOR AT LEAST 15 MINUTES. WASH CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED: RINSE MOUTH. CALL A POISON CENTER OR PHYSICIAN IF YOU FEEL UNWELL. DO NOT INDUCE VOMITING. IF CONSCIOUS, DILUTE BY DRINKING UP TO A CUPFUL OF MILK OR WATER AS TOLERATED.

IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING. START FIRST AID. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. EMERGENCY TELEPHONE: 1-866-923-4913

**MOST IMPORTANT SYMPTOMS / EFFECTS:** CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY CAUSE BLINDNESS WITHOUT IMMEDIATE FIRST AID. HARMFUL IF SWALLOWED. CAUSES BURNS AND SERIOUS DAMAGE TO MOUTH, THROAT AND STOMACH. CORROSIVE TO ALL BODY TISSUES.

MEDICAL CONDITIONS AGGRAVATED: NONE KNOWN.

NOTE TO PHYSICIAN: CALL 1-866-923-4913 FOR EXPOSURE MANAGEMENT ASSISTANCE.

# 5. FIRE-FIGHTING MEASURES

CHEMICAL HAZARDS: CORROSIVE. NON-FLAMMABLE. COMBUSTION PRODUCT HAZARDS: OXIDES OF CARBON AND OTHER FUMES. METHODS: SELECT EXTINGUISHER AND METHODS BASED ON FIRE SIZE AND TYPE. EQUIPMENT: WEAR SCBA AND FULL PROTECTIVE GEAR AS CONDITIONS WARRANT. NFPA RATING: HEALTH-3/FLAMMABILITY-0/ INSTABILITY-0/SPECIAL HAZARD-N.AP. SUITABLE EXTINGUISHERS: WATER, DRY CHEMICAL, CO2 OR FOAM SUITABLE FOR FIRE. UNSUITABLE EXTINGUISHERS: NO RESTRICTIONS BASED ON CHEMICAL HAZARDS.

# 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS:** EVACUATE UNPROTECTED PERSONNEL FROM AREA. WEAR PERSONAL PROTECTION INCLUDING RUBBER BOOTS. SEE SECTION 8. VENTILATE AREA IF NEEDED. BE CAREFUL NOT TO SLIP. WASH THOROUGHLY AFTER CLEAN-UP. **ENVIRONMENTAL PRECAUTIONS:** PREVENT SPILL FROM ENTERING DRAIN, STORM SEWER OR SURFACE WATERWAY. PREVENT WATER AND SOIL CONTAMINATION. **CLEAN-UP METHODS:** SMALL SPILLS MAY BE WIPED UP AND RINSED WITH WATER. FOR LARGER SPILLS, DIKE TO CONTAIN. PUMP TO LABELED CONTAINER OR ABSORB SPILLAGE AND SCOOP UP WITH INERT ABSORBENT MATERIAL. AFTER SPILL COLLECTION, RINSE AREA WITH WATER AND FOLLOW WITH NORMAL CLEAN-UP PROCEDURES.

# 7. HANDLING AND STORAGE

HANDLING: FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID INHALATION, INGESTION, AND CONTACT WITH SKIN, EYES AND CLOTHING. DO NOT TASTE OR SWALLOW. REMOVE AND WASH CONTAMINATED CLOTHING AND FOOTWEAR BEFORE REUSE. PRODUCT RESIDUE MAY REMAIN IN EMPTY CONTAINERS. HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER.

**STORAGE:** STORE TIGHTLY CLOSED ONLY IN ORIGINAL CORROSIVE-RESISTANT PLASTIC CONTAINER. STORE LOCKED UP. STORE AT AMBIENT TEMPERATURES IN A DRY AREA OUT OF DIRECT SUNLIGHT. PROTECT FROM FREEZING. ROTATE STOCK REGULARLY. KEEP AWAY FROM FOOD AND DRINK. KEEP OUT OF REACH OF CHILDREN.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Page 3 of 4

**EXPOSURE LIMITS:** SODIUM HYDROXIDE = 2 MG/M3 CEILING (ACGIH), 2 MG/M3 TWA (OSHA) **ENGINEERING CONTROLS:** NONE REQUIRED. GENERAL ROOM VENTILATION IS TYPICALLY ADEQUATE.

#### **PERSONAL PROTECTION**

**EYES:** SAFETY GOGGLES (INDIRECT-VENTED OR NON-VENTED) AND AN EYE-WASH STATION. **HANDS:** CHEMICAL-RESISTANT PROTECTIVE GLOVES (RUBBER OR NEOPRENE). **RESPIRATORY:** SUITABLE RESPIRATOR IF MISTS/VAPORS ARE NOT CONTROLLED BY VENTILATION. **FEET:** RUBBER BOOTS DURING SPILL CLEAN-UP AND WHEN EXPOSURE IS POSSIBLE. **BODY:** RUBBER FULL-COVER PROTECTIVE CLOTHING WHEN EXPOSURE IS POSSIBLE.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: COLORLESS LIQUID	AUTO-IGNITION TEMPERATURE: N.AV.
ODOR: AMMONIA	DECOMPOSITION TEMPERATURE: N.AV.
pH CONCENTRATE: ABOVE 13.0 (BASIC)	EXPLOSIVE LIMITS (LEL/UEL): NONE
pH @ 2500 PPM SOLUTION: N.AV.	EVAPORATION RATE: N.AV.
pH @ USE DILUTION: N.AV.	FLAMMABILITY (SOLID, GAS): N.AP.
PHYSICAL STATE: LIQUID	FLASH POINT: NONE
RELATIVE DENSITY (WATER): 1.443	INITIAL BOILING POINT/RANGE: N.AV.
SOLUBILITY (WATER): COMPLETE	MELTING POINT/FREEZING POINT: N.AV.
VAPOR PRESSURE: N.AV.	ODOR THRESHOLD: N.AV.
VAPOR DENSITY: N. AV.	PARTITION COEFF. (N-OCTANOL/WATER): N.AV
VISCOSITY: NON-VISCOUS	OTHER: N.AV.

# **10. STABILITY AND REACTIVITY**

**REACTIVITY:** MIXING WITH INCOMPATIBLES CAN RELEASE HEAT + HAZARDOUS GASES. **CHEMICAL STABILITY:** STABLE.

**POSSIBILITY OF HAZARDOUS REACTIONS:** SEE REACTIVITY. WILL NOT POLYMERIZE. **CONDITIONS TO AVOID:** TEMPERATURES BELOW 35°F (1.6°C) OR ABOVE 120°F (49°C). **MATERIALS TO AVOID:** ACIDS, BLEACH AND METALS. MIX ONLY WITH WATER. **HAZARDOUS DECOMPOSITION PRODUCTS:** NONE UNDER NORMAL CONDITIONS.

# 11. TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: EYES, SKIN, INGESTION, INHALATION. INFORMATION ON ROUTES OF EXPOSURE: NO LC50/LD50 TEST DATA ON MIXTURE. ACUTE EFFECTS /SYMPTOMS: CORROSIVE TO ALL BODY TISSUES. EYES: CAUSES SERIOUS EYE DAMAGE. MAY CAUSE PAIN, REDNESS AND WATERING. SKIN: CAUSES SEVERE SKIN BURNS. MAY CAUSE DELAYED PAIN, REDNESS AND BLISTERING. INGESTION: CAUSES BURNS AND SERIOUS DAMAGE TO MOUTH, THROAT AND STOMACH. INHALATION: MAY CAUSE CORROSIVE EFFECTS TO NOSE, THROAT, AND RESPIRATORY SYSTEM. CHRONIC / OTHER EFFECTS: NO REPORTABLE GERM CELL MUTAGENS, SKIN SENSITIZERS, RESPIRATORY SENSITIZERS, REPRODUCTIVE TOXINS OR ASPIRATION HAZARDS. SPECIFIC TARGET ORGANS (SINGLE/REPEATED): NONE KNOWN. NUMERICAL MEASURES OF TOXICITY: ATEMIX (ORAL-RAT) = 1330 MG / KG CARCINOGENS: NO REPORTABLE ACGIH, IARC, NTP, OR OSHA CARCINOGENS.

#### **12. ECOLOGICAL INFORMATION**

Page 4 of 4

ECOTOXICITY / CHEMICAL FATE: NOT AVAILABLE.

## **13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD**: UNDILUTED PRODUCT IS REGULATED UNDER ENVIRONMENTAL AND TRANSPORTATION LAWS AS A CORROSIVE WASTE (RCRA CLASS D002). DISPOSE OF CONTENTS IN ACCORDANCE WITH ALL FEDERAL, STATE, AND LOCAL APPLICABLE LAWS AND REGULATIONS. CONSULT STATE AND LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE. MANAGE CHEMICAL WASTES THROUGH AN APPROVED WASTE TREATMENT FACILITY. DO NOT REUSE EMPTY CONTAINER. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE DISCARDING CONTAINER IN ACCORDANCE WITH CURRENT LOCAL COMMUNITY CODES. PLEASE RECYCLE EMPTY CONTAINER WHENEVER POSSIBLE.

# 14. TRANSPORT INFORMATION

DOT / IMDG / TDG: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE), 8, II

# **15. REGULATORY INFORMATION**

EPA CERCLA RQ: SODIUM HYDROXIDE = 1000 LB EPA REGISTERED: NO OSHA HAZARDOUS: YES PHOSPHORUS CONTENT: SEE LABEL PROPOSITION 65: NO SARA 311/312 HAZARDS: ACUTE SARA 313 CHEMICALS: NO STATE RIGHT TO KNOW: WATER/7732-18-5, SODIUM HYDROXIDE/1310-73-2, PENTASODIUM AMINOTRIMETHYLENE PHOSPHONATE/2235-43-0 TSCA INVENTORY STATUS: ALL COMPONENTS ARE LISTED ON THE INVENTORY. VOC: 0.00% CALCULATION METHOD USED IS BASED ON CALIFORNIA ARB STANDARD.

### **16. OTHER INFORMATION**

**PREPARATION DATE:** 6-6-14**PREPARED BY:** RC**REVISED SECTION:** 16**ABBREVIATIONS:** N.AV. = NOT AVAILABLEN.AP. = NOT APPLICABLE

#### NOTICE TO READER

THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.