

PROVON® Foaming Medicated Handwash with Moisturizers and Triclosan

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

SECTION 1. IDENTIFICATION

Product name : PROVON® Foaming Medicated Handwash with Moisturizers and Triclosan

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500
Akron OH 44311

Telephone : 1 (330) 255-6000

Emergency telephone : 1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use : Antibacterial Soap

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 3

Serious eye damage : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Danger

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM Revision Date: 09/04/2015 MSDS Number: 36377-00004 Date of last issue: 02/16/2015
Date of first issue: 12/11/2014

Hazard Statements : H226 Flammable liquid and vapor.
H318 Causes serious eye damage.

Precautionary Statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces.
No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Propylene glycol	57-55-6	>= 10 - < 20
Ethanol	64-17-5	>= 5 - < 10
Dodecanoic acid	143-07-7	>= 5 - < 10
Ethanolamine	141-43-5	>= 1 - < 5
Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts	68650-39-5	>= 1 - < 5
L-(+)-Lactic acid	79-33-4	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

**PROVON® Foaming Medicated Handwash with Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

**PROVON® Foaming Medicated Handwash with Moisturizers and Triclosan**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
WM	09/04/2015	36377-00004	Date of first issue: 12/11/2014

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray jet. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	: Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice.



PROVON® Foaming Medicated Handwash with Moisturizers and Triclosan

Version: WM Revision Date: 09/04/2015 MSDS Number: 36377-00004 Date of last issue: 02/16/2015
Date of first issue: 12/11/2014

Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures which in contact with water emit flammable gases
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m ³	NIOSH REL
		ST	6 ppm 15 mg/m ³	NIOSH REL
		TWA	3 ppm 6 mg/m ³	OSHA Z-1

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Dodecanoic acid	143-07-7
Imidazolium compounds, 1-[2-	68650-39-5

**PROVON® Foaming Medicated Handwash with Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts	
I-(+)-Lactic acid	79-33-4

Engineering measures : Minimize workplace exposure concentrations.
Use only in an area equipped with explosion proof exhaust ventilation.
Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Impervious gloves

Material : Flame retardant gloves

Remarks

: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

: Wear the following personal protective equipment:
Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield

Skin and body protection

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Wear the following personal protective equipment:
Flame retardant antistatic protective clothing.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures

: Ensure that eye flushing systems and safety showers are

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, blue green
Odor	: fruity
Odor Threshold	: No data available
pH	: 7.8 - 9.7
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 56 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)
Explosive properties	: Not explosive

**PROVON® Foaming Medicated Handwash with Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Flammable liquid and vapor.
Vapors may form explosive mixture with air.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Product:

|| Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

|| Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

|| Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Ingredients:**Propylene glycol:**

|| Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

|| Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l, > 51091 ppm
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
WM	09/04/2015	36377-00004	Date of first issue: 12/11/2014

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Dodecanoic acid:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0.162 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Ethanolamine:

Acute oral toxicity : LD50 (Rat): 1,515 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l
Test atmosphere: vapor
Method: Expert judgment
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rabbit): 1,025 mg/kg

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Acute oral toxicity : LD50 (Rat, female): 3,543 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 7.94 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:**Propylene glycol:**

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Ethanol:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Dodecanoic acid:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

Ethanolamine:

Species: Rabbit
Result: Corrosive after 3 minutes to 1 hour of exposure

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Species: Rabbit
Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:**Propylene glycol:**

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405

Ethanol:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days
Method: OECD Test Guideline 405

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
WM	09/04/2015	36377-00004	Date of first issue: 12/11/2014

||**Dodecanoic acid:**

Species: Rabbit

Result: Irreversible effects on the eye

Method: OECD Test Guideline 405

||**Ethanolamine:**

Species: Rabbit

Result: Irreversible effects on the eye

||**Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:**

Species: Rabbit

Result: Irreversible effects on the eye

Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

||**I-(+)-Lactic acid:**

Species: Chicken eye

Result: Irreversible effects on the eye

||**Respiratory or skin sensitization**

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:**Propylene glycol:**

Test Type: Maximization Test (GPMT)

Routes of exposure: Skin contact

Species: Guinea pig

Result: negative

||**Ethanol:**

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse

Result: negative

||**Dodecanoic acid:**

Test Type: Maximization Test (GPMT)

Routes of exposure: Skin contact

Species: Guinea pig

Result: negative

||**Ethanolamine:**

Test Type: Maximization Test (GPMT)

Routes of exposure: Skin contact

Species: Guinea pig

Result: negative

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
WM	09/04/2015	36377-00004	Date of first issue: 12/11/2014

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Test Type: Maximization Test (GPMT)
Routes of exposure: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: negative
Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Test Type: Buehler Test
Routes of exposure: Skin contact
Species: Guinea pig
Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:**Propylene glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Dodecanoic acid:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Ethanolamine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

Method: OECD Test Guideline 474
Result: negative

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

: Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

L-(+)-Lactic acid:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Result: negative
Remarks: Based on data from similar materials

: Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: with and without metabolic activation
Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:**Propylene glycol:**

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative

L-(+)-Lactic acid:

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative
Remarks: Based on data from similar materials

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

|| Not classified based on available information.

Ingredients:**Propylene glycol:**

Effects on fertility	: Species: Mouse Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative

Ethanol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
----------------------	--

Dodecanoic acid:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials

Ethanolamine:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

|| Result: negative

STOT-single exposure

|| Not classified based on available information.

Ingredients:**Ethanolamine:**

|| Assessment: May cause respiratory irritation.

L-(+)-Lactic acid:

|| Assessment: May cause respiratory irritation.

STOT-repeated exposure

|| Not classified based on available information.

Ingredients:**Ethanolamine:**

|| Routes of exposure: inhalation (dust/mist/fume)

|| Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Repeated dose toxicity**Ingredients:****Propylene glycol:**

|| Species: Rat

|| NOAEL: 1,700 mg/kg

|| Application Route: Ingestion

|| Exposure time: 2 y

Ethanol:

|| Species: Rat

|| NOAEL: 2,400 mg/kg

|| Application Route: Ingestion

|| Exposure time: 2 y

Dodecanoic acid:

|| Species: Rat

|| NOAEL: 10,000 mg/kg

|| Application Route: Ingestion

|| Exposure time: 18 w

Ethanolamine:

|| Species: Rat

|| NOAEL: 150 mg/m³

|| Application Route: inhalation (dust/mist/fume)

|| Exposure time: 28 d

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

|| Species: Rat, female

|| NOAEL: 250 mg/kg

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

LOAEL: 500 mg/kg
Application Route: Ingestion
Exposure time: 28 d
Remarks: Based on data from similar materials

I-(+)-Lactic acid:

Species: Rat
NOAEL: $\geq$ 886 mg/kg
Application Route: Skin contact
Exposure time: 13 w

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Ingredients:****Propylene glycol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 29,000 mg/l Exposure time: 7 d
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

Ethanol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
WM	09/04/2015	36377-00004	Date of first issue: 12/11/2014

aquatic invertebrates (Chronic toxicity)	Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Dodecanoic acid:	
Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility. NOEC (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): 2 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.47 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to bacteria	: EC10 (Pseudomonas putida): > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209
Ethanolamine:	
Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 349 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 65 mg/l Exposure time: 48 h
Toxicity to algae	: ErC50 (Selenastrum capricornutum (green algae)): 2.8 mg/l Exposure time: 72 h NOEC (Scenedesmus capricornutum (fresh water algae)): 1 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l Exposure time: 41 d

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
WM	09/04/2015	36377-00004	Date of first issue: 12/11/2014

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.85 mg/l
Exposure time: 21 d

Toxicity to bacteria : EC50 (Pseudomonas putida): 110 mg/l
Exposure time: 17 h

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 17.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 3.2 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
Remarks: Based on data from similar materials

ErC50 (Pseudokirchneriella subcapitata (green algae)): 10 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
Remarks: Based on data from similar materials

l-(+)-Lactic acid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 250 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Selenastrum capricornutum (fresh water algae)): 1.9 g/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Selenastrum capricornutum (fresh water algae)): 3.5 g/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to bacteria : EC50: > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

Persistence and degradability**Ingredients:****Propylene glycol:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---

Ethanol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
------------------	---

Dodecanoic acid:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 30 d Method: OECD Test Guideline 301D
------------------	---

Ethanolamine:

Biodegradability	: Result: Readily biodegradable. Biodegradation: > 90 % Exposure time: 21 d
------------------	---

Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 79 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	--

L-(+)-Lactic acid:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 67 % Exposure time: 20 d
------------------	---

Bioaccumulative potential**Ingredients:****Propylene glycol:**

Partition coefficient: n-octanol/water	: log Pow: -1.07
--	------------------

Ethanol:

Partition coefficient: n-octanol/water	: log Pow: -0.35
--	------------------

Dodecanoic acid:

Bioaccumulation	: Species: Fish Bioconcentration factor (BCF): 234 - 288 Remarks: Based on data from similar materials
-----------------	--

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version WM	Revision Date: 09/04/2015	MSDS Number: 36377-00004	Date of last issue: 02/16/2015 Date of first issue: 12/11/2014
---------------	------------------------------	-----------------------------	---

Partition coefficient: n-octanol/water : Pow: 4.6

Ethanolamine:

Partition coefficient: n-octanol/water : log Pow: -1.91

L-(+)-Lactic acid:

Partition coefficient: n-octanol/water : log Pow: -0.6

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

This Section not required under 29 CFR 1910.1200

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**PROVON® Foaming Medicated Handwash with
Moisturizers and Triclosan**

Version	Revision Date:	MSDS Number:	Date of last issue: 02/16/2015
WM	09/04/2015	36377-00004	Date of first issue: 12/11/2014

US State Regulations**Pennsylvania Right To Know**

Water	7732-18-5	50 - 70 %
Propylene glycol	57-55-6	10 - 20 %
Ethanol	64-17-5	5 - 10 %
Dodecanoic acid	143-07-7	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %
Propan-2-ol	67-63-0	0.1 - 1 %

New Jersey Right To Know

Water	7732-18-5	50 - 70 %
Propylene glycol	57-55-6	10 - 20 %
Ethanol	64-17-5	5 - 10 %
Dodecanoic acid	143-07-7	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)


PROVON® Foaming Medicated Handwash with Moisturizers and Triclosan

Version WM Revision Date: 09/04/2015 MSDS Number: 36377-00004 Date of last issue: 02/16/2015
Date of first issue: 12/11/2014

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
 US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
 ACGIH / TWA : 8-hour, time-weighted average
 ACGIH / STEL : Short-term exposure limit
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
 NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
 OSHA Z-1 / TWA : 8-hour time weighted average
 US WEEL / TWA : 8-hr TWA

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/04/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.