

**QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER**
**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

Other means of identification : Not applicable

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.19 % - 0.78 %

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 04/24/2019

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Skin corrosion : Category 1A

Serious eye damage : Category 1

Specific target organ systemic toxicity - single exposure : Category 3 (Respiratory system)

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**GHS label elements**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.  
May cause respiratory irritation.

Precautionary Statements : **Prevention:**  
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION**

Hazard pictograms

:



**Product AT USE DILUTION**

Signal Word

: Danger

Hazard Statements

: Causes severe skin burns and eye damage.

Precautionary Statements

: **Prevention:**

Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

Wash hands thoroughly after handling.

Get medical advice/ attention if you feel unwell.

Store in accordance with local regulations.

**Product AS SOLD**

Other hazards

: None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Product AS SOLD**

Pure substance/mixture

: Mixture

**Chemical name**

monoethanolamine

Sodium Xylenesulfonate

disodium metasilicate

Fattyalcohol ethoxylates > C15 and =< 5EO

**CAS-No.**

141-43-5

1300-72-7

6834-92-0

160875-66-1

**Concentration (%)**

10 - 30

5 - 10

1 - 5

1 - 5

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

ethylenediamine tetraacetate  
Fragrance

64-02-8  
Proprietary Ingredient 1 - 5  
0.1 - 1

#### Product AT USE DILUTION

No hazardous ingredients

### SECTION 4. FIRST AID MEASURES

#### Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Product AT USE DILUTION

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Sulfur oxides
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

##### Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

##### Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### SECTION 7. HANDLING AND STORAGE

##### Product AS SOLD

Advice on safe handling	: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.
-------------------------	--

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 10 °C to 45 °C

#### Product AT USE DILUTION

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Product AS SOLD

##### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m <sup>3</sup>	NIOSH REL
		STEL	6 ppm 15 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm 6 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

#### Product AT USE DILUTION

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

#### Personal protective equipment

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

Eye protection	: Wear eye protection/ face protection.
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: dark green	light green
Odor	: Perfumes, fragrances	Perfumes, fragrances
pH	: 12.5 - 14.0, (100 %)	10.0 - 13.0
Flash point	: Not applicable	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 1.073	
Water solubility	: No data available	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Molecular weight	: No data available	
VOC	: No data available	

### SECTION 10. STABILITY AND REACTIVITY

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

#### Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids Metals
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

#### Product AS SOLD

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause respiratory tract irritation. May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Product AT USE DILUTION

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Experience with human exposure

#### Product AS SOLD

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

#### Product AT USE DILUTION

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

#### Toxicity

#### Product AS SOLD

##### Product

Acute oral toxicity	: Acute toxicity estimate : 4,470 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate : 9.98 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: Corrosive
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Product AS SOLD

##### Ecotoxicity

Environmental Effects	: Harmful to aquatic life.
-----------------------	----------------------------

##### Product

Toxicity to fish	: No data available
Toxicity to daphnia and other aquatic invertebrates	: No data available
Toxicity to algae	: No data available

##### Components

Toxicity to fish	: disodium metasilicate 96 h LC50 Fish: 210 mg/l  ethylenediamine tetraacetate 96 h LC50 Fish: 121 mg/l
------------------	---

##### Components



## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

Toxicity to daphnia and other aquatic invertebrates : monoethanolamine  
48 h LC50: 65 mg/l

Fattyalcohol ethoxylates > C15 and =< 5EO  
48 h Daphnia magna (Water flea): > 1 mg/l

#### Components

Toxicity to algae : Sodium Xylenesulfonate  
96 h EC50: 230 mg/l

#### Persistence and degradability

##### Product AS SOLD

Poorly biodegradable

##### Product AT USE DILUTION

Poorly biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste : D002 (Corrosive)

#### Product AT USE DILUTION

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### SECTION 14. TRANSPORT INFORMATION

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

#### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (DOT)

UN number : 2491  
Description of the goods : Ethanolamine solutions  
Class : 8  
Packing group : III  
Environmentally hazardous : no

#### Sea transport (IMDG/IMO)

UN number : 2491  
Description of the goods : ETHANOLAMINE SOLUTION  
Class : 8  
Packing group : III  
Marine pollutant : no

### SECTION 15. REGULATORY INFORMATION

#### Product AS SOLD

#### EPCRA - Emergency Planning and Community Right-to-Know

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
water	7732-18-5	Diluent	Not Applicable
monoethanolamine	141-43-5	Cleaning Agent	Not Applicable
Sodium Xylenesulfonate	1300-72-7	Stabilizer	Not Applicable
disodium metasilicate	6834-92-0	Cleaning Agent	Not Applicable
Fattyalcohol ethoxylates > C15	160875-66-1	Cleaning Agent	Not Applicable

# SAFETY DATA SHEET

## QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

and =< 5EO			
ethylenediamine tetraacetate	64-02-8	Cleaning Agent	Not Applicable
Sodium hydroxide	1310-73-2	Cleaning Agent	20
Fragrance Ingredient(s)	Not Available	Fragrance	Not Applicable
Green dye	Withheld	Dye	Not Applicable

\*refer to ecolab.com/sds for electronic links to designated lists

The ingredients of this product are reported in the following inventories:

### United States TSCA Inventory :

On the inventory, or in compliance with the inventory

### Canadian Domestic Substances List (DSL) :

This product contains one or several components listed in the Canadian NDSL.

### Australia Inventory of Chemical Substances (AICS) :

not determined

### New Zealand. Inventory of Chemical Substances :

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

### Korea. Korean Existing Chemicals Inventory (KECI) :

not determined

### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

### China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory


### Taiwan Chemical Substance Inventory (TCSI) :

not determined

## SECTION 16. OTHER INFORMATION

### Product AS SOLD

#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0


0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

### Product AT USE DILUTION

## SAFETY DATA SHEET

### QUIK FILL MAGNUM 35 MAXX DUAL ACTION FLOOR CLEANER

#### NFPA:



#### HMIS III:

<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 04/24/2019  
Version : 1.1  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.