

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 27-Feb-2025

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name: CLOTHESLINE FRESH CHLORINATED RECLAIM PACK R1

Product Code:

Recommended Use: Laundry detergent

For Industrial and Institutional Use Only **Uses Advised Against:**

Spartan Chemical Company, Inc. Manufacturer/Supplier:

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone

Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity - Inhalation (Dusts/Mists) Category 4

Skin corrosion/irritation Category 1 Sub-category B

Serious eye damage/eye irritation: Category 1 Specific target organ toxicity (repeated Category 2

exposure):

Label elements

Signal word: Danger

Symbols:

Hazard statements: Harmful if inhaled

Causes severe skin burns and eye damage

May cause damage to organs through prolonged or repeated exposure

Precautionary Statements -Use only outdoors or in a well-ventilated area Prevention: Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/clothing and eye/face protection

Precautionary Statements -Response:

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eyes:

present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water Skin:

[or shower]. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Inhalation:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Ingestion:

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Precautionary Statements - Storage: Store locked up.

Precautionary Statements -

Dispose of contents and container in accordance with local, state and federal regulations.

Revision Date: 27-Feb-2025

Disposal:

Hazards not otherwise classified

(HNOC):

Not applicable

Other hazards: Corrosive

Harmful or fatal if swallowed.

Inhalation of vapors or mist may cause respiratory irritation or damage.

• Do not use or mix with other cleaning products, acids, ammonia or other chemicals. To

do so may release hazardous gases. · Keep out of reach of children

• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Sodium Carbonate	497-19-8	30-60
Sodium Metasilicate	6834-92-0	10-30
Sodium Gluconate	527-07-1	7-13
Sodium Dichloroisocyanurate	2893-78-9	7-13
Tetrasodium EDTA	64-02-8	5-10
C9-11 Alcohols Ethoxylated	68439-46-3	1-5
C10-12 Alcohols Ethoxylated Propoxylated	68154-97-2	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Eye contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Skin contact: Take off immediately all contaminated clothing and shoes. Rinse with water or shower for

at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash

contaminated clothing before reuse. Discard or destroy contaminated shoes.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR Ingestion:

PHYSICIAN. Never give anything by mouth to an unconscious person.

Note to physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion. Use extinguishing agent suitable for type of

surrounding fire.

Specific Hazards Arising from the

Chemical:

Inhalation:

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and

Precautions for Firefighters:

Hazardous Combustion Products:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Page 2 / 6

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Personal precautions:

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for cleaning up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

> non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 27-Feb-2025

7. HANDLING AND STORAGE

Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits: None established

Provide good general ventilation. **Engineering Controls:**

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Individual protection measures, such as personal protective equipment

Avoid contact with eyes. Face protection shield. Eye/face protection:

Skin and body protection: Wear rubber or other chemical-resistant gloves. Use of impervious apron, boots and other

protective equipment should be considered in order to prevent or minimize contact with this

Respiratory protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General hygiene considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Powder Color: White.

No information available Odor: **Odor Threshold:** No information available

Property Values Remarks • Method

10.5-11.5 (1% in water) pH: **Melting Point / Freezing Point:** No data available

Boiling Point / Boiling Range: None

N/A °C N/A Flash Point:

Evaporation Rate: (BuAc = 1)<1

Flammability (solid, gas): No information available No data available Flammability Limits in Air: No information available

Upper Flammability Limit: No data available No data available

Lower Flammability Limit: Vapor Pressure: No data available No information available Vapor Density: No data available No information available

Relative Density:

Solubility(ies): Soluble in water

Partition Coefficient: No data available No information available

Not applicable **Autoignition Temperature: Decomposition Temperature:** Not applicable

Kinematic Viscosity: No information available No information available

Particle characteristics: Not applicable

10. STABILITY AND REACTIVITY

Revision Date: 27-Feb-2025

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight **Incompatible materials:** Strong oxidizing agents. Strong acids.

Hazardous decomposition products: May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

Eye contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

Skin contact: Pain, redness, blistering and possible chemical burn.

Inhalation: Nasal discomfort and coughing. Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Acute toxicity

Numerical measures of toxicity:

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 2,189.10 mg/kg
ATEmix (dermal) 2,226.40 mg/kg
ATEmix (inhalation-dust/mist) 1.72 mg/l

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Carbonate 497-19-8	= 4090 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2300 mg/m³ (Rat) 2 h
Sodium Metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-
Sodium Dichloroisocyanurate 2893-78-9	= 1823 mg/kg (Rat)	> 5000 mg/kg (Rat)	0.27 - 1.17 mg/L (Rat)4 h
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat)	-	-
C9-11 Alcohols Ethoxylated 68439-46-3	= 1400 mg/kg (Rat)	-	-

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Carbonate 497-19-8	-	LC50: =300mg/L (96h, Lepomis macrochirus) LC50: 310 - 1220mg/L (96h, Pimephales promelas)	-	EC50: =265mg/L (48h, Daphnia magna)
Sodium Metasilicate 6834-92-0	-	LC50: =210mg/L (96h, Brachydanio rerio)	-	-

Page 4/6

Sodium Dichloroisocyanurate	-	LC50: 0.25 - 1mg/L (96h,	-	EC50: 0.00018 -
2893-78-9		Lepomis macrochirus)		0.00021mg/L (48h,
		LC50: 0.207 - 0.389mg/L		Daphnia magna)
		(96h, Lepomis		EC50: 0.093 - 0.16mg/L
		macrochirus)		(48h, Daphnia magna)
		LC50: 0.176 - 0.267mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: =0.29mg/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 0.13 - 0.36mg/L		
		(96h, Oncorhynchus		
		mykiss)		
Tetrasodium EDTA	-	LC50: =41mg/L (96h,	-	-
64-02-8		Lepomis macrochirus)		
		LC50: =59.8mg/L (96h,		
		Pimephales promelas)		

Persistence and Degradability: No information available. **Bioaccumulation:** No information available.

Mobility in Soil:No information availableOther adverse effects:No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused

products:

Contaminated packaging:

Dispose of in accordance with federal, state and local regulations.

Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN3262

Proper Shipping Name: Corrosive solid, basic, inorganic, n.o.s., (contains Sodium Metasilicate)

Hazard Class: 8
Packing Group: |

Special Provisions: Corrosive (Class 8), Packing Group II materials meet the exception requirements of section

49 CFR 173.154 when individual containers of not more than 0.3 gallon capacity (1 liter) are packed in a strong outer packaging and ground transportation is utilized. Such material

Revision Date: 27-Feb-2025

may be reclassified as "Limited Quantity".

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

<u>IMDG:</u>

UN number or ID number: UN3262

Proper Shipping Name: Corrosive solid, basic, inorganic, n.o.s., (contains Sodium Metasilicate)

Hazard Class: 8
Packing Group: |

15. REGULATORY INFORMATION

TSCA (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute health hazard:YesChronic Health Hazard:NoFire hazard:NoSudden release of pressure hazard:NoReactive Hazard:No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

Revision Date: 27-Feb-2025

NFPA Health hazards: 3 Flammability: 0 Instability: 0 Special hazards: -

Health hazards: 3 Flammability: 0 Physical hazards: 0

Revision Date: 27-Feb-2025

Revision Note: Section, 2, 3, 7, 9, 11, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 6/6