

# MATERIAL SAFETY DATA SHEET

Product Name: NEW SCENTSATIONS

Date: December 10, 1999

## Section One      Product and Company Information

Product Name: New Scentsations

Medical/Handling Emergency: 800-535-5053

Responsible Party: Grand Technology Inc,  
28 Harrison Ave Ste 202  
Englishtown NJ 07726

Product Technical Information: 877-777-7244

HMIS Codes: Reactivity: 1    Flammability: 2    Health: 1    Personal Protect: 1

## Section Two      Information on Ingredients

Component	CAS#	OSHA PEL	ACGIH TLV
Low odor Pet. Distillates	64742887	5 MG/M3	5 MG/M3

## Section Three      Physical/Chemical Characteristics

Boiling Point: 354

Specific Gravity: (water=1) 0.76

Vapor Pressure: (mm Hg) .5@68F

Melting Point: N/A

Vapor Density: (air=1) N/A

Evaporation Point: .2

Volubility in Water: (Butyl Acetate=1) 100%

Appearance and Odor: Clear, free flowing, yellow liquid, fresh sweet orange aroma

## Section Four      Fire and Explosion Hazard Data

Flash Point (Method): 130F

TCC Flammable Limits: LEL: N/A

UEL: N/A

Extinguishing Media: CO2

Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: COMBUSTIBLE...KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAME

## Section Five      Reactivity Data

Stability: Stable

Conditions to Avoid: OPEN FLAMES OR SPARKS-FLASH POINT 105F

Incompatability (materials to avoid): STRONG OXIDIZERS

Hazardous Decomposition or Byproducts: ORGANICS CO2, CO AND SULPHUR OXIDES MAY FORM COMBUSTIBLE MATERIAL

Conditions to Avoid: None known

## Section Six      Health Hazard Data

Routes of Entry: Inhalation: No

Skin: Yes

Ingestion: Yes

Health Hazards Acute and Chronic): INGESTION: HARMFUL OR FATAL IF SWALLOWED.

SKIN: MAY CAUSE DEFATTING OF TISSUES AND DRYING OF SKIN

EYES: WILL CAUSE SEVERE IRRITATION

Carcinogenicity: NTP: NO

IARC monographs: NO

OSHA Reg: NO

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: None Known

Emergency and First Aid Procedures:

INHALATION: REMOVE TO FRESH AIR

INGESTION: CONTACT PHYSICIAN IMMEDIATELY

SKIN: WASH WITH SOAP AND WATER

EYES: FLUSH WITH WATER FOR 15 MINUTES AND CONTACT PHYSICIAN

## MATERIAL SAFETY DATA SHEET

Product Name: NEW SCENTSATIONS

### Section Seven      Precautions for Safe Handling and Use

Spills: ELIMINATE ALL IGNITION SOURCES, VENTILATE AREA, AVOID INHALATION OF PRODUCT, COVER WITH AN INERT ABSORBENT AND REMOVE TO AN APPROVED CONTAINER

Waste Disposal Method: DRUMS SHOULD BE OFFERED FOR RECYCLING..SMALLER CONTAINERS SHOULD BE RINSED AND PLACED IN TRASH COLLECTION

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES.. STORE IN A COOL, DRY AREA..KEBP CONTAINER

Other Precautions: N/A

### Section Eight:      Control Measures

Respiratory Protection: N/A

Ventilation: Local Exhaust: FACE VELOCITY 60 fpm

Mechanical: EXPLOSION PROOF

Special: N/A

Other: NO SMOKING OR OPEN FLAMES

Protective Gloves: YES

Eye Protection: YES

Other Protective Clothing or Equipment: N/A

### Section Nine:      Disclaimer

The information contained herein is, to the best of our knowledge and belief, accurate. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage, and disposal of this product are beyond our control, it is the responsibility of the user , both to determine safe conditions for use of this product and to assume full responsibility for loss, injury, and expense arising from the product's improper use. Furthermore, it is the direct responsibility of the user to comply with all applicable Federal, State, and local regulation governing the use and disposal of this material.

# MATERIAL SAFETY DATA SHEET

Product Name: Very Berry Scentsations

Date: December 2003

## Section One      Product and Company Information

Product Name: Very Berry  
Responsible Party: Grand Technology Inc,  
28 Harrison Ave Ste 202  
Englishtown NJ 07726  
Medical/Handling Emergency: 800-535-5053  
Product Technical Information: 877-777-7244  
HMIS Codes: Reactivity: 1    Flammability: 2    Health: 1    Personal Protect: 1

## Section Two      Information on Ingredients

Component	CAS#	OSHA PEL	ACGIH TLV
Low odor Pet. Distillates	64742887	5 MG/M3	5 MG/M3

## Section Three      Physical/Chemical Characteristics

Boiling Point: 354  
Vapor Pressure: (mm Hg) .5@68F  
Vapor Density: (air=1) N/A  
Volubility in Water: (Butyl Acetate=1) 100%  
Appearance and Odor: Clear, free flowing, yellow liquid, fresh sweet orange aroma  
Specific Gravity: (water=1) 0.76  
Melting Point: N/A  
Evaporation Point: .2

## Section Four      Fire and Explosion Hazard Data

Flash Point (Method): 130F  
UEL: N/A  
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS  
Unusual Fire and Explosion Hazards: COMBUSTIBLE...KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAME  
TCC Flammable Limits: LEL: N/A  
Extinguishing Media: CO2

## Section Five      Reactivity Data

Stability: Stable  
Conditions to Avoid: OPEN FLAMES OR SPARKS-FLASH POINT 105F  
Incompatability (materials to avoid): STRONG OXIDIZERS  
Hazardous Decomposition or Byproducts: ORGANICS CO2, CO AND SULPHUR OXIDES MAY FORM COMBUSTIBLE MATERIAL  
Conditions to Avoid: None known

## Section Six      Health Hazard Data

Routes of Entry: Inhalation: No      Skin: Yes      Ingestion: Yes  
Health Hazards Acute and Chronic: INGESTION: HARMFUL OR FATAL IF SWALLOWED.  
SKIN: MAY CAUSE DEFATTING OF TISSUES AND DRYING OF SKIN  
EYES: WILL CAUSE SEVERE IRRITATION  
Carcinogenicity: NTP: NO      IARC monographs: NO      OSHA Reg: NO  
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS  
Medical Conditions Generally Aggravated by Exposure: None Known  
Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR  
INGESTION: CONTACT PHYSICIAN IMMEDIATELY  
SKIN: WASH WITH SOAP AND WATER  
EYES: FLUSH WITH WATER FOR 15 MINUTES AND CONTACT PHYSICIAN

## MATERIAL SAFETY DATA SHEET

Product Name: Very Berry Scentsations

### Section Seven                      Precautions for Safe Handling and Use

Spills: ELIMINATE ALL IGNITION SOURCES, VENTILATE AREA, AVOID INHALATION OF PRODUCT, COVER WITH AN INERT ABSORBENT AND REMOVE TO AN APPROVED CONTAINER

Waste Disposal Method: DRUMS SHOULD BE OFFERED FOR RECYCLING..SMALLER CONTAINERS SHOULD BE RINSED AND PLACED IN TRASH COLLECTION

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES.. STORE IN A COOL, DRY AREA..KEEP CONTAINER

Other Precautions: N/A

### Section Eight:                      Control Measures

Respiratory Protection: N/A

Ventilation: Local Exhaust: FACE VELOCITY 60 fpm

Mechanical: EXPLOSION PROOF

Special: N/A

Other: NO SMOKING OR OPEN FLAMES

Protective Gloves: YES

Eye Protection: YES

Other Protective Clothing or Equipment: N/A

### Section Nine:                      Disclaimer

The information contained herein is, to the best of our knowledge and belief, accurate. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy.

Since the conditions of handling, storage, and disposal of this product are beyond our control, it is the responsibility of the user, both to determine safe conditions for use of this product and to assume full responsibility for loss, injury, and expense arising from the product's improper use. Furthermore, it is the direct responsibility of the user to comply with all applicable Federal, State, and local regulation governing the use and disposal of this material.

# MATERIAL SAFETY DATA SHEET

Product Name: D'BEST

Date: December 10, 1999

## Section One      Product and Company Information

Product Name: D'BEST

Medical/Handling Emergency: 800-535-5053

Responsible Party: Grand Technology Inc,  
28 Harrison Ave Ste 202  
Englishtown NJ 07726

Product Technical Information: 877-777-7244

HMIS Codes: Reactivity: 1    Flammability: 2    Health: 1    Personal Protect: 1

## Section Two      Information on Ingredients

Component	CAS#	OSHA PEL	ACGIH TLV
Low odor Pet. Distillates	64742887	5 MG/M3	5 MG/M3

## Section Three      Physical/Chemical Characteristics

Boiling Point: 354

Specific Gravity: (water=1) 0.76

Vapor Pressure: (mm Hg) .5@68F

Melting Point: N/A

Vapor Density: (air=1) N/A

Evaporation Point: .2

Volubility in Water: (Butyl Acetate=1) 100%

Appearance and Odor: Clear, free flowing liquid, eucalyptus aroma

## Section Four      Fire and Explosion Hazard Data

Flash Point (Method): 130F

TCC Flammable Limits: LEL: N/A

UEL: N/A

Extinguishing Media: CO2

Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: COMBUSTIBLE...KEEP AWAY FROM HEAT, SPARKS OR OPEN FLAME

## Section Five      Reactivity Data

Stability: Stable

Conditions to Avoid: OPEN FLAMES OR SPARKS-FLASH POINT 105F

Incompatibility (materials to avoid): STRONG OXIDIZERS

Hazardous Decomposition or Byproducts: ORGANICS CO2, CO AND SULPHUR OXIDES MAY FORM COMBUSTIBLE MATERIAL

Conditions to Avoid: None known

## Section Six      Health Hazard Data

Routes of Entry: Inhalation: No

Skin: Yes

Ingestion: Yes

Health Hazards Acute and Chronic): INGESTION: HARMFUL OR FATAL IF SWALLOWED.

SKIN: MAY CAUSE DEFATTING OF TISSUES AND DRYING OF SKIN

EYES: WILL CAUSE SEVERE IRRITATION

Carcinogenicity: NTP: NO

IARC monographs: NO

OSHA Reg: NO

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: None Known

Emergency and First Aid Procedures:

INHALATION: REMOVE TO FRESH AIR

INGESTION: CONTACT PHYSICIAN IMMEDIATELY

SKIN: WASH WITH SOAP AND WATER

EYES: FLUSH WITH WATER FOR 15 MINUTES AND CONTACT PHYSICIAN

## MATERIAL SAFETY DATA SHEET

Product Name: D'BEST

### Section Seven                      Precautions for Safe Handling and Use

Spills: ELIMINATE ALL IGNITION SOURCES, VENTILATE AREA, AVOID INHALATION OF PRODUCT, COVER WITH AN INERT ABSORBENT AND REMOVE TO AN APPROVED CONTAINER

Waste Disposal Method: DRUMS SHOULD BE OFFERED FOR RECYCLING..SMALLER CONTAINERS SHOULD BE RINSED AND PLACED IN TRASH COLLECTION

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES.. STORE IN A COOL, DRY AREA..KEEP CONTAINER

Other Precautions: N/A

### Section Eight:                      Control Measures

Respiratory Protection: N/A

Ventilation: Local Exhaust: FACE VELOCITY 60 fpm

Mechanical: EXPLOSION PROOF

Special: N/A

Other: NO SMOKING OR OPEN FLAMES

Protective Gloves: YES

Eye Protection: YES

Other Protective Clothing or Equipment: N/A

### Section Nine:                      Disclaimer

The information contained herein is, to the best of our knowledge and belief, accurate. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage, and disposal of this product are beyond our control, it is the responsibility of the user , both to determine safe conditions for use of this product and to assume full responsibility for loss, injury, and expense arising from the product's improper use. Furthermore, it is the direct responsibility of the user to comply with all applicable Federal, State, and local regulation governing the use and disposal of this material.