

Safety Data Sheet

Issue Date: 25-Sep-2013

Revision Date: 10-Sep-2015

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Dyno Foam
HD

Other means of identification

SDS # AQS-005

UN/ID No UN3266

Recommended use of the chemical and restrictions on use

Recommended Use A chlorinated cleanser which creates a rich foam for longer dwell time. The superior surfactant system, along with chlorine, penetrates, peptizes and removes soil rapidly, leaving a clean odor-free surface.

Details of the supplier of the safety data sheet

Supplier Address

Aqua Systems, Inc.
P.O. Box. 397
Arroyo Grande, CA 93420
Ph: 805-489-9250

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear/amber liquid

Physical State Liquid

Odor Citrus

Classification


Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage
Suspected of causing cancer

**Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Response

Immediately call a poison center or doctor/physician
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a poison center or doctor/physician
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a poison center or doctor/physician
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage Store
locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Please also refer to subsequent sections of this SDS for additional information regarding the components of this product.

Chemical Name	CAS No	Weight-%
Sodium hypochlorite	7681-52-9	10-20
Potassium hydroxide	1310-58-3	1-5
Dipropylene Glycol Monomethyl Ether (DPM)	34590-94-8	1-5
Cocamide DEA	68603-42-9	0.1-1.0

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately.
Skin Contact	Remove contaminated clothing. Wash off immediately with plenty of water. Get medical attention if irritation develops or persists.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately.
Ingestion	Do not induce vomiting. Rinse mouth. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Immediately call a poison center or doctor/physician.

Most important symptoms and effects

Symptoms	Burning and/or irritation to eyes and skin. Ingestion may cause severe burns to mouth, throat or stomach. May cause eye burns and permanent eye damage. May cause irritation to the mucous membranes and upper respiratory tract.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Water.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical Product is not flammable.

Hazardous Combustion Products May emit toxic or corrosive fumes under fire conditions.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material.
--------------------------------	---

Methods for Clean-Up

Collect and reuse if possible. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations.

7. HANDLING AND STORAGE**Precautions for safe handling****Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Keep containers closed when not in use. Surfaces subject to spills of this product can become slippery. Do not breathe vapors or spray mist. Do not eat or drink while handling this material. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of the reach of children. Store locked up.

Incompatible Materials Strong oxidizing agents. Acids. Alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³ (vacated) S* S*	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³

Appropriate engineering controls**Engineering Controls**

Ensure adequate ventilation, especially in confined areas. Maintain eye wash fountain and quick-drench facilities in work area.

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Chemical resistant gloves recommended.

Respiratory Protection

No protection is ordinarily required under normal conditions of use and with adequate ventilation. Wear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid		
Appearance	Clear/amber liquid	Odor	Citrus
Color	Clear/amber	Odor Threshold	Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	13.5 +/- 0.5	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	Not determined	
Evaporation Rate	> 1.0	(Water = 1)
Flammability (Solid, Gas)	Liquid-Not applicable	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	1.10 +/- 0.05	
Water Solubility	Completely soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents. Acids. Alkalis.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact

Causes severe eye damage.

Skin Contact

Causes severe skin burns.

Inhalation

Avoid breathing vapors or mists. May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion

May cause chemical burns to mouth, throat and stomach.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
Tetrapotassium pyrophosphate 7320-34-5	-	> 4640 mg/kg (Rabbit)	-
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Cocomide DEA 68603- 42-9	= 12400 µL/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Suspected of causing cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite 7681-52-9		Group 3		
Cocomide DEA 68603-42-9		Group 2B		X

Legend

IARC (International Agency for Research on Cancer) Group

2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor) X -

Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium hypochlorite 7681-52-9	0.095: 24 h <i>Skeletonema costatum</i> mg/L EC50	0.06 - 0.11: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 4.5 - 7.6: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.4 - 0.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.28 - 1: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 0.05 - 0.771: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.03 - 0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.18 - 0.22: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static		0.033 - 0.044: 48 h <i>Daphnia magna</i> mg/L EC50 Static 2.1: 96 h <i>Daphnia magna</i> mg/L EC50
Tetrapotassium pyrophosphate 7320-34-5		100: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50		100: 48 h water flea mg/L EC50
Potassium hydroxide 1310-58-3		80: 96 h <i>Gambusia affinis</i> mg/L LC50 static		
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8		10000: 96 h <i>Pimephales promelas</i> mg/L LC50 static		1919: 48 h <i>Daphnia magna</i> mg/L LC50
Cocomide DEA 68603-42-9		3.6: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static		4.2: 24 h <i>Daphnia magna</i> mg/L EC50

Persistence/Degradability Not determined.

Bioaccumulation Not determined.

Mobility

Chemical Name	Partition Coefficient
Potassium hydroxide 1310-58-3	0.65
	0.83
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	-0.064

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hypochlorite, Sodium hydroxide)

Hazard Class 8

Packing Group III

IATA

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hypochlorite, Sodium hydroxide)

Hazard Class 8

Packing Group III

IMDG

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium hypochlorite, Sodium hydroxide)

Hazard Class 8

Packing Group III

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium hypochlorite	Present	X		Present		Present	X	Present	X	X
Potassium hydroxide	Present	X		Present		Present	X	Present	X	X
Dipropylene Glycol Monomethyl Ether (DPM)	Present	X		Present		Present	X	Present	X	X
Cocomide DEA	Present	X		Present		Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hypochlorite 7681-52-9	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Dipropylene Glycol Monomethyl Ether (DPM) - 34590-94-8	34590-94-8	2	1.0

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hypochlorite	100 lb			X
Potassium hydroxide	1000 lb			X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Cocomide DEA - 68603-42-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hypochlorite 7681-52-9	X	X	X
Potassium hydroxide 1310-58-3	X	X	X
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	X	X	X

16. OTHER INFORMATION

NFPA

Health Hazards
3

Flammability
0

Instability 1

Special Hazards
Not determined

HMIS

Health Hazards
3

Flammability
0

Physical Hazards
1

Personal Protection
Not determined

Issue Date: 25-Sep-2013

Revision Date: 10-Sep-2015

Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet