



# SAFETY DATA SHEET

Revision Date 01/30/2015

REVISION NUMBER: 2

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product name JIFFY, Spray Cleaner

### Other means of identification

Product code 102430

Synonyms NONE

### Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent.

Uses advised against No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

Rochester Midland Corporation  
155 Paragon Drive  
Rochester, New York 14624 USA

### Emergency telephone number

EMERGENCY TELEPHONE  
INFOTRAC: 1-800-535-5053  
OUTSIDE U.S.: +1-352-323-3500

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label elements

#### **Emergency Overview**

**DANGER**

#### **Hazard statements**

Causes severe skin burns and eye damage  
May be corrosive to metals



**Appearance** Clear yellow-green liquid.

**Physical state** Liquid

**Odor** Glycol Ether-like odor.

**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray  
Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
Keep only in original container

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor/physician  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
Wash contaminated clothing before reuse  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
Immediately call a POISON CENTER or doctor/physician  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting  
Absorb spillage to prevent material damage

**Precautionary Statements - Storage**

Store locked up  
Store in corrosive resistant container

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

No information available

**Other Information****3. COMPOSITION/INFORMATION ON INGREDIENTS**

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
Diethylene glycol butyl ether	112-34-5	< 5	*
SODIUM CARBONATE	497-19-8	> 5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****First aid measures****General advice**

Immediately call a POISON CENTER or doctor/physician.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

**Skin contact**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

**Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

**Most important symptoms and effects, both acute and delayed****Symptoms**

No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

No information available.

**Explosion data**

**Sensitivity to Mechanical Impact** NONE.

**Sensitivity to Static Discharge** NONE.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Avoid contact with eyes, skin and clothing. Do not breathe mist or vapors. Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Empty containers may retain product residue, follow MSDS/label precautions even after container is emptied. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

**Incompatible materials** Do not mix with acidic materials. Neutralizes active ingredients. Use on aluminum, tin, or zinc-plated (galvanized) surfaces may cause pitting or surface deterioration.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
-----------------------------	-----------	----------	------------

Diethylene glycol butyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	NA	-
---	---	----	---

**Appropriate engineering controls**

**ENGINEERING CONTROLS**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Safety glasses are recommended to minimize eye contact.

**Skin and body protection** Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

**RESPIRATORY PROTECTION** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Glycol Ether-like odor.
<b>Appearance</b>	Clear yellow-green liquid.	<b>Odor threshold</b>	No information available
<b>Color</b>	Yellow Green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	13.5	
Melting point/freezing point	No information available	
Boiling point / boiling range	100 °C / 212 °F	
Flash point	-	None to boiling.
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific gravity	1.023 - 1.033	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

**Other Information**

Softening point	No information available
VOC (EPA METH.24) (G/L):	32.7
Density	8.57 lbs/gal
Bulk density	No information available

## 10. STABILITY AND REACTIVITY

### REACTIVITY

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

### Incompatible materials

Do not mix with acidic materials. Neutralizes active ingredients. Use on aluminum, tin, or zinc-plated (galvanized) surfaces may cause pitting or surface deterioration.

### Hazardous Decomposition Products

Oxides of Carbon. Oxides of Nitrogen.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Product Information</b>	Causes severe skin burns and eye damage
<b>Inhalation</b>	Causes burns.
<b>Eye contact</b>	Severely irritating to eyes. Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin contact</b>	Irritating to skin. Causes burns.
<b>Ingestion</b>	Causes burns.

PRODUCT COMPOSITION CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol butyl ether 112-34-5	= 3384 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
SODIUM CARBONATE 497-19-8	= 4090 mg/kg ( Rat )	-	= 2300 mg/m <sup>3</sup> ( Rat ) 2 h

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

<b>ATEmix (oral)</b>	65823 mg/kg
<b>ATEmix (dermal)</b>	69231 mg/kg

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

0.7502% of the mixture consists of component(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION CAS#	Algae/aquatic plants	Fish	Crustacea
Diethylene glycol butyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	100: 48 h Daphnia magna mg/L EC50
SODIUM CARBONATE 497-19-8	-	300: 96 h Lepomis macrochirus mg/L LC50 static 310 - 1220: 96 h Pimephales promelas mg/L LC50 static	265: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **Contaminated packaging**

Do not reuse container.

## 14. TRANSPORT INFORMATION

#### **Proper shipping name**

Not Regulated by DOT

## 15. REGULATORY INFORMATION

### International Inventories

TSCA	Complies
DSL/NDL	Complies
EINECS/ELINCS	Does not Comply
ENCS	Does not Comply
IECSC	Complies
KECL	Does not Comply
PICCS	Complies
AICS	Complies

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION CAS#	SARA 313 - Threshold Values %
Diethylene glycol butyl ether - 112-34-5	1.0

**SARA 311/312 Hazard Categories**

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	No
Sudden release of pressure hazard	No
REACTIVE HAZARD	YES

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
Diethylene glycol butyl ether 112-34-5			Listed

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION****NFPA**

Health hazards 1

Flammability 0

Instability 0

Physical and Chemical Properties ALKALI

**HMIS**

Health hazards 1

Flammability 0

Physical hazards 0

Personal protection B

Revision Date 01/30/2015

Revision Note

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\*\*\* END OF SDS \*\*\*