

Safety Data Sheet



I. IDENTIFICATION

Product identification used on label

Product Name: SOLID SQUARE WAFER - CHERRY
Product Identifier:
Recommended Use of the Solid Square Wafer Refills
Chemical and restrictions on use:

Company: AIR-SCENT INT'L
RIDC INDUSTRIAL PARK
290-298 ALPHA DRIVE
PITTSBURGH, PA 15238
Emergency Phone EMERGENCY PHONE: (800) 535-5053
Number: INFORMATION PHONE: 800-247-0770
INFORMATION FAX: 412-252-1010
IF SWALLOWED CALL YOUR POISON
CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS
Hazard
Symbols:



GHS Classification: Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2

GHS Signal Word: Warning

GHS Hazard Causes skin irritation.; May cause an allergic skin reaction.; Causes serious eye irritation.; Toxic to aquatic life.; Toxic to aquatic life with long lasting effects.

GHS Precautions:

Safety Precautions: Wash thoroughly after handling.. Avoid release to the environment. Wear protective gloves/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

CHERRY WAFER

Safety Data Sheet

Chemical Name	CAS #	%
Benzene carboxaldehyde	100-52-7	10 - 30
Acetic acid, phenylmethyl ester	140-11-4	1 - 5
3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl-	98-55-5	1 - 5
Benzaldehyde, 4-hydroxy-3-methoxy-	121-33-5	1 - 5
2H-1-Benzopyran-2-one	91-64-5	0.5 - 1.5
3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl-, 1-acetate	80-26-2	0.5 - 1.5
Benzene, 1,1"-oxybis-	101-84-8	0.5 - 1.5
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	5989-27-5	0.5 - 1.5
Ethanone, 1-[4-(1,1-dimethylethyl)-2,6-dimethyl-3,5-dinitrophenyl]-	81-14-1	0.1 - 1
2-Propenal, 3-phenyl-	104-55-2	0.1 - 1
Terpenes and Terpenoids	68917-33-9	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately
Eyes:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS.
Most important symptoms and effects - acute	No Data Available
Most important symptoms and effects - chronic	No Data Available
Notes to Doctor:	No additional first aid information available

V. FIRE FIGHTING MEASURES

Flammability Summary:	Combustible at elevated temperatures
Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water may be ineffective but water spray can be used to extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire.
Extinguishing Media advised against:	No Data Available
Fire and/or Explosion Hazards:	Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B).

Safety Data Sheet

Vapors are heavier than air and may travel to a source of ignition and flash back. Material will burn in a fire.

Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death.

Flammable Liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point.

Use bonding and grounding when transferring this material and dusting could occur.

Fire Fighting Methods and Protection:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for the surrounding fire.

Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

Hazardous Combustion Products:

Carbon Oxides, Carbon dioxide, Carbon monoxide, Toxic fumes., Toxic gases

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

Methods for Clean-up:

No special spill clean-up considerations. Collect and discard in regular trash.

VII. HANDLING AND STORAGE

Handling Technical Measures and Precautions:

Mildly irritating material. Avoid unnecessary exposure. Use spark-proof tools and explosion-proof equipment As with all chemicals, good industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse

Storage Technical Measures and Conditions:

Store in a cool dry place. Isolate from incompatible materials. Keep away from sources of ignition Store in a cool place in original container and protect from sunlight Do not store near combustible materials Store in a tightly closed container Store in a cool dry place Keep away from heat, sparks, and flame Keep container closed when not in use

Materials to Avoid/Chemical Incompatibility:

Strong oxidizing agents Strong reducing agents Strong bases

Safety Data Sheet

Allyl alcohol Aluminium Iron phenols Oxygen Acids Strong
alkalies Nitrogen oxides Acetic anhydride Strong acids
Chlorinated compounds Bases Reducing agents

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures:	No exposure limits exist for the constituents of this product. Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Facilities storing or using this material should be equipped with an eyewash and safety shower. Explosion proof exhaust ventilation should be used. Ventilation is required to maintain operator exposure below published exposure limits.
Respiratory Protection:	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible. Respiratory protection may be required in addition to ventilation depending upon conditions of use.
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield
Skin Protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield
Gloves:	No information available
Handling Instructions:	Use spark-proof tools and explosion-proof equipment As with all chemicals, good industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse

Control Parameters:

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
No Data Available	No TLV		No PEL established

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid
------------------------	-------

Safety Data Sheet

Color:	Earthen Brown
Odor:	Comparable to Standard
Odor Threshold:	ND
pH:	Not Available
Melting Point/Freezing Point:	-15 ° F
Initial Boiling Point:	352 - 354 ° F
Flash Point:	> 200 ° F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	8.5
	12.6
	7.5
Lower Flammable/Explosive Limit:	1.1
Vapor Density:	> 1
Relative Density:	1
Solubility in Water:	Soluble in water- No
Octanol/Water Partition Coefficient:	-1.48 at 20 degree C 0.14 log Kow = 2.98 1.23 4.21 at 25 °C (77 °F)
Auto-ignition Temperature:	190 ° C
Decomposition Temperature:	284
Volatiles, % by weight:	24.56
Volatiles, % by weight:	24.56
Bulk Density:	14.612

X. STABILITY AND REACTIVITY

Reactivity:	No Data Available
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	Temperatures above flash point in combination with sparks, open flames, or other sources of ignition. Contact with air. Avoid moisture Light Heat flame sparks Contamination Elevated temperatures
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents Strong reducing agents Strong bases Allyl alcohol Aluminium Iron phenols Oxygen Acids Strong alkalis Nitrogen oxides Acetic anhydride Strong acids Chlorinated compounds Bases Reducing agents
Hazardous Decomposition Products:	Carbon Oxides Carbon dioxide Carbon monoxide Toxic fumes. Toxic gases

XI. TOXICOLOGICAL INFORMATION

Routes of Entry:	Inhalation, Ingestion, Skin contact, Eye contact
Most Important	No Data Available
Symptoms:	
Target Organs Potentially Affected by Exposure:	Eyes, Nervous System, Respiratory Tract, Skin
Chemical Interactions That Change Toxicity:	No chemical interaction known to affect toxicity.
Medical Conditions Aggravated by Exposure:	Eye disease, Respiratory disease including asthma and bronchitis, Skin disease including eczema and sensitization

Immediate (Acute) Health Effects by Route of Exposure:

Safety Data Sheet

Inhalation Irritation: Can cause respiratory irritation. Irritation may be delayed for several hours.
Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. May cause sensitization.
Skin Absorption: Minimal hazard in normal industrial use. May cause gastrointestinal discomfort
Eye Contact: Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.
Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea.
Ingestion Toxicity: Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.
Reproductive toxicity: No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Germ cell mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation: Upon prolonged and/or repeated exposure, can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and headache.
Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.
Skin Absorption: Upon prolonged or repeated exposure, minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

Component Toxicology Data:

Chemical Name	CAS Number	LD50/LC50
No data available		

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

XII. ECOLOGICAL INFORMATION

Overview:	This material is not expected to be harmful to the ecology.
Mobility in Soil:	No Data Available
Persistence:	No Data Available
Bioaccumulation:	No Data Available
Other adverse effects	No Data Available

Ecotoxicity Data

Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
---------------	------------	---------------------------	------------------------	-------------------

Safety Data Sheet

No Data Available

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product: Spent or discarded material is not expected to be a hazardous waste.

Waste Description for Empty Packaging: No Data Available

Disposal Methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description: Not Restricted

IATA Shipping Description: Not Restricted

IMDG Shipping Description: Not Restricted

XV. REGULATORY INFORMATION

TSCA Status All components in this product are on the TSCA Inventory.

Chemical Name	CAS #	Regulation	% Range
N590 Polycyclic aromatic compounds (PACs)	93-04-9	SARA 313	1 - 5
N590 Polycyclic aromatic compounds (PACs)	91-64-5	SARA 313	0.5 - 1.5

XVI. OTHER INFORMATION

Revision Date: 05-22-2014

Disclaimer: Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied,

Safety Data Sheet

including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.