SAFETY DATA SHEET



Fragrance 49394747

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : Fragrance 49394747
Product name : RED SEQUOIA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance. Restricted to professional users. Industrial use only.

1.3 Details of the supplier of the safety data sheet

Supplier's details : drom fragrances GmbH & Co. KG

Oberdiller Straße 18 tel. +49 89 74425-0 fax. +49 89 7934966 D-82065 Baierbrunn

e-mail address of person responsible for this SDS

: safety@drom.com

1.4 Emergency telephone number

National advisory body/Poison Center

Telephone number : www.rshm.gov.tr

Supplier

Emergency telephone number (with hours of

operation)

: +49 89 74425 288 9h - 17h (Mo - Fr)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Xi; R38

R43 N; R51/53

Human health hazards: Irritating to skin. May cause sensitization by skin contact.

Environmental hazards: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms





Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version : 1 1/16



dron FRAGRANCES

SECTION 2: Hazards identification

Signal word : Warning

Hazard statements : H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention: P280 - Wear protective gloves. Wear eye or face protection.

P273 - Avoid release to the environment.

Response : P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazardous ingredients : 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

linalool

4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one 1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one

Supplemental label

elements

: Not applicable.

2.3 Other hazards

Other hazards which do

: None known.

not result in classification

SECTION 3: Composition/information on ingredients

3.1 Substances : Not applicable.

3.2 Mixtures : Mixture

			<u>Cla</u>	ssification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
1-(1,2,3,4,5,6,7, 8-octahydro-2,3,8, 8-tetramethyl- 2-naphthyl)ethan-1-one	REACH #: 01-2119489989-04 EC: 915-730-3 CAS: 54464-57-2 CAS: 68155-66-8 CAS: 68155-67-9	30.00	Xi; R38 R43 N; R51/53	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410	[1]
linalool	REACH #: 01-2119474016-42 EC: 201-134-4 CAS: 78-70-6	10.00	Xi; R38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
linalyl acetate	REACH #: 01-2119454789-19 EC: 204-116-4 CAS: 115-95-7	1.50	Xi; R38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
vanillin	REACH #: 01-2119516040-60 EC: 204-465-2 CAS: 121-33-5	1.00	Xi; R36	Eye Irrit. 2, H319	[1]
2-methyl-4-(2,2, 3-trimethyl- 3-cyclopenten-1-yl) -2-buten-1-ol	EC: 248-907-2 CAS: 28219-60-5	0.10	Xi; R36 N; R50/53	Eye Irrit. 2, H319 Aquatic Chronic 1, H410	[1]

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version : 1 2/16



SECTION 3: Composition/information on ingredients See Section 16 for the full text of the R-phrases declared above. See Section 16 for full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

Hydrocarbon. (Content) : 0.39%

SECTION 4: First aid measures

4.1 Description of first aid measures

Eve	contact	

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Irritating to mouth, throat and stomach.

Over-exposure signs/

<u>symptoms</u>

: Not available.

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version : 1 3/16



SECTION 4: First aid measures

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

 Decomposition products may include the following materials: carbon dioxide

carbon monoxide

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version : 1 4/16



SECTION 6: Accidental release measures

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Seveso II Directive - Reporting thresholds (in tonnes)

Danger criteria

	Notification and MAPP threshold	Safety report threshold
E1: Hazardous to the aquatic environment - Acute 1 or Chronic 1	100	200
C9ii: Toxic for the environment	200	500

7.3 Specific end use(s)

Recommendations: Industrial use only.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

DNELs/DMELs

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version : 1 5/16



SECTION 8: Exposure controls/personal protection

Product/ingredient name	Type	Exposure	Value	Population	Effects
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8, 8-tetramethyl-2-naphthyl)ethan- 1-one	DNEL	Long term Dermal	0.1011 mg/ cm ²	Workers	Local
	DNEL	Long term Inhalation	1.76 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	1.73 mg/ kg bw/day	Workers	Systemic
inalool	DNEL	Long term Dermal	2.5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	2.8 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	15 mg/cm ²	Workers	Local
	DNEL	Short term Dermal	15 mg/cm²	Workers	Local
	DNEL	Long term Dermal	1.25 mg/ kg bw/day	Consumers	Systemic
	DNEL	Long term Inhalation	0.7 mg/m³	Consumers	Systemic
	DNEL	Long term Oral	0.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Dermal	15 mg/cm²	Consumers	Local
	DNEL	Short term Dermal	2.5 mg/cm ²	Consumers	Systemic
	DNEL	Short term Inhalation	4.1 mg/m³	Consumers	Systemic
	DNEL	Short term Oral	1.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Dermal	15 mg/cm²	Consumers	Local
	DNEL	Short term Dermal	5 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	16.5 mg/m³	Workers	Systemic
inalyl acetate	DNEL	Long term Inhalation	2.75 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	2.5 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Dermal	8 mg/cm²	Workers	Local
	DNEL	Long term Inhalation	0.68 mg/m³	Consumers	Systemic
	DNEL	Long term Oral	0.2 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Dermal	1.25 mg/ kg bw/day	Consumers	Systemic

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version : 1 6/16



SECTION 8: Exposure controls/personal protection

	DNEL	Short term Dermal	8 mg/m³	Consumers	Local
	DNEL	Long term Dermal	8 mg/cm ²	Workers	Local
	DNEL	Long term Dermal	8 mg/cm ²	Consumers	Local
vanillin	DNEL	Short term Oral	10 mg/kg bw/day	Consumers	Systemic

PNECs PNECs			
Product/ingredient name	Compartment Detail	Value	Method Detail
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8, 8-tetramethyl-2-naphthyl)ethan-1-one	Fresh water	0.0028 mg/l	-
	Marine water	0.00028 mg/l	-
	Fresh water sediment	3.73 mg/kg	-
	Marine water sediment	0.75 mg/kg	-
	Soil	0.705 mg/kg	-
linalool	Fresh water	0.2 mg/l	-
	Marine water	0.02 mg/l	-
	Intermittent release	2 mg/l	-
	Fresh water sediment	2.22 mg/kg dwt	-
	Marine water sediment	0.222 mg/kg dwt	-
	Soil	0.327 mg/kg dwt	-
	Sewage Treatment Plant	>10 mg/l	-
linalyl acetate	Fresh water	0.011 mg/l	-
	Marine water	0.0011 mg/l	-
	Marine water sediment	0.0609 mg/kg	-
	Soil	0.115 mg/kg	-
	Sewage Treatment Plant	10 mg/l	-
	Intermittent release	0.11 mg/l	-
	Fresh water sediment	0.609 mg/kg	-
vanillin	Fresh water	0.118 mg/l	-
	Marine water	0.0118 mg/l	-
	Fresh water sediment	58.22 mg/kg	-
	Marine water sediment	5.82 mg/kg	-
	Soil	11.54 mg/kg	-
	Sewage Treatment Plant	10 mg/l	-

Date of issue/Date of revision : 2015-03-24. **Date of printing** Version :1 7/16 : 2015-06-03.



SECTION 8: Exposure controls/personal protection

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid.

Color Characteristic. Odor Characteristic. Not available. **Odor threshold** pΗ Not available. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

: Closed cup: 104°C Flash point **Evaporation rate** : Not available. Not available. Upper/lower flammability or

explosive limits

Vapor pressure : 0.06 hPa

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version :1



SECTION 9: Physical and chemical properties

Vapor density Not available.

Density : 0.981 to 0.991 g/cm3 [20°C] Solubility in water Non water-soluble liquid

Partition coefficient: n-octanol/ : Not available.

water

Auto-ignition temperature : Not available. **Decomposition temperature** : Not available.

Viscosity : Kinematic (40°C): <0.07 cm²/s (Estimated.)

Explosive properties : Not available. **Oxidizing properties** : Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
linalyl acetate	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	13934 mg/kg	-
vanillin	LD50 Dermal	Rabbit	>5010 mg/kg	-
	LD50 Oral	Rat - Male, Female	3978 mg/kg	-
2-methyl-4-(2,2,3-trimethyl-	LD50 Oral	Rat	>5000 mg/kg	-

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version



SECTION 11: Toxicological information

3-cyclopenten-1-yl)-2-buter	l -		
1-ol			

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	Skin - Irritant	Human	-	-	-
linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1 Mililiters	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Skin - Moderate irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Mild irritant	Human	-	72 hours 32 Percent	-
	Skin - Mild irritant	Man	-	48 hours 16 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-
linalyl acetate	Skin - Moderate irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-
2-methyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten- 1-ol	Skin - Irritant	Rabbit	-	-	-

Sensitization

Product/ingredient name	Route of exposure	Species	Result
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	skin	Mouse	Sensitizing

Mutagenicity

Product/ingredient name	Test	Experiment	Result
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	-	Experiment: In vitro Subject: Mammalian-Human	Negative
	-	Experiment: In vivo Subject: Mammalian-Animal	Negative

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Irritating to mouth, throat and stomach.

Date of issue/Date of revision: 2015-03-24.Date of printing: 2015-06-03.Version: 1



SECTION 11: Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Potential chronic health effects

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.

Interactive effects : Not available.

Toxicokinetics

Absorption: Not available.Distribution: Not available.Metabolism: Not available.Elimination: Not available.Other information: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	Acute EC50 2.6 mg/l	Algae	72 hours
	Acute EC50 1.38 mg/l	Daphnia	48 hours
	Acute LC50 1.3 mg/l	Fish	96 hours
	Chronic NOEC 0.028 mg/l	Daphnia	21 days
	Chronic NOEC 0.16 mg/l	Fish	30 days
linalool	Acute EC50 141.4 mg/l	Aquatic plants	96 hours
	Acute EC50 59 mg/l	Daphnia	48 hours
	Acute EC50 >100 mg/l	Micro-organism	3 hours

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version :1 11/16



SECTION 12: Ecological information

	Acute LC50 27.8 mg/l	Fish	96 hours
linalyl acetate	Acute EC50 15 mg/l	Daphnia	48 hours
	Acute LC50 11 mg/l	Fish	96 hours
	Chronic NOEC 9.6 mg/l	Algae	72 hours
vanillin	Acute EC50 36.8 mg/l	Daphnia	48 hours
	Acute LC50 57000 μg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute NOEC 47 mg/l	Aquatic plants	72 hours
	Acute NOEC 5.9 mg/l	Daphnia	21 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	OECD 301C Ready Biodegradability - Modified MITI Test (I)	11 % - Not readily - 28 days	-	-
linalool	OECD 301C Ready Biodegradability - Modified MITI Test (I)	64.2 % - Readily - 28 days	-	-
linalyl acetate	OECD 301F Ready Biodegradability - Manometric Respirometry Test	75 % - Readily - 28 days	-	-
vanillin	OECD 301F Ready Biodegradability - Manometric Respirometry Test	>60 % - Readily - 28 days	-	-
2-methyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten- 1-ol	BSB/CSB	84 % - Readily - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	-	-	Not readily
linalool	-	-	Readily
linalyl acetate	-	-	Readily
vanillin	-	-	Readily
2-methyl-4-(2,2,3-trimethyl- 3-cyclopenten-1-yl)-2-buten- 1-ol	-	-	Readily

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version : 1 12/16



SECTION 12: Ecological information

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
1-(1,2,3,4,5,6,7,8-octahydro- 2,3,8,8-tetramethyl- 2-naphthyl)ethan-1-one	5.65	-	high
linalool	2.84	-	low
linalyl acetate	3.9	173.9	low
vanillin	1.21	-	low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: The classification of the product may meet the criteria for a hazardous waste.

European waste catalogue (EWC)

Waste code	Waste designation	
16 03 05*	organic wastes containing dangerous substances	

Packaging

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version :1 13/16



SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	UN3082	UN3082	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6, 7,8-octahydro-2,3,8, 8-tetramethyl-2-naphthyl)ethan- 1-one)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6, 7,8-octahydro-2,3,8, 8-tetramethyl-2-naphthyl)ethan- 1-one)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5, 6,7,8-octahydro-2,3,8, 8-tetramethyl-2-naphthyl) ethan-1-one)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Yes.	Marine pollutant	Yes.
Additional information	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. Tunnel code (E)	The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg.	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions: Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Registration status

All components are listed : Australia inventory (AICS)

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version :1

CION ERAGRANCES

Fragrance 49394747

SECTION 15: Regulatory information

China inventory (IECSC)

Philippines inventory (PICCS)

United States inventory (TSCA 8b)

Europe inventory (EINECS/ELINCS/

NLP)

Canada inventory (DSL/NDSL)

At least one component is not listed in DSL but all such components are

listed in NDSL.

15.2 Chemical Safety Assessment

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 1, H410	Calculation method

Full text of abbreviated H

statements

: H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Full text of classifications

[CLP/GHS]

: Aquatic Chronic 1, H410 AQUATIC HAZARD (LONG-TERM) - Category 1

Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1
Skin Sens. 1B, H317 SKIN SENSITIZATION - Category 1B

Full text of abbreviated R

phrases

R36- Irritating to eyes. R38- Irritating to skin.

R43- May cause sensitization by skin contact.

R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Full text of classifications

[DSD/DPD]

: Xi - Irritant

N - Dangerous for the environment

Date of printing

Date of issue/ Date of

revision

: 2015-06-03. : 2015-03-24.

Date of previous issue

. Version

1

: No previous validation.

Date of issue/Date of revision

: 2015-03-24. Date of printing

: 2015-06-03.

Version : 1

15/16

CIONERAGRANCES

Fragrance 49394747

SECTION 16: Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 2015-03-24. Date of printing : 2015-06-03. Version : 1 16/16