SAFETY DATA SHEET

Fragrance 49385216



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product code : Fragrance 49385216
Product name : NATURAL LAVENDER

Product type : Liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance. Restricted to professional users. Industrial use only.

1.3 Details of the supplier of the safety data sheet

Supplier's details : drom fragrances GmbH & Co. KG

Oberdiller Straße 18 tel. +49 89 74425-0 fax. +49 89 7934966 D-82065 Baierbrunn

e-mail address of person

responsible for this SDS

: safety@drom.com

1.4 Emergency telephone number

National advisory body/Poison Center

Turkey

Telephone number : www.rshm.gov.tr

Supplier

Emergency telephone number (with hours of

operation)

: +49 89 74425 288 9h - 17h (Mo - Fr)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to regulation SEA: RG.-11/12/2013-28848

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation SEA: RG.-11/12/2013-28848.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 1/15



SECTION 2: Hazards identification

Precautionary statements

Prevention: P280 - Wear protective gloves. Wear eye or face protection.

P273 - Avoid release to the environment.

Response : P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazardous ingredients : linalool

cineole coumarin

beta-Caryophyllene

dipentene trans-menthone

Supplemental label

elements

Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	CAS number	%	SEA: RG11/12/2013-28848	Type
linalyl acetate	115-95-7	13.50	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
linalool	78-70-6	10.81	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317	[1]
bornan-2-one	76-22-2	5.83	Flam. Sol. 2, H228 Acute Tox. 4, H302 Acute Tox. 4, H332 STOT SE 2, H371	[1] [2]
cineole	470-82-6	1.92	Flam. Liq. 3, H226 Skin Sens. 1, H317	[1]
tricyclo[5.2.1.02,6]dec-4-en-8-yl acetate	2500-83-6 5413-60-5 54830-99-8	1.70	Aquatic Chronic 3, H412	[1]
coumarin	91-64-5	1.51	Acute Tox. 4, H302 Skin Sens. 1B, H317	[1]
3-methyl-5-phenylpentanol	55066-48-3	1.10	Acute Tox. 4, H302	[1]
beta-Caryophyllene	87-44-5	0.81	Skin Sens. 1B, H317 Asp. Tox. 1, H304	[1]
dipentene	138-86-3	0.31	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1]
trans-menthone	89-80-5 491-07-6 10458-14-7	0.15	Skin Irrit. 2, H315 Skin Sens. 1, H317	[1]
			See Section 16 for the full text of the H statements declared above.	

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 2/15



SECTION 3: Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

Eye contact

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT
- [4] Substance meets the criteria for vPvB

Occupational exposure limits, if available, are listed in Section 8.

Hydrocarbon. (Content) : 1.76%

SECTION 4: First aid measures

4.1 Description of first aid measures

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

tight clothing such as a collar, tie, belt or waistband.

Skin contact : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear

gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air Ingestion and keep at rest in a position comfortable for breathing. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear

gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

: Causes serious eye irritation. Eye contact

Inhalation : No known significant effects or critical hazards.

Skin contact : Causes skin irritation. May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/

symptoms

: Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Date of issue/Date of revision : 2017-03-03 : 2017-03-03 Version :1 3/15 Date of printing



SECTION 4: First aid measures

Specific treatments: No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

carbon monoxide

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: carbon dioxide

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 4/15



SECTION 6: Accidental release measures

Large spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations: Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
bornan-2-one	ACGIH TLV (United States, 3/2016). TWA: 2 ppm 8 hours. TWA: 12 mg/m³ 8 hours. STEL: 3 ppm 15 minutes. STEL: 19 mg/m³ 15 minutes.

8.2 Exposure controls

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 5/15



SECTION 8: Exposure controls/personal protection

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid.

Color : Characteristic.

Odor : Characteristic.

Odor threshold : Not available.

pH : Not available.

Melting point/freezing point : Not available.

Initial boiling point and : Not available.

boiling range

Flash point : Closed cup: 82°C
Evaporation rate : Not available.
Upper/lower flammability or : Not available.

explosive limits

Vapor pressure : 0.3 hPa
Vapor density : Not available.
Relative density : Not available.

Density : 0.958 to 0.968 g/cm³ [20°C]

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 6/15



SECTION 9: Physical and chemical properties

Solubility in water : Non water-soluble liquid

Partition coefficient: n-octanol/ : Not available.

water

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Kinematic (40°C): <0.07 cm²/s (Estimated.)

Explosive properties : Not available.

Oxidizing properties : Not available.

9.2 Other information

Solubility in water : Not available.

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
linalyl acetate	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	13934 mg/kg	-
linalool	LD50 Dermal	Rabbit	5610 mg/kg	-
	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
bornan-2-one	LD50 Oral	Mouse	1310 mg/kg	-
cineole	LD50 Oral	Rat	2480 mg/kg	-
tricyclo[5.2.1.02,6]dec-4-en- 8-yl acetate	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	2750 mg/kg	-
coumarin	LD50 Oral	Rat	320 mg/kg	-
3-methyl-5-phenylpentanol	LD50 Dermal	Rabbit	3100 mg/kg	-

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 7/15



SECTION 11: Toxicological information

	_				i
	LD50 Oral	Rat	1830 mg/kg	-	
beta-Caryophyllene	LD50 Oral	Rat	>5000 mg/kg	-	
dipentene	LD50 Oral	Rat	5300 mg/kg	-	
trans-menthone	LD50 Dermal	Rabbit	>5000 mg/kg	-	
	LD50 Oral	Rat	>2000 mg/kg	-	

Acute toxicity estimates

Route	ATE value
Oral	5915 mg/kg
Inhalation (dusts and mists)	25.86 mg/l

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
linalyl acetate	Skin - Moderate irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-
linalool	Eyes - Moderate irritant	Rabbit	-	1 hours 0.1 Mililiters	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Skin - Moderate irritant	Guinea pig	-	24 hours 100 milligrams	-
	Skin - Mild irritant	Human	-	72 hours 32 Percent	-
	Skin - Mild irritant	Man	-	48 hours 16 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 100 milligrams	-

Sensitization

Product/ingredient name	Route of exposure	Species	Result
tricyclo[5.2.1.02,6]dec-4-en- 8-yl acetate	skin	Guinea pig	Not sensitizing
	Respiratory	Guinea pig	Not sensitizing

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
bornan-2-one	Category 2	Not determined	Not determined

Aspiration hazard

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version :1 8/15



SECTION 11: Toxicological information

Product/ingredient name	Result
beta-Caryophyllene	ASPIRATION HAZARD - Category 1
dipentene	ASPIRATION HAZARD - Category 1

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

Skin contact: Causes skin irritation. May cause an allergic skin reaction.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed effects

: Not available.

Not available.

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version :1 9/15



SECTION 12: Ecological information

SECTION 12. Ecolog	<u> </u>	<u> </u>	<u></u>
Product/ingredient name	Result	Species	Exposure
linalyl acetate	Acute EC50 15 mg/l	Daphnia	48 hours
	Acute LC50 11 mg/l	Fish	96 hours
linalool	Acute EC50 141.4 mg/l	Aquatic plants	96 hours
	Acute EC50 59 mg/l	Daphnia	48 hours
	Acute EC50 >100 mg/l	Micro-organism	3 hours
	Acute LC50 27.8 mg/l	Fish	96 hours
bornan-2-one	Acute LC50 17 mg/l	Fish	96 hours
cineole	Acute LC50 102000 μg/l Fresh water	Fish - Pimephales promelas	96 hours
tricyclo[5.2.1.02,6]dec-4-en- 8-yl acetate	Acute EC50 25 mg/l	Algae	72 hours
	Acute EC50 25 mg/l	Daphnia	48 hours
	Acute LC50 15.8 mg/l	Fish	96 hours
coumarin	Acute EC50 1.45 mg/l	Algae	72 hours
	Acute LC50 13500 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 2.94 mg/l	Fish	96 hours
3-methyl-5-phenylpentanol	Acute EC50 13 mg/l	Daphnia	48 hours
	Acute LC50 13.3 mg/l	Fish	96 hours
	Chronic NOEC 6.25 mg/l	Algae	72 hours
dipentene	Acute EC50 28.2 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute EC50 20.2 mg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Acute IC50 13.798 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute LC50 31 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 38.5 mg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
trans-menthone	Acute EC50 25 mg/l	Daphnia	48 hours
	Acute LC50 >28 mg/l	Fish	96 hours

12.2 Persistence and degradability

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 10/15



SECTION 12: Ecological information

Product/ingredient name	Test	Result	Dose	Inoculum
linalyl acetate	OECD 301F Ready Biodegradability - Manometric Respirometry Test	75 % - Readily - 28 days	-	-
linalool	OECD 301C Ready Biodegradability - Modified MITI Test (I)	64.2 % - Readily - 28 days	-	-
bornan-2-one	OECD 301F Ready Biodegradability - Manometric Respirometry Test	77 % - Readily - 28 days	-	-
cineole	OECD 301F Ready Biodegradability - Manometric Respirometry Test	82 % - Readily - 28 days	-	-
tricyclo[5.2.1.02,6]dec-4-en-8-yl acetate	OECD 301F Ready Biodegradability - Manometric Respirometry Test	10 % - Not readily - 28 days	-	-
coumarin	OECD 301F Ready Biodegradability - Manometric Respirometry Test	90 % - Readily - 28 days	-	-
3-methyl-5-phenylpentanol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	96 % - Readily - 28 days	-	-
beta-Caryophyllene	OECD 301F Ready Biodegradability - Manometric Respirometry Test	70 % - Readily - 28 days	-	-
trans-menthone	OECD 301B Ready Biodegradability - CO ₂ Evolution Test	99.5 % - Readily - 28 days	-	-

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 11/15



SECTION 12: Ecological information

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
linalyl acetate	-	-	Readily
linalool	-	-	Readily
bornan-2-one	-	-	Readily
cineole	-	-	Readily
tricyclo[5.2.1.02,6]dec-4-en- 8-yl acetate	-	-	Not readily
coumarin	-	-	Readily
3-methyl-5-phenylpentanol	-	-	Readily
beta-Caryophyllene	-	-	Readily
trans-menthone	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
linalyl acetate	3.9	173.9	low
linalool	2.84	-	low
bornan-2-one	2.38	-	low
cineole	2.74	-	low
coumarin	1.39	-	low
3-methyl-5-phenylpentanol	2.7	-	low
dipentene	4.57	-	high
trans-menthone	3.05	-	low

12.4 Mobility in soil

Soil/water partition

: Not available.

coefficient (Koc)

Mobility

: Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 12/15



SECTION 13: Disposal considerations

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code : Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **Seveso Directive**

This product is not controlled under the Seveso Directive.

EU regulations

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Date of issue/Date of revision : 2017-03-03 : 2017-03-03 Version :1 13/15 Date of printing



SECTION 15: Regulatory information

Annex XVII - : Not applicable.

Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

International regulations

Registration status

All components are listed : China inventory (IECSC)

Taiwan Chemical Substances Inventory (TCSI)

United States inventory (TSCA 8b)

Europe inventory (EINECS/ELINCS/NLP)

Canada inventory (DSL/NDSL)

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and

: ATE = Acute Toxicity Estimate

acronyms

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to regulation SEA: RG.-11/12/2013-28848

Classification	Justification	
Skin Irrit. 2, H315	Calculation method	
Eye Irrit. 2, H319	Calculation method	
Skin Sens. 1, H317	Calculation method	
Aquatic Chronic 3, H412	Calculation method	

Full text of abbreviated H statements

H226	Flammable liquid and vapor.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

egory 4 - Category 4	ox. 4, H332	Acute Tox. 4, H302 Acute Tox. 4, H332
- Category 1		Aquatic Acute 1, H4
IC) - Category 1		Aquatic Chronic 1, F
IC) - Category 3 gory 1		Aquatic Chronic 3, F Asp. Tox. 1, H304
: IRRITATION - Category 2		Eye Irrit. 2, H319
jory 3		Flam. Liq. 3, H226
ory 2	ol. 2, H228	Flam. Sol. 2, H228
DN - Category 2	•	Skin Irrit. 2, H315
ory 1	าร. 1, H317	Skin Sens. 1, H317
,	is. 1, $\square 317$	Skiii Selis. 1, fist <i>i</i>

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 14/15



SECTION 16: Other information

Skin Sens. 1B, H317 SKIN SENSITIZATION - Category 1B

STOT SE 2, H371 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -

Category 2

Date of printing : 2017-03-03 Date of issue/ Date of : 2017-03-03

revision

Date of previous issue : No previous validation

Version : 1

Contact information of certified author

Author name :
Certification number :
Date certified :

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 2017-03-03 Date of printing : 2017-03-03 Version : 1 15/15