Product Name: 62% Alcohol Foaming Hand Sanitizer Revision Date: None Revision Number: 0



(UL)

Product identifier

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier		
Product Name	447AB - 62% Alcohol Foaming Hand Sanitizer	
Other means of identification		
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Hand sanitizer	
Uses advised against	Use only as directed.	
Details of the supplier of the safety data sheet		
Supplier Name	Vi-Jon Inc.	
Supplier Address	Vi-Jon Inc. 8800 Page Avenue Saint Louis MO 63114 US	
Supplier Phone Number	Phone: 314-427-1000 (M-F 8am-4pm CST) Fax:3144271010	
Supplier Email	info@vijon.com	
Emergency telephone number	Chemtrec: 1-800-424-9300 (24-Hour)	



2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Flammable liquids

Category 2

GHS Label elements, including precautionary statements

Emergency Overview			
Signal word:	Danger		
Highly flammable liquid and vapor			
Appearance: Clear, Colorless, Water-thin Liquid	Physical state: Water-thin Liquid	Odor:	Alcohol

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ ventilating/ lighting/ equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

3E-06 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Toxic to aquatic life

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION May cause slight eye irritation

Interactions with Other Chemicals

None known.



Product Name: 62% Alcohol Foaming Hand Sanitizer Revision Date: None Revision Number: 0

3. CO	MPOSITION	/INFORMATION O	N INGREDIENTS	
Chemical name		CAS No	Weight-%	Trade Secret
Ethyl Alcohol 62% v/v		64-17-5	50 - 100	*
Water		7732-18-5	10 - 50	*
PEG-12 Dimethicone		68937-54-2	0 - 10	*
Glycerin		56-81-5	0 - 10	*
Isopropyl Myristate		110-27-0	0 - 10	*
*The exact perc	entage (concent	ration) of composition has	been withheld as a trade s	secret
	4. F	IRST AID MEASUF	RES	
First aid measures				
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.			
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.			
Inhalation	Remove to fresh air.			
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.			
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. Wear personal protective clothing (see section 8).			

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available. Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. Dry chemical, CO2, alcohol-resistant foam or water spray.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Uniform Fire Code

Flammable Liquid: I-B

Hazardous Combustion Products

Carbon oxides.

Explosion Data Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective eq	uipment and emergency procedures
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other Information	Ventilate the area.
Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for containme	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions.
Conditions for safe storage, includi	ng any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.
Incompatible Products	None known based on information supplied.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

There is no exposure data pertaining to the Product. This section reflects exposure data pertaining to individual ingredients.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 62% v/v	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	Ũ
Glycerin	TWA: 10 mg/m ³ mist	TWA: 15 mg/m ³ mist, total particulate	
56-81-5	-	TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ mist, total	
		particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, s	uch as personal protective equipment
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Appearance Color	Water-thin Liquid Clear, Colorless, Water-thin Liquid Colorless	Odor Odor Threshold	Alcohol No information available
Property pHMelting / freezing pointBoiling point / boiling rangeFlash PointEvaporation RateFlammability (solid, gas)Flammability Limit in Air Upper flammability limitLower flammability limitLower flammability limitVapor pressureVapor densitySpecific GravityWater SolubilitySolubility in other solventsPartition coefficient: n-octanol/wateAutoignition temperatureDecomposition temperatureKinematic viscosityExplosive propertiesOxidizing propertiesOther Information	Values UNKNOWN No data available No data available 22 C / 72 F No data available No data available No data available No data available No data available No data available 0.899 Miscible in water No data available er No data available No data available	RemarksMethodNone knownNone known	
Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available No data available		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames, and sparks.

Incompatible materials None known.

Hazardous Decomposition Products Carbon Oxides When used in accordance with the directions.



11. TOXICOLOGICAL INFORMATION

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol 62% v/v 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Glycerin 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³(Rat)1 h
Isopropyl Myristate 110-27-0	> 10000 mg/kg (Rat)	= 5 g/kg (Rabbit)	> 41 mg/L (Rat)1 h

Information on toxicological effects

Symptoms	No information available.
Delayed and immediate effects a	as well as chronic effects from short and long-term exposure
Sensitization	No information available.
Mutagenic Effects	No information available.
Carcinogenicity	There are no ingredients listed as a carcinogen.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	No known effect based on information supplied.
Target Organ Effects	Blood. Central Nervous System (CNS). Eyes. Liver. Reproductive System. Respiratory system. Skin.
Aspiration Hazard	No information available.
Numerical measures of toxicity	Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 12,948.00 mg/kg ATEmix (inhalation-dust/mist) 228.70 mg/l



12. ECOLOGICAL INFORMATION

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

Ecotoxicity

Toxic to aquatic organisms.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal methods	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.
US EPA Waste Number	D001
California Hazardous Waste Codes	311

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Proper Shipping Name Hazard Class Description Emergency Response Guide Number	CONSUMER COMMODITY ORM-D CONSUMER COMMODITY, ORM-D 127
<u>TDG</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1170 ETHANOL SOLUTION 3 II UN1170, ETHANOL SOLUTION, 3, II
<u>MEX</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1170 ETHANOL SOLUTION 3 II UN1170, ETHANOL SOLUTION, 3, II
<u>ICAO</u> UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1170 ETHANOL SOLUTION 3 II UN1170, ETHANOL SOLUTION, 3, II
IATA UN-No. Proper Shipping Name Hazard Class Packing Group Description	UN1170 ETHANOL SOLUTION 3 II UN1170, ETHANOL SOLUTION, 3, II



IMDG/IMO	
----------	--

UN-No. Proper Shipping Name Hazard Class Packing Group EmS-No. Description	UN1170 ETHANOL SOLUTION 3 II F-E, S-D UN1170, ETHANOL SOLUTION, 3, II, (22°C C.C.)
RID UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Description ADR/RID-Labels	UN1170 ETHANOL SOLUTION 3 II F1 UN1170, ETHANOL SOLUTION, 3, II 3
ADR UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Tunnel restriction code Description	UN1170 ETHANOL SOLUTION 3 II F1 (D/E) UN1170, ETHANOL SOLUTION, 3, II
ADN UN-No. Proper Shipping Name Hazard Class Packing Group Classification code Special Provisions Description Hazard Labels Limited Quantity Ventilation	UN1170 ETHANOL SOLUTION 3 II F1 144, 601 UN1170, ETHANOL SOLUTION, 3, II 3 1 L VE01

15. REGULATORY INFORMATION

International Inventories

TSCA
DSL
IECSC

Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure haza	ard No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65 - NONE

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl Alcohol 62% v/v 64-17-5	Х	Х	Х		Х
Glycerin 56-81-5	Х	Х	Х	Х	

International Regulations

Mexico

National occupational exposure limits

Chemical name	Carcinogen Status	Exposure Limits
Ethyl Alcohol 62% v/v		Mexico: TWA 1000 ppm
		Mexico: TWA 1900 mg/m ³
Glycerin	-	10mg/m ³ (mist) TWA

Mexico - Occupational Exposure Limits - Carcinogens

Canada WHMIS Hazard Class Not determined



16. OTHER INFORMATION

NFPA	Health Hazards 1 Flammability 3 Instability 0 Physical and Chemical Hazards -
HMIS	N/A Health Hazards 1 Flammability 3 Physical Hazard 0 Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Issuing Date	September 12, 2016
Revision Date	None
Revision Note	None

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Approved and Updated by Vi-Jon, Inc.

Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

End of Safety Data Sheet