

	1. Product and Company l	dentification	
Product Code:	MPCS3000		
Product Name:	Masterpiece Cleanstone		
Company Name:	Masterpiece Manufacturing, Inc. P.O. Box 97818 Las Vegas, NV 89193-7818	Phone Number: (702)656-9767	
Emergency Contact:	Chemtrec	(800)424-9300	
Recommended Use:	Maintainer/Restorer		
Intended Use:	For sale to, use and storage by service persons only.		

2. Hazards Identification

Acute Toxicity: Oral, Category 3 Skin Corrosion/Irritation, Category 1B Acute Toxicity: Oral, Category 4 Acute Toxicity: Skin, Category 4



GHS Signal Word:	Danger
GHS Hazard Phrases:	Toxic if swallowed.
	Causes severe skin burns and eye damage.
	Harmful if swallowed.
	Harmful in contact with skin.
GHS Precaution Phrases:	Wash hands thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Keep out of reach of children.
	Wear protective gloves, protective clothing, eye protection, face protection.
	Take off contaminated clothing and wash it before reuse.
GHS Response Phrases:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
	IF ON SKIN: Wash with plenty of soap and water.
	If skin irritation or rash occurs, seek medical attention.
GHS Storage and Disposal	Store locked up.
Phrases:	Store in cool dry place at room temperature away from direct sunlight.
	Dispose of contents and container according to the local, city, state and federal regulations.



Potential Health Effects
(Acute and Chronic):Chronic inhalation and ingestion may cause chronic fluoride poisoning (fluorosis)
characterized by weight loss, weakness, anemia, brittle bones, and stiff joints. May
cause digestive tract disturbances.

Chronic: Effects may be delayed. Chronic exposure to fluoride compounds may cause systemic toxicity.

 Inhalation:
 Causes chemical burns to the respiratory tract. Material may be irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.

 Skin Contract:
 Causes skin burns. May cause skin irritation. Skin Absorption: Skin absorption may

Skin Contact:Causes skin burns. May cause skin irritation. Skin Absorption: Skin absorption may
occur. Harmful if absorbed through the skin.

Eye Contact:Causes eye burns. May cause chemical conjunctivitis and corneal damage. May cause
eye irritation.

Ingestion:Harmful if swallowed. May cause severe and permanent damage to the digestive tract.
May cause kidney damage. Causes severe digestive tract burns with abdominal pain,
vomiting, and possible death.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)
1341-49-7	Ammonium bifluoride
16961-83-4	Fluosilicic acid

Concentration Proprietary

Proprietary

4. First Aid Measures

Emergency and First Aid Procedures:	
In Case of Inhalation:	Get medical aid immediately. Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen.
In Case of Skin Contact:	In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.
In Case of Eye Contact:	Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes). In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers.
In Case of Ingestion:	If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.
Signs and Symptoms Of Exposure:	To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Note to Physician:	Treat symptomatically and supportively.



	5. Fire Fighting Measures		
Flash Pt:	NE		
Explosive Limits:	LEL: N/A UEL: N/A		
Autoignition Pt:	NE		
Suitable Extinguishing Media	EFor small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use dry chemical, carbon dioxide, alcohol-resistant foam, or water spray.		
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.		
Flammable Properties and Hazards:	No data available.		
6. Accidental Release Measures			
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation.		
	7. Handling and Storage		
Precautions To Be Taken in Handling:	Wash thoroughly after handling. Minimize dust generation and accumulation. Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale.		
Precautions To Be Taken in Storing:	Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.		
0	Expedite Controls/Dersonal Protection		

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name		OSHA TWA	ACGIH TWA	Other Limits	
1341-49-7	Ammonium bifluoride		No data.	No data.	No data.	
16961-83-4	Fluosilicic acid		No data.	No data.	No data.	
Respiratory Equipment (Specify Type):		Always use a NIOSH approved respirator when necessary.				
Eye Protection:		Goggles or face shield.				
Protective Gloves: Compa		Compatible chemic	Compatible chemical-resistant gloves.			
Other Protective Clothing: W		Wear appropriate protective clothing to prevent skin exposure.				
Engineering ControlsUse adequate ventilation to keep airborne concentrations low. Safety show(Ventilation etc.):bath.		nower and eye				
Work/Hygienic/Maintenance Handle in accorda Practices:		ce with good industrial hyc	iene and safety practice.			



	9. Physical and Chemical Properties
Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	Colorless liquid with acrid odor.
Melting Point:	NE
Boiling Point:	> 212.00 F
Decomposition Temperature	: NE
Autoignition Pt:	NE
Flash Pt:	NE
Explosive Limits:	LEL: N/A UEL: N/A
Specific Gravity (Water = 1):	1.100
Density:	9.17 LB/GA
Vapor Pressure (vs. Air or	NE
mm Hg):	
Vapor Density (vs. Air = 1):	NE
Evaporation Rate:	NE
Solubility in Water:	100%
Saturated Vapor	NE
Concentration:	
Viscosity:	NE
pH:	< 2
Percent Volatile:	No data.
VOC / Volume:	0.0000 G/L
	10. Stability and Reactivity
Stability:	Unstable [] Stable [X]
Conditions To Avoid -	None.
Instability:	
Incompatibility - Materials To Avoid:	o acids, Bases, glass, Strong oxidizing agents, Avoid contact with metals.
Hazardous Decomposition C)r hydrogen fluoride gas. ammonia and/or derivatives, irritating and toxic fumes and gases,
Byproducts:	silicon dioxide, Carbon monoxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	None.



				Supers		02/02/2013
		11. Toxicologi	cal Informati	on		
Toxicologica	I Information:	No data available.				
Carcinogenic Information:	-	CAS# 1341-49-7: Not listed Not listed by ACGIH, IARC, CAS# 7732-18-5: Not listed	NTP, or CA Prop 6	· · · · · · · · · · · · · · · · · · ·		61-83-4:
Carcinogenio		NTP? No IARC Monog	•	SHA Regulated? No		
		12. Ecologic	al Informatio	n		
		No data available.				
		13. Disposal (Consideratio	ns		
Waste Dispo		Dispose of contents and con regulations.	ntainer according to	o the local, city, sta	te and federa	al
		14. Transpo	rt Informatio	า		
LAND TRAN	SPORT (US DOT)	:				
	per Shipping Nam ard Class:	e: UN3264, Corrosive liqui Ammonium Bifluoride), 8 CORRO	8, II. (Ammonium t			Acid and
UN/NA N	umber:	UN3264	Packing Gr	oup:	II	
LAND TRAN	SPORT (Canadia	n TDG):				
TDG Shipping Name: UN3264, Corrosive liquid, Acidic, Inorganic, n.o.s., (Contains Fluorosilicic A Ammonium Bifluoride), 8, II.		Acid and				
MARINE TR	ANSPORT (IMDG	/IMO):				
IMDG/IM	O Shipping Name	: UN3264, Corrosive liqu Ammonium Bifluoride),	•	c, n.o.s., (Contains	Fluorosilicic	Acid and
AIR TRANSF	PORT (ICAO/IATA):				
ICAO/IAT	A Shipping Name	E: UN3264, Corrosive liqui Ammonium Bifluoride),	-	c, n.o.s., (Contains	Fluorosilicic	Acid and
		15. Regulato	ry Informatio	n		
EPA SARA (S	uperfund Amendme	ents and Reauthorization Act	of 1986) Lists			
CAS #	Hazardous Comp	onents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TR	1)
1341-49-7	Ammonium bifluor	ide	No	Yes 100 LB	No	
16961-83-4	Fluosilicic acid		No	No	No	
CAS #	Hazardous Comp	onents (Chemical Name)	Other US EPA or	State Lists		
1341-49-7			CA PROP.65: No; CA TAC, Title 8: Title 8			
16961-83-4	Fluosilicic acid		CA PROP.65: No	; CA TAC, Title 8: No	0	



16. Other Information			
Hazard Rating System: HMIS:	HEALTH 3 FLAMMABILITY 0 PHYSICAL 0 PPE H H		
Revision Date:	04/08/2015		
Additional Information About This Product:	No data available.		
Company Policy or Disclaimer:	The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.		