

Page : 1 / 10

Revised edition no : 8

Date : 13 / 5 / 2011 Supersedes : 15 / 9 / 2008

### VMC V-3

### 1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier : VMC V-3 Trade name 1.2. Relevant identified uses of the substance or mixture and uses advised against : Industrial. For professional use only. Material to use by hand or machine for polish Use and seal marble, terrazzo, hydraulic mosaic, polished cement and other kind of natural stone floors. 1.3. Details of the supplier of the safety data sheet **Company identification** : COOR & KLEEVER Brusi, 102 08006 Barcelona Spain Tel. +34 93 209 08 00 - Fax. +34 209 89 82 coorkleever@coorkleever.com www.coorkleever.com 1.4. Emergency telephone number Phone nr : +34 93 209 08 00 [ Office hours ] 2. Hazards identification 2.1. Classification of the substance or mixture SSISTANCE CORPORATION HNI Classification EC 67/548 or EC 1999/45 Classification : Carc. Cat. 2; R45 Muta. Cat. 3; R68 R67 Xi; R36/38 R52-53 Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP) : Germ cell mutagenicity - Category 2 - Warning (CLP : Muta. 2) H341 **Health hazards** Carcinogenicity - Category 1A - Danger (CLP : Carc. 1A) H350 Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 -Warning (CLP : STOT SE 3) H336 Eye irritation - Category 2 - Warning (CLP : Eye Irrit. 2) H319 Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315 **Environmental hazards** : Hazardous to the aquatic environment - Chronic hazard - Category 3 (CLP : Aquatic Chronic 3) H412 2.2. Label elements Labelling EC 67/548 or EC 1999/45 In case of emergency : +34 93 209 08 00



Page : 2 / 10

Revised edition no : 8

Date : 13 / 5 / 2011 Supersedes : 15 / 9 / 2008

-

# VMC V-3

Symbol(a)	
Symbol(s)	
Symbol(s)	: T : Toxic
R Phrase(s)	: R36/38 : Irritating to eyes and skin. R45 : May cause cancer.
	R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
	R67 : Vapours may cause drowsiness and dizziness. R68 : Possible risks of irreversible effects.
S Phrase(s)	<ul> <li>S36/37 : Wear suitable protective clothing and gloves.</li> <li>S45 : In case of accident or if you feel unwell, seek medical advice immediately ( show the label when possible).</li> <li>S53 : Avoid exposure - obtain special instructions before use.</li> <li>S61 : Avoid release to the environment. Refer to special instructions/Safety data sheets.</li> </ul>
Contains	: Trichloroethylene
Labelling Regulation EC 1272/20	008 (CLP)
Hazard pictograms	
Signal words	: Danger
Hazard statements	: H350 : May cause cancer.
TECHN	HICA H341 : Suspected of causing genetic defects.
	H315 : Causes skin irritation.
	H336 : May cause drowsiness or dizziness. H412 : Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	: P280: Wear protective gloves, protective clothing, eye protection, face protection. P273: Avoid release to the environment.
• Response	<ul> <li>P308+P313: If exposed or concerned : get medical advice.</li> <li>P302+P352: IF ON SKIN : Wash with plenty of soap and water.</li> <li>P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position</li> </ul>
	comfortable for breathing.
<ul> <li>Disposal considerations</li> </ul>	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Contains	: Trichloroethylene
Special labelling	<ul> <li>Restricted to professional users. (Substances which appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008)</li> </ul>
2.3. Other hazards	
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.



Page : 3 / 10

Revised edition no : 8

Date : 13 / 5 / 2011

Supersedes : 15 / 9 / 2008

-

## VMC V-3

3. Composition/information on ingredi	ents				
	Preparation.				
-	-	zordouo			
· · · · ·	This product is ha		la des Ne		Olean Manthan
Substance name         Contents           Trichloroethylene         :         < 80 %	CAS No 79-01-6	EC No 201-167-4	Index No 602-027-00-9	REACH Ref. 01-2119490731-36-0000	Classification Carc. Cat. 2; R45
					Muta. Cat. 3; R68 R67 Xi; R36/38 R52-53 Carc. 1B H350 Muta. 2 H341 Eye intf 2 H319 Skin Intf. 2 H315 STOT SE 3 H336 Aquatic Chronic 3 H412
Preparation of Trichloroethylene (less thar	n 80%) and natural v	waxes.			
	Synonyms : Trich Chemical Family:	loroethene			
4. First aid measures					
4.1. Description of first aid measures					
Inhalation	Remove to fresh a feel unwell, seek r				able for breathing. If you ssible).
Skin contact	Remove affected of water, followed by the label where po	warm wate			with mild soap and ek medical advice (show
Eye contact	contact lenses, if p Get medical advice	present and e.	easy to do	. Continue rinsing	5 minutes. Remove . If eye irritation persists :
Ingestion <u>TECHNICA</u>	If swallowed, seek NOT induce vomit			liately and show t	his container or label. Do
4.2. Most important symptoms and effe	ects, both acute an	<u>id delayed</u>			
Symptoms relating to use	May cause cancer Suspected of caus Causes serious ey Causes skin irritat May cause drowsi	sing genetic /e irritation. ion.			
4.3. Indication of any immediate medic	al attention and sp	oecial treat	ment need	ed_	
General information	Never give anythir medical advice (sh				f you feel unwell, seek
Note to physician	Treat symptomatic			,	
	National Institute of	-	ıy (Spain): +	-34 91 562 04 20.	
5. Fire-fighting measures					
E 1 Extinguishing modia					
5.1. Extinguishing media					
Suitable extinguishing media	Foam. Dry powder	r. Carbon d	ioxide. Wate	er spray. Sand.	



Page : 4 / 10

Revised edition no : 8

Date : 13 / 5 / 2011

Supersedes : 15 / 9 / 2008

### VMC V-3

5. Fire-fighting measures (continued) : Do not use a heavy water stream. Unsuitable extinguishing media Surrounding fires : Use water spray or fog for cooling exposed containers. 5.2. Special hazards arising from the substance or mixture : Not flammable. Flammable class Hazardous combustion products : In contact with hot surfaces or flames, this substance emits toxics fumes. Phosgene. Hydrogen chloride. Chlorine. 5.3. Advice for fire-fighters Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection. : Exercise caution when fighting any chemical fire. Special procedures Avoid (reject) fire-fighting water to enter environment.

#### 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures			
For emergency responders	: Equip cleanup crew with proper protection. Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray.		
For non-emergency personnel	: Evacuate unnecessary personnel.		
6.2. Environmental precautions			
Environmental precautions . Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
Clean up methods	: Collect spills and put it into appropriated container. Recover the cleaning water for later diposal.		

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

#### 7. Handling and storage

#### 7.1. Precautions for safe handling

Handling

This product is a preparation for the specific use of marble, terrazzo or hydraulic mosaic polishing. It is advisable to use the product expender device incorporated in VMC machines to reduce containers handling, spillage, and leakage and vapour formation. In case of manual utilization is mandatory the use of approved respiratory protection equipment. Use only in well-ventilated areas.
 When using, do not eat, drink or smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
 Wash thoroughly after handling. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area.



Page : 5 / 10

Revised edition no : 8

Date : 13 / 5 / 2011

Supersedes : 15 / 9 / 2008

-

### VMC V-3

7. Handling and storage (continue	əd)
Technical protective measures	: Provide good ventilation in process area to prevent formation of vapour.
Special precautions	: Avoid breathing dust, fume, gas, mist, vapours, spray.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage	: Keep away from food, drink and animal feeding stuffs. Keep container closed when not in use. Keep only in the original container in a cool, well ventilated place.
Storage - away from	: Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
Specific end use(s)	: See section 1.
8. Exposure controls/personal pro	tection
8.1. Exposure controls	
Personal protection	
Personal protection	: Avoid all unnecessary exposure.
Respiratory protection CHNI	CA: Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment.
Hand protection	: Wear suitable gloves resistant to chemical penetration.
<ul> <li>Skin protection</li> </ul>	: Wear suitable protective clothing.
Eye protection	: Goggles.
Technical protective measures	: Local exhaust and general room ventilation are both essential to prevent accumulation of flammable vapour or dust mixtures.
8.2. Control parameters	
Occupational Exposure Limits	: Trichloroethylene : VLA-ED [ppm] : 50 Trichloroethylene : VLA-ED [mg/m³] : 273
9. Physical and chemical propertie	9S

# 9.1. Information on basic physical and chemical properties

: Liquid.
: Amber.
: Penetrating. Slightly similar to: Ether.
: No data available.



Page : 6 / 10

Revised edition no : 8

Date : 13 / 5 / 2011

Supersedes : 15 / 9 / 2008

-

## VMC V-3

Physical and chemical properties	(continued)
r nysical and chemical properties	
pH value	: No data available.
Melting point [°C]	: No data available.
Decomposition point [°C]	: 110
Auto-ignition temperature [°C]	: 410
Flammability (solid, gas)	: No data available.
Flash point [°C]	: Not applicable in assay conditions.
Boiling point [°C]	: 87
Evaporation rate	: No data available.
Vapour pressure [hPa]	: 86 (20°C) 590 (70°C)
Relative density, liquid (water=1)	: No data available.
Density	: 5.5 kg/m3
Solubility in water	: 1460 kg/m3 (20°C)
Log Pow octanol / water at 20°C	: No data available.
Solubility	: Organic solvents. Soluble.
Viscosity at 40°C [mm2/s]	: No data available.
9.2. Other information	
Explosive properties	: No data available.
Explosion limits - upper [%]	: In the presence of an important energy source : 41%
Explosion limits - lower [%]	: In the presence of an important energy source : 11%
Oxidising properties	: No data available.
Log P octanol / water	: 2.4

### 10. Stability and reactivity

10.1. Reactivity	
Reactivity	: Not established.
10.2. Chemical stability	
Chemical stability	: Stable under normal conditions.
10.3. Possibility of hazardous reaction	ons
Hazardous reactions	: May react violently with metals.
10.4. Conditions to avoid	
Conditions to avoid	: Light (daylight). Moisture. Heat sources.
10.5. Incompatible materials	
Materials to avoid	: Metals. Lithium (Li). Magnesium. Aluminium. Titanium (Ti). Barium (Ba). Sodium ( Na). Strong bases. Strong acids.



Page : 7 / 10

Revised edition no : 8

Date : 13 / 5 / 2011

Supersedes : 15 / 9 / 2008

-

### VMC V-3

### 10. Stability and reactivity (continued)

### 10.6. Hazardous decomposition products

Hazardous decomposition products	: Thermal decomposition generates : Toxic and combustible vapours. Phosgene.
	Hydrogen chloride. Chlorine.
	The substance descomposes in contact with strong bases.

### 11. Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. Causes skin irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: May cause cancer.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

#### 12. Ecological information

12.1. Toxicity		
Toxicity information Ecological effects information	: Harmful to aquatic life with long lasting effects.	
12.2. Persistence - degradability		
Persistence - degradability	: May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	: Not established.	
12.4. Mobility in soil		
Mobility in soil	: Not established.	
12.5. Results of PBT and vPvB assessment		



Page : 8 / 10

Revised edition no : 8

Date : 13 / 5 / 2011

Supersedes : 15 / 9 / 2008

-

## VMC V-3

12. Ecological information (continued)		
Results of PBT and vPvB assessment	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	
12.6. Other adverse effects		
Environmental precautions	: Avoid release to the environment.	
13. Disposal considerations		
13.1. Waste treatment methods		
General	<ul> <li>Hazardous waste due to toxicity.</li> <li>Dispose of this material at hazardous or special waste collection point or meanwhile an authorised waste manager.</li> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>	
14. Transport information		
UN N°	: TOXIC LIQUID, ORGANIC, N.O.S. (Trichloroethylene) : 2810 : 60 : 6.1 ASSISTANCE CORPORATION	
ADR - Limited Quantity ADR - Tunnel code	: T1 : III : P001 R001 LP001 : LQ 7 E : E : Passage forbidden through tunnels of category E.	
14.2. Sea transport (IMDG) [English or		
Proper shipping name	: TOXIC LIQUID, ORGANIC, N.O.S. (Trichloroethylene)	



Page : 9 / 10

Revised edition no : 8

Date : 13 / 5 / 2011 Supersedes : 15 / 9 / 2008

-

# VMC V-3

14. Transport information (continued)		
IMO-IMDG - Packing group IMO- IMDG - Packing instructions IMO-IMDG - Limited quantities IMO-IMDG - Marine pollution EMS-Nr	: III : P001 LP01 : 5 L : YES : F-A S-A	
14.3. Air transport (ICAO-IATA) [Engli	<u>sh only]</u>	
Proper shipping name UN N° IATA - Class or division IATA - Packing group IATA - Passenger and Cargo Aircraft - Passenger and Cargo - Packing instruction	: TOXIC LIQUID, ORGANIC, N.O.S. (Trichloroethylene) : 2810 : 6.1 : III : ALLOWED : 655	
- Passenger and Cargo - Maximum Quantity/Packing	: 60 L	
IATA - Cargo only - Cargo only - Packing instruction - Cargo only - Maximum Quantity/ Packing IATA - Limited Quantites ERG-Nr	: ALLOWED : 663 : 220 L : 2 L : 6L	

### 15. Regulatory information

<u>TECHNICAL ASSISTANCE CORPORATION</u>

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
16. Other information	
Revision	: Revision - See : * Commission Regulation (EU) No 453/2010
Abbreviations and acronyms	: PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very bioaccumulative
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
List of relevant R phrases (heading 3)	: R36/38 : Irritating to eyes and skin. R45 : May cause cancer. R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the



Page : 10 / 10

Revised edition no : 8

Date : 13 / 5 / 2011 Supersedes : 15 / 9 / 2008

End of document

### VMC V-3

### 16. Other information (continued)

	aquatic environment. R67 : Vapours may cause drowsiness and dizziness. R68 : Possible risks of irreversible effects.
List of full text of H-statements in section 3	<ul> <li>H315 : Causes skin irritation.</li> <li>H319 : Causes serious eye irritation.</li> <li>H336 : May cause drowsiness or dizziness.</li> <li>H341 : Suspected of causing genetic defects.</li> <li>H350 : May cause cancer.</li> <li>H412 : Harmful to aquatic life with long lasting effects.</li> </ul>
Further information	: FDO.F.LABORI JUNCOSA

The contents and format of this SDS are in accordance with REACH Regulation (CE) N° 1907/2006 and the european agreement concerning the international carriage of dangerous goods by road (ADR).

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

