

Printing date 08/25/2014

Reviewed on 08/24/2014

1 Identification

- **Product identifier**
- **Trade name:** VMC Marble Polishing Compound
- **Article number:** mtmpc
- **Application of the substance / the mixture** Polishing agent/ Burnishing compound
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer:**
Mar-Tek Industries
14275 Midway Rd. Suite 135
Addison TX, 75001
Phone: (469) 240-1931
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Trade Secret

- **Hazard statements**

H302+H312 Harmful if swallowed or in contact with skin.

H318 Causes serious eye damage.

- **Precautionary statements**

P280 Wear protective clothing / eye protection.

P264 Wash thoroughly after handling.

(Contd. on page 2)

Printing date 08/24/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Hazard description:**· **WHMIS-symbols:**

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

E - Corrosive material

· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 2

Fire = 0

Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.**3 Composition/information on ingredients**· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

Trade Secret	Eye Dam. 1, H318 Acute Tox. 4, H302; Acute Tox. 4, H312	50-100%
Trade Secret		25-50%

4 First-aid measures· **Description of first aid measures**· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Provide oxygen treatment if affected person has difficulty breathing.

(Contd. on page 3)

Printing date 08/25/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

(Contd. of page 2)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Brush off loose particles from skin.
Immediately rinse with water.
If skin irritation continues, consult a doctor.
Seek immediate medical help for blistering or open wounds.
- **After eye contact:**
Remove contact lenses if worn, if possible.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed**
Headache
Strong irritant with the danger of severe eye injury.
Nausea
Coughing
Cramp
Gastric or intestinal disorders
Breathing difficulty
- **Danger**
Danger of disturbed cardiac rhythm.
Danger of convulsion.
Danger of severe eye injury.
Danger of circulatory collapse.
- **Indication of any immediate medical attention and special treatment needed**
Contains oxalates. Consult literature for specific antidotes.
Monitor circulation, possible shock treatment.
If necessary oxygen respiration treatment.
Medical supervision for at least 48 hours.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information** No further relevant information available.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 4)

Printing date 08/25/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

(Contd. of page 3)

- Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
Avoid formation of dust.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
 - **Methods and material for containment and cleaning up:**
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Dispose contaminated material as waste according to item 13.
Clean the affected area carefully; suitable cleaners are:
Warm water
 - **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Prevent formation of dust.
Any deposit of dust which cannot be avoided must be regularly removed.
Ensure good ventilation/exhaustion at the workplace.
Use only in well ventilated areas.
- **Information about protection against explosions and fires:**
Dust can combine with air to form an explosive mixture.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Avoid storage near extreme heat, ignition sources or open flame.
Protect from humidity and water.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Do not store together with alkalis (caustic solutions).
Store away from oxidizing agents.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:**Trade Secret**PEL (USA) Long-term value: 1 mg/m³

(Contd. on page 5)

Printing date 08/25/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

(Contd. of page 4)

REL (USA)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
TLV (USA)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
EL (Canada)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
EV (Canada)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
LMPE (Mexico)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
PEL (USA)	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *Total dust **Respirable fraction
TLV (USA)	Long-term value: 1* mg/m ³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 10 mg/m ³
EV (Canada)	Long-term value: 10 mg/m ³ total dust
LMPE (Mexico)	Long-term value: 10 mg/m ³ A4, (e)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

· **Breathing equipment:**

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Neoprene gloves

(Contd. on page 6)

Printing date 08/25/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

(Contd. of page 5)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

· Body protection: Protective work clothing**· Limitation and supervision of exposure into the environment**

No further relevant information available.

9 Physical and chemical properties**· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:**

Powder

Color:

Light beige

· Odor:

Odorless

· Odor threshold:

Not determined.

· pH-value:

Not applicable.

· Change in condition**Melting point/Melting range:**

Undetermined.

Boiling point/Boiling range:

Undetermined.

· Flash point:

Not applicable.

· Flammability (solid, gaseous):

Not determined.

· Auto-ignition temperature:

Not determined.

· Decomposition temperature:

Not determined.

· Auto igniting:

Product is not self-igniting.

· Danger of explosion:

Product does not present an explosion hazard.

· Explosion limits:**Lower:**

Not determined.

Upper:

Not determined.

· Vapor pressure:

Not applicable.

· Density:

Not determined.

· Relative density

Not determined.

(Contd. on page 7)

Printing date 08/25/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

(Contd. of page 6)

- Vapour density Not applicable.
- Evaporation rate Not applicable.
- Solubility in / Miscibility with Water: Partly soluble.
- Partition coefficient (n-octanol/water): Not determined.
- Viscosity:
 - Dynamic: Not applicable.
 - Kinematic: Not applicable.
- Other information No further relevant information available.

10 Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided:
No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions
As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.
Reacts with strong alkali.
Reacts with strong oxidizing agents.
Reacts with certain metals.
- Conditions to avoid
Store away from oxidizing agents.
Moisture.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Toxic metal oxide smoke

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

- LD/LC50 values that are relevant for classification:

Trade Secret

Oral LD50 375 mg/kg (rat)

- Primary irritant effect:
 - on the skin: Slight irritant effect on skin and mucous membranes.
 - on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful

(Contd. on page 8)

Printing date 08/25/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

Corrosive

(Contd. of page 7)

· **Carcinogenic categories**· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** biodegradable· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.**13 Disposal considerations**· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 9)

Printing date 08/25/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

(Contd. of page 8)

14 Transport information

- UN-Number
- DOT, ADR, ADN, IMDG, IATA Not Regulated
- UN proper shipping name
- DOT, ADR, ADN, IMDG, IATA Not Regulated
- Transport hazard class(es)
- DOT, ADR, ADN, IMDG, IATA
- Class Not Regulated
- Packing group
- DOT, ADR, IMDG, IATA Not Regulated
- Environmental hazards:
- Marine pollutant: No
- Special precautions for user Not applicable.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
- UN "Model Regulation": -

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

Trade Secret

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California)**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

(Contd. on page 10)

Printing date 08/25/2014

Reviewed on 08/25/2014

Trade name: VMC Marble Polishing Compound

(Contd. of page 9)

· **TLV (Threshold Limit Value established by ACGIH)**

Trade Secret

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **State Right to Know Listings**

None of the ingredients is listed.

· **Canadian substance listings:**· **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

· **Canadian Ingredient Disclosure list (limit 0.1%)**

Trade Secret

· **Canadian Ingredient Disclosure list (limit 1%)**

Trade Secret

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 08/25/2014 / -· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

· **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com