

**FaciliPro Anti-Static Dryer Block**
**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : FaciliPro Anti-Static Dryer Block

Other means of identification : Not applicable

Recommended use : Laundry softener

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 09/19/2019

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**

Skin irritation : Category 2  
Eye irritation : Category 2A

**GHS label elements**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes skin irritation.  
Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.  
**Response:**  
IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Other hazards : None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)
octadecanamide, n,n'-1,2-ethanediylbis-	110-30-5	30 - 60

# SAFETY DATA SHEET

## FaciliPro Anti-Static Dryer Block

poly(oxy-1,2-ethanediyl), alpha-[2-[bis(2-aminoethyl)methylammonio]ethyl]-omega]-hydroxy-, n,n'-bis (hydrogenated tallow	68389-89-9	10 - 30
Fragrance	Proprietary Ingredient	1 - 5
Alpha-Isomethyl Ionone	127-51-5	1 - 5

### SECTION 4. FIRST AID MEASURES

In case of eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.
Protection of first-aiders	: If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	: Treat symptomatically.
Most important symptoms and effects, both acute and delayed	: See Section 11 for more detailed information on health effects and symptoms.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Not flammable or combustible.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
---	--

# SAFETY DATA SHEET

## FaciliPro Anti-Static Dryer Block

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
octadecanamide, n,n'-1,2-ethanediybis-	110-30-5	TWA (Inhalable fraction)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable fraction)	3 mg/m <sup>3</sup>	ACGIH

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Wax.

Color : beige

Odor : Perfumes, fragrances

## SAFETY DATA SHEET

### FaciliPro Anti-Static Dryer Block

pH	: 6.0, (1 %)
Flash point	: Not applicable, Does not sustain combustion.
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.2
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Eye contact, Skin contact
--	-----------------------------

## SAFETY DATA SHEET

### FaciliPro Anti-Static Dryer Block

#### Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Causes skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Experience with human exposure

Eye contact	: Redness, Pain, Irritation
Skin contact	: Redness, Irritation
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

#### Toxicity

##### Product

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

##### Components

Acute inhalation toxicity	: octadecanamide, n,n'-1,2-ethanediylbis- 4 h LD50 Rat: > 168 mg/l Test atmosphere: dust/mist
---------------------------	---

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Environmental Effects	: Harmful to aquatic life with long lasting effects.
-----------------------	--

# SAFETY DATA SHEET

## FaciliPro Anti-Static Dryer Block

### Product

- Toxicity to fish : No data available
- Toxicity to daphnia and other aquatic invertebrates : No data available
- Toxicity to algae : No data available

### Components

- Toxicity to fish : octadecanamide, n,n'-1,2-ethanediylbis-  
LC50 Fish: > 0.027 mg/l
- poly(oxy-1,2-ethanediyl), alpha-[2-[bis(2-aminoethyl)methylammonio]ethyl]-omega-]hydroxy-, n,n'-bis (hydrogenated tallow  
96 h LC50 Fish: 55 mg/l

### Components

- Toxicity to daphnia and other aquatic invertebrates : octadecanamide, n,n'-1,2-ethanediylbis-  
48 h EC50 Daphnia magna (Water flea): > 0.002 mg/l

### Components

- Toxicity to algae : octadecanamide, n,n'-1,2-ethanediylbis-  
72 h EC50: > 0.053 mg/l

### Persistence and degradability

Poorly biodegradable

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

## SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

# SAFETY DATA SHEET

## FaciliPro Anti-Static Dryer Block

Not dangerous goods

### Sea transport (IMDG/IMO)

Not dangerous goods

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Chemical Name	CAS-No.	Function	List(s)
octadecanamide, n,n'-1,2-ethanediylbis-	110-30-5	Antistatic	Not Applicable
poly(oxy-1,2-ethanediyl), alpha-[2-[bis(2-aminoethyl)methylammonio]ethyl]-omega-]hydroxy-, n,n'-bis (hydrogenated tallow	68389-89-9	Antistatic	Not Applicable
Polyethylene wax	68441-17-8	Stabilizer	Not Applicable
Fragrance Ingredient(s)	Not Available	Fragrance	Not Applicable
Alpha-Isomethyl Ionone	127-51-5	Fragrance	FRA
Hexyl cinnamal	101-86-0	Fragrance	FRA
Limonene	5989-27-5	Fragrance	FRA
Benzyl benzoate	120-51-4	Fragrance	FRA
2-(4-tert-Butylbenzyl) propionaldehyd	80-54-6	Fragrance	FRA
Hydroxy-methylpentylcyclohexenecarboxaldehyd	31906-04-4	Fragrance	FRA
Citronellol	106-22-9	Fragrance	FRA
Hydroxy-citronellal	107-75-5	Fragrance	FRA
Eugenol	97-53-0	Fragrance	FRA
Linalool	78-70-6	Fragrance	FRA

\*refer to [ecolab.com/sds](http://ecolab.com/sds) for electronic links to designated lists

# SAFETY DATA SHEET

## FaciliPro Anti-Static Dryer Block

The ingredients of this product are reported in the following inventories:

**United States TSCA Inventory :**

All substances listed as active on the TSCA inventory

**Canadian Domestic Substances List (DSL) :**

All components of this product are on the Canadian DSL

**Australia Inventory of Chemical Substances (AICS) :**

not determined

**New Zealand. Inventory of Chemical Substances :**

not determined

**Japan. ENCS - Existing and New Chemical Substances Inventory :**

not determined

**Korea. Korean Existing Chemicals Inventory (KECI) :**

not determined

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**

not determined

**China. Inventory of Existing Chemical Substances in China (IECSC) :**


not determined

**Taiwan Chemical Substance Inventory (TCSI) :**

not determined

### SECTION 16. OTHER INFORMATION

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 09/19/2019  
Version : 1.1  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

## **SAFETY DATA SHEET**

### **FaciliPro Anti-Static Dryer Block**

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.