

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : TRI-STAR TURBO BOOST

Other means of identification : Not applicable

Recommended use : Laundry detergent

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.156 %

Company : Ecolab Inc.  
1 Ecolab Place  
St. Paul, Minnesota USA 55102  
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/05/2023

**SECTION 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Flammable liquids : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitization : Category 1

**Product AT USE DILUTION**

Not a hazardous substance or mixture.

**GHS label elements**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Combustible liquid.  
Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.

Precautionary Statements : **Prevention:**  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Avoid breathing mist or vapors. Wash skin thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/ eye protection/ face protection.  
**Response:**  
IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

## SAFETY DATA SHEET

### TRI-STAR TURBO BOOST

present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

Store in a well-ventilated place. Keep cool.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION**

Precautionary Statements

**Prevention:**

Wash hands thoroughly after handling.

**Response:**

Get medical advice/ attention if you feel unwell.

**Storage:**

Store in accordance with local regulations.

**Product AS SOLD**

Other hazards

: None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Product AS SOLD**

Pure substance/mixture

: Mixture

**Chemical name**

butyl 3-hydroxybutyrate  
alcohols, c12-16, ethoxylated >5EO  
Limonene

**CAS-No.**

53605-94-0  
68551-12-2  
5989-27-5

**Concentration (%)**

30 - 60  
10 - 30  
5 - 10

**Product AT USE DILUTION**

No hazardous ingredients

### SECTION 4. FIRST AID MEASURES

**Product AS SOLD**

In case of eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

In case of skin contact

: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

If swallowed

: Rinse mouth. Get medical attention if symptoms occur.

If inhaled

: Get medical attention if symptoms occur.

Protection of first-aiders

: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician

: Treat symptomatically.

Most important symptoms and effects, both acute and delayed

: See Section 11 for more detailed information on health effects and symptoms.

## SAFETY DATA SHEET

### TRI-STAR TURBO BOOST

#### Product AT USE DILUTION

In case of eye contact	: Rinse with plenty of water.
In case of skin contact	: Rinse with plenty of water.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.
If inhaled	: Get medical attention if symptoms occur.

#### SECTION 5. FIRE-FIGHTING MEASURES

##### Product AS SOLD

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance.
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides
Special protective equipment for fire-fighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

##### Product AS SOLD

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

##### Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: No special environmental precautions required.
Methods and materials for	: Stop leak if safe to do so. Contain spillage, and then collect with non-

## SAFETY DATA SHEET

### TRI-STAR TURBO BOOST

containment and cleaning up : combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### SECTION 7. HANDLING AND STORAGE

##### Product AS SOLD

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage : Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 10 °C to 50 °C

##### Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE). For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Product AS SOLD

##### Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Limonene	5989-27-5	TWA	30 ppm	US WEEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

##### Personal protective equipment

Eye protection : Wear eye protection and/or face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

## SAFETY DATA SHEET

### TRI-STAR TURBO BOOST

#### Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Color	: clear, light yellow	white
Odor	: citrus	citrus
pH	: 6.0 - 10.0, (100 %)	6.0 - 8.0
Flash point	: 66 °C closed cup	
Odor Threshold	: No data available	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapor pressure	: No data available	
Relative vapor density	: No data available	
Relative density	: 0.925 - 0.965	
Water solubility	: partly soluble	
Solubility in other solvents	: No data available	
Partition coefficient: n-octanol/water	: No data available	
Autoignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	
Molecular weight	: No data available	
VOC	: No data available	

### SECTION 10. STABILITY AND REACTIVITY

## SAFETY DATA SHEET

### TRI-STAR TURBO BOOST

#### Product AS SOLD

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

#### Product AS SOLD

Eyes	: Causes serious eye irritation.
Skin	: Causes skin irritation. May cause allergic skin reaction.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Product AT USE DILUTION

Eyes	: Health injuries are not known or expected under normal use.
Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

#### Experience with human exposure

#### Product AS SOLD

Eye contact	: Redness, Pain, Irritation
Skin contact	: Redness, Irritation, Allergic reactions
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

#### Product AT USE DILUTION

Eye contact	: No symptoms known or expected.
-------------	----------------------------------

## SAFETY DATA SHEET

### TRI-STAR TURBO BOOST

Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

#### Toxicity

##### Product AS SOLD

##### Product

Acute oral toxicity	: Acute toxicity estimate : 2,230 mg/kg
Acute inhalation toxicity	: No data available
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Skin corrosion/irritation	: No data available
Serious eye damage/eye irritation	: No data available
Respiratory or skin sensitization	: No data available
Carcinogenicity	: No data available
Reproductive effects	: No data available
Germ cell mutagenicity	: No data available
Teratogenicity	: No data available
STOT-single exposure	: No data available
STOT-repeated exposure	: No data available
Aspiration toxicity	: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product AS SOLD

Environmental Effects	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
-----------------------	--

##### Product AT USE DILUTION

Environmental Effects	: This product has no known ecotoxicological effects.
-----------------------	---

##### Product AS SOLD

##### Product

Toxicity to fish	: 96 h LC50 Pimephales promelas: 2.828 mg/l Test substance: Product
Toxicity to daphnia and other aquatic invertebrates	: 48 h LC50 Ceriodaphnia dubia (water flea): 0.7071 mg/l Test substance: Product
Toxicity to algae	: No data available

#### Components

Toxicity to algae	: butyl 3-hydroxybutyrate EC50 Chlorella pyrenoidosa: > 100 mg/l  Limonene 72 h EC50 Pseudokirchneriella subcapitata (algae): 0.32 mg/l
-------------------	---

# SAFETY DATA SHEET

## TRI-STAR TURBO BOOST

### Persistence and degradability

#### Product AT USE DILUTION

Readily biodegradable.

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Product AS SOLD

- Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### Product AT USE DILUTION

- Disposal methods : Diluted product can be flushed to sanitary sewer.
- Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

## SECTION 14. TRANSPORT INFORMATION

### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

Not dangerous goods

### Sea transport (IMDG/IMO)

- UN number : 3082
- Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Limonene)
- Class : 9
- Packing group : III
- Marine pollutant : yes

## SECTION 15. REGULATORY INFORMATION

### Product AS SOLD

### EPCRA - Emergency Planning and Community Right-to-Know



# SAFETY DATA SHEET

## TRI-STAR TURBO BOOST

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Respiratory or skin sensitization  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation applies to this product.

Hazardous ingredients	CAS-No.	Function	List(s)
butyl 3-hydroxybutyrate	53605-94-0	Cleaning Agent	Not Applicable
alcohols, c12-16, ethoxylated >5EO	68551-12-2	Cleaning Agent	Not Applicable
Fattyalcohol ethoxylates =/< C15 and =/< 5EO	68213-23-0	Cleaning Agent	Not Applicable
Limonene	5989-27-5	Cleaning Agent	FRA

\*refer to [ecolab.com/sds](http://ecolab.com/sds) for electronic links to designated lists

### The ingredients of this product are reported in the following inventories:

#### United States TSCA Inventory :

All substances listed as active on the TSCA inventory

#### Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL

#### Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

not determined

#### New Zealand. Inventory of Chemical Substances :

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

#### Korea. Korean Existing Chemicals Inventory (KECI) :

not determined

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

not determined

#### China. Inventory of Existing Chemical Substances in China (IECSC) :

# SAFETY DATA SHEET

## TRI-STAR TURBO BOOST


not determined

Taiwan Chemical Substance Inventory (TCSI) :  
not determined

### SECTION 16. OTHER INFORMATION

#### Product AS SOLD

##### NFPA:




##### HMIS III:

HEALTH	2*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### Product AT USE DILUTION

##### NFPA:



##### HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 06/05/2023  
Version : 1.4  
Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.