# HILLYARD The Cleaning Resource\*

#### SAFETY DATA SHEET

#### 1. Identification

Product identifier PRO PRIMER II

Other means of identification

SDS number 570N-155A
Product code HIL00746
Recommended use Gym Finish
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company nameHILLYARD INDUSTRIESAddress302 North Fourth St.

St. Joseph, MO 64501

Contact person Regulatory Affairs

**Telephone number** (816) 233-1321 (Ext. 8285)

Fax (816) 383-8485

**E-mail** regulatoryaffairs@hillyard.com

**Emergency telephone #** (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure,

or accident involving chemicals.)

#### 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 5

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2B
Reproductive toxicity Category 1B

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes eye irritation. May be harmful if inhaled. May damage fertility or the

unborn child.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If on skin: Wash with plenty of water. IF INHALED: Call a POISON CENTER or doctor/physician if

you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get

medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store locked up

**Disposal** Buyer assumes all risk and liability associated with disposal of this product (original concentration

or dilution) in violation of applicable law in compliance with applicable federal, state and local

requirements.

Material name: PRO PRIMER II sps us

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
1-Methyl-2-Pyrrolidinone		872-50-4	1 - < 3
PNP Glycol Ether		100-02-7	1 - < 3
Triethylamine		121-44-8	< 1
Other components below reportable	elevels		90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: PRO PRIMER II SDS US

HIL00746 Version #: 01 Issue date: 01-21-2015

### Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

#### **Environmental precautions**

#### 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Notice: Saw dust from freshly sanded floors or dust from wood floors that have been abraded between coats will spontaneously catch fire if improperly discarded. Immediately after abrading or sanding wood floors, place dust waste in a sealed, water-filled metal container and immediately remove from building.

Notice: Rags or applicators soaked in a combustible liquid will spontaneously catch fire if improperly discarded. Immediately after using rags or applicators soaked in a combustible liquid, place waste in a sealed, water-filled metal container and immediately remove from building.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

40 mg/m3

10 ppm

#### 8. Exposure controls/personal protection

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

#### Occupational exposure limits

Components	Туре	Value	
Triethylamine (CAS 121-44-8)	PEL	100 mg/m3	
·		25 ppm	
<b>US. ACGIH Threshold Limit Values</b>			
Components	Туре	Value	
Triethylamine (CAS 121-44-8)	STEL	3 ppm	
,	TWA	1 ppm	
US. AIHA Workplace Environmenta	l Exposure Level (WEEL) G	iides	
Components	Туре	Value	

## (CAS 872-50-4) Biological limit values

1-Methyl-2-Pyrrolidinone

#### **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
1-Methyl-2-Pyrrolidinone (CAS 872-50-4)	100 mg/l	5-Hydroxy-N-m ethyl-2-pyrrolid	Urine	*
		ono		

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

US - California OELs: Skin designation

Triethylamine (CAS 121-44-8)

Can be absorbed through the skin.

**TWA** 

**US ACGIH Threshold Limit Values: Skin designation** 

Triethylamine (CAS 121-44-8)

Can be absorbed through the skin.

US WEEL Guides: Skin designation

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) Can be absorbed through the skin.

HIL00746 Version #: 01 Issue date: 01-21-2015

Material name: PRO PRIMER II

#### Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical splash goggles where there is a potential for eye contact.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other None normally required. If unable to avoid prolonged or repeated contact with skin, wear

impervious clothing.

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be

worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Appearance Milky white liquid

Physical state Liquid.
Form Liquid.
Color Milky white
Odor Solvent odor
Odor threshold Not available

**pH** 7 - 8

Melting point/freezing point Not available.

Initial boiling point and boiling > 200

range

Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup

Evaporation rate < 1 Ethyl ether = 1
Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 17.31 mm Hg

Vapor density 0.84

**Relative density** 1.026 at 77°F

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available

Not available

Other information

 Density
 8.54 lb/gal

 Percent volatile
 71.5 - 72.5 %

 VOC (Weight %)
 < 170 g/l</td>

#### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

#### 11. Toxicological information

Information on likely routes of exposure

InhalationMay be harmful if inhaled.Skin contactCauses skin irritation.Eye contactCauses eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin

irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity May be harmful if inhaled.

Product	Species	Test Results	
PRO PRIMER II			
Acute			
Dermal			
LD50	Rabbit	56489.4727 mg/kg estimated	
Inhalation			
LC50	Mouse	970.0889 mg/l, 2 Hours estimated	
	Rat	970.0889 mg/l, 2 Hours estimated	
		67.9062 mg/l, 1 Hours estimated	
Oral			
LD50	Mouse	13293.9844 mg/kg estimated	
	Rabbit	59013.7422 mg/kg estimated	
	Rat	14197.8662 mg/kg estimated	
		185.2097 ml/kg estimated	
Components	Species	Test Results	
1-Methyl-2-Pyrrolidinone (C	CAS 872-50-4)		
Acute			
Dermal			
LD50	Rabbit	8000 mg/kg	
Oral			
LD50	Mouse	5130 mg/kg	
	Rat	3914 mg/kg	
		4.2 ml/kg	
PNP Glycol Ether (CAS 100	0-02-7)		
Acute			
Oral			
LD50	Mouse	380 mg/kg	
	Rat	450 - 850 mg/kg	
Other			
LD50	Mouse	75 mg/kg	

Material name: PRO PRIMER II

Components	Species	Test Results	
Triethylamine (CAS 121-44	l-8)		
Acute			
Dermal			
LD50	Rabbit	416 mg/kg	
Inhalation			
LC50	Mouse	6 mg/l, 2 Hours	
	Rat	6 mg/l, 2 Hours	
		0.42 mg/l, 1 Hours	
Oral			
LD50	Mouse	546 mg/kg	
	Rabbit	365 mg/kg	
	Rat	460 mg/kg	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

May damage fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

Prolonged inhalation may be harmful. **Chronic effects** 

#### 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	pecies Test Results	
PRO PRIMER II				
Aquatic				
Crustacea	EC50	Daphnia	379.4248 mg/l, 48 hours estimated	
Fish	LC50	Fish	1297.542 mg/l, 96 hours estimated	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1-Methyl-2-Pyrrolidinone -0.54 Triethylamine 1.45

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: PRO PRIMER II SDS US

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or

dilution) in violation of applicable law.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

#### 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

PNP Glycol Ether (CAS 100-02-7) Listed. Triethylamine (CAS 121-44-8) Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories** 

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
1-Methyl-2-Pyrrolidinone	872-50-4	1 - < 3
Triethylamine	121-44-8	< 1

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

PNP Glycol Ether (CAS 100-02-7) Triethylamine (CAS 121-44-8)

Safe Drinking Water Act

Not regulated.

(SDWA)

#### US state regulations

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) PNP Glycol Ether (CAS 100-02-7) Triethylamine (CAS 121-44-8)

#### US. New Jersey Worker and Community Right-to-Know Act

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) PNP Glycol Ether (CAS 100-02-7) Triethylamine (CAS 121-44-8)

#### US. Pennsylvania Worker and Community Right-to-Know Law

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) PNP Glycol Ether (CAS 100-02-7) Triethylamine (CAS 121-44-8)

#### **US. Rhode Island RTK**

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) PNP Glycol Ether (CAS 100-02-7) Triethylamine (CAS 121-44-8)

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

#### US - California Proposition 65 - CRT: Listed date/Developmental toxin

1-Methyl-2-Pyrrolidinone (CAS 872-50-4) Listed: June 15, 2001

#### **International Inventories**

Country(s) or region Inventory name
United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

On inventory (yes/no)\*

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date 01-21-2015

Version # 01

HMIS® ratings Health: 2\*

Flammability: 0 Physical hazard: 0

**Disclaimer** No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

Material name: PRO PRIMER II SDS US