



P.O. Box 1312, Palm Desert, California 92261 U.S.A.

Phone: (619) 340-0064 • Fax: (619) 346-8813
760-202-4003 760-202-3003

SECTION 1 – IDENTIFICATION

Product Name: Sörbo Hard Water Stain Remover
Emergency Phone Number: (619) 340-0064
Effective Date: 3/20/90
Chemical Name: Mixture

SECTION II – HAZARDOUS INGREDIENTS

Hazardous Components: SULFAMIC ACID
OSHA PEL: NE ACGIH TLV: NE

SECTION III – PHYSICAL DATA

Boiling Point: NA
Vapor Pressure: NA
Specific Gravity: ($H_2O = 1$): NA
Volatility/Vol (%): 0
Evaporation Rate: NA
Appearance: White Powder

SECTION IV – FIRE AND EXPLOSION DATA

Flash Point: NA
Explosive Limits: NDA
Extinguishing Media: Non-Flammable
Firefighting Procedure: Wear self-contained breathing apparatus with a full face piece operated in pressure-demand or other positive pressure mode.
Special Fire and Explosive Hazards: None Known

SECTION V – HEALTH HAZARD DATA

Effects of Overexposure –

Eyes: Causes irritation, redness, tearing, burning.
Skin: Prolonged or repeated contact may cause irritation or burning.
Inhalation: May irritate nasal passages.
Ingestion: Irritation, nausea, vomiting.

First Aid –

Eyes: Flush with large amounts of water, lifting upper and lower lids occasionally. Get medical attention.
Skin: Wash exposed area with soap and water.
Inhaled: If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet and get medical attention.
Ingested: Do not induce vomiting. Vomiting will cause further damage to the throat. Dilute by giving water. Give Milk of Magnesia. Keep warm, quiet and get medical attention immediately.
Primary Route(s) of Entry: Inhalation, skin contact.

MATERIAL SAFETY DATA SHEET

SECTION VI – REACTIVITY DATA

Hazard Polymerization: Cannot occur.
Stability: Stable
Incompatibility (materials to avoid): Avoid contact with strong mineral acids.
Decomposition Products: NDA

SECTION VII – SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled.

Small Spills: Cover the contaminated surface with sodium bicarbonate or a soda ash/slaked lime mixture. Scoop up and wash with soda ash solution.

Large Spills: Shovel material into containers. thoroughly sweep area of spill to clean up any residual material.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations.

SECTION VIII – PROTECTIVE MEASURES

Respiration Protection: If TLV of any component is exceeded, a NIOSH/MSHA jointly approved air supplied respirator is advised.

Ventilation: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s).

Protective Gloves: Wear resistant gloves such as polyvinyl chloride.

Eye Protection: Chemical splash goggles in compliance with OSHA regulations are advised, however, OSHA regulations also permit other type of safety glasses.

Other Protective Measures: To prevent skin contact, wear impervious clothing and apron.

SECTION IX – SPECIAL PRECAUTIONS OR OTHER COMMENTS

Containers of this product may be hazardous when emptied. Keep container closed when not in use. Keep out of reach of children.

This information is furnished without warranty, representation or license of any kind except that it is accurate to the best of sources believed by Sörbo to be accurate. Sörbo does not assume any legal responsibility for use or reliance upon same. Before using any product, read its label.
ND=Not Determined NDA=No Data Available
NE=Not Established NA=Not Applicable