



MATERIAL SAFETY DATA SHEET

DATE OF PREPARATION: 08MAY03
MANUFACTURER'S NAME: Valspar Corporation
MANUFACTURER'S ADDRESS: 4999 36th Street S.E.
 Grand Rapids, MI 49518
EMERGENCY (CHEM-TEL) PHONE NUMBER: 1-800-255-3924
EMERGENCY/INFORMAITON PHONE NUMBER: (616)940-2900

SECTION I: PRODUCT INFORMATION

PRODUCT NAME: Wood Cleaner Aerosol
MANUFACTURER'S CODE IDENTIFICATION: 301000
PRODUCT CLASS: Solvent

SECTION II: HAZARDOUS INGREDIENTS

Ingredient	CAS Number	% By Wgt.	PEL	TLV	Units	LEL	Vapor Pres. (mmHg)
Isoparaffinic Solvent	64742-48-9	75 – 85	100	100	ppm	1.0	0.5
Liquefied Petroleum Propellant	68476-86-8	15 - 25	1000	800	ppm	1.8	ND

SECTION III: PHYSICAL DATA

EVAPORATION RATE: FASTER ☐ SLOWER THAN ETHER ☒
VAPOR DENSITY: HEAVIER ☒ LIGHTER THAN AIR ☐
BOILING RANGE: 230°F Initial Boiling Point **C.A.R.B. VOC:** 100%
PERCENT VOLATILE: 100 **POUNDS PER GALLON:** 6.3 Typical **SPECIFIC GRAVITY:** 0.76 Typical

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASS: Level 3 Aerosol **LOWER EXPLOSIVE LIMIT:** See Section II
HMIS RATING¹: HEALTH ☐ **FLAMMABILITY** ☐ **REACTIVITY** ☐
FLASHPOINT¹ (METHOD): 127°F (SETA)
EXTINGUISHING MEDIA: Foam, dry chemical, carbon dioxide. Water is not suitable as an extinguishing media, but may be used to cool nearby containers.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Pressure may develop in closed containers if overheated.
SPECIAL FIRE FIGHTING PROCEDURES: Fire fighters should wear normal protective equipment and positive pressure breathing apparatus.

SECTION V: HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE: May cause skin or eye irritation. Inhalation may cause headache, nausea, lightheadedness, etc. Ingestion may cause cramps, diarrhea, nausea, etc. Prolonged or repeated occupational overexposure to solvents may cause permanent brain and nervous system damage. Intentional misuse by deliberate

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.

concentration and inhalation of contents may be harmful or fatal.

EMERGENCY FIRST AID PROCEDURES: For eye contact, flush with running water for 15 minutes, holding lid open to expose surface of eye, contact physician. For skin, remove contaminated clothing and shoes, wash with mild soap and water. If affected by vapors or spray mists, remove to fresh air at once. Apply artificial respiration if necessary, contact physician immediately. If swallowed, DO NOT INDUCE VOMITING, contact physician, poison control center, or hospital emergency room immediately. If victim is conscious, give a glassful of water or milk. Never give anything by mouth to an unconscious person.

SECTION VI: REACTIVITY DATA

STABILITY: UNSTABLE ☐ STABLE ☒
CONDITIONS TO AVOID: Exposure to high heat, sparks, open flame, or other sources of ignition.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers like chlorine.
HAZARDOUS DECOMPOSITION PRODUCTS: Fumes, smoke, other unknown organic oxides are possible.
HAZARDOUS POLYMERIZATION: MAY OCCUR ☐ WILL NOT OCCUR ☒

SECTION VII: SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED: Remove ignition sources. Dike and take up with absorbent material. Ensure with adequate ventilation, avoid build up of vapors.
WASTE DISPOSAL METHOD: Dispose of in accordance with all applicable state, local, and federal regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: None required in normal use. Atmospheric levels should be maintained below exposure guidelines. When respiratory protection is required, use appropriate, properly fitted NIOSH/MSHA approved equipment.
VENTILATION: Control airborne concentrations below exposure guidelines. Local exhaust ventilation may be necessary.
PROTECTIVE GLOVES: Use chemical resistant gloves when necessary to protect from personal exposure.
EYE PROTECTION: Face shield or safety glasses are recommended.
OTHER PROTECTIVE EQUIPMENT: Other protective clothing should be used as necessary to protect from personal exposure. Ground all containers when transferring material.

SECTION IX: SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep containers closed when not in use. Do not use or store near open flame, sources of ignition, or strong oxidizers.
OTHER PRECAUTIONS: Avoid breathing vapors or spray mists. Avoid prolonged or repeated personal contact. Wash thoroughly after use.
DOT INFORMATION **UN Number:** None assigned
 Classification: ORM-D

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.

Proper Shipping Name: Consumer Commodity
Packing Group: None assigned
Exceptions: The above classification is valid for domestic ground transportation only.
 Please see 49CFR §173.306 for details.

KEEP OUT OF REACH OF CHILDREN

ABBREVIATIONS

NE Not Established
 NA Not Applicable
 ND Not Determined

¹ Values shown are for aerosol concentrate prior to gassing

Creation Date: 08FEB94
Revision Date: 08MAY03
Revision Number: 5.0

This space left blank for insertion into notebook

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.