ACI LIFT HIGH pH ALKALI BUILDER

SAFETY DATA SHEET

Version 1.0 Effective Date: 05/31/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACI LIFT HIGH pH ALKALI BUILDER

Description: Sodium Hydroxide 25% Solution

Product Code: 4238

Suggested Use: Alkali Builder, breaks down oils and grease

Restrictions on Use: N/A

Supplier: Applied Chemical Innovations

580 W. Cheyenne Ave., Suite 70 North Las Vegas, Nevada 89030

Telephone: 1(702)-802-5782

Emergency Phone: CHEMTREC 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

GHS Classification: Skin Corrosion (Category 1A)

Serious Eye Damage (Category 1)
Acute Aquatic Toxicity (Category 3)

GHS Label Elements

Pictogram:

Signal Word: Danger

Hazard Statements: H314: Causes severe skin burns and eye damage

Precautionary Statements: P102: Keep out of reach of children

P103: Read Label before use. P260: Do not breathe vapors.

P264: Wash hands thoroughly after handling. P280: Wear protective gloves and eye protection.

P301+P330+P331+P315: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get

immediate medical attention.

P302+P362+P364+P353+P332+P313: IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse skin with water. If skin irritation occurs, get medical

attention.

P304+P340+P342+P311+P313: IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, call a POISON

CENTER or get medical attention.

P305+P351+P338+P337+P313: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical attention.

P363+P364: Take off contaminated clothing and wash before reuse.

ACI LIFT HIGH PH ALKALI BUILDER

SAFETY DATA SHEET

Version 1.0 Effective Date: 05/31/2018

P390: Absorb spillage to prevent material damage.

P404+P405: Store in a closed container. Store locked up.

P501: Dispose of contents and container in accordance with all local, regional, national,

and international regulations.

HMIS Classification: Health Hazard: 3

Flammability: 0 Physical Hazards: 1

NFPA Rating: Health Hazard: 3

Fire: 0 Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the

mucous membrane and upper respiratory tract.

Skin: May be harmful if absorbed through skin. Causes severe skin burns.

Eyes: Causes severe eye burns.

Ingestion: Toxic if swallowed. Do not ingest.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component</u> <u>CAS Number</u> <u>Concentration</u>

 Sodium Hydroxide
 1310-73-2
 25%

 Water
 7732-18-5
 75%

Synonyms: Caustic Soda, Lye, NaOH,

4. FIRST AID MEASURES

If Inhaled: If inhaled, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

Skin Contact: Take off contaminated clothing and wash before reuse. Rinse skins with water. If skin

irritation persists: Get medical attention.

Eye Contact: Rinse cautiously with water for several minutes.

If Ingested: Do NOT induce vomiting unless instructed to do so by a physician. Never give anything

by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Flammability Overview: Considered a non-flammable water solution

Flash Point: N/A

Extinguishing Media: Use water-spray, alcohol-resistant foam, dry chemical, or carbon dioxide. Tailor

extinguishing media to surrounding fire.

Special Protective Equipment for

Firefighters:

Wear a self-contained breathing apparatus (SCBA) for firefighting if necessary.

ACI LIFT HIGH PH ALKALI BUILDER

SAFETY DATA SHEET

Version 1.0 Effective Date: 05/31/2018

Hazardous Combustion Products: Hazardous decomposition products under fire conditions: Sodium oxides.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protective equipment. Avoid breathing vapors, mist, or gas. Always

ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Prevent from entering drains and

waterways. Discharge into the environment must be avoided.

Containment and Clean Up: Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal. If assistance is needed call CHEMTREC or

emergency services.

7. HANDLING AND STORAGE

Safe Handling: Use personal protective equipment. Avoid breathing vapors, mist, or gas. Always

ensure adequate ventilation.

Safe Storage: Keep containers tightly closed in a dry well-ventilated place. Containers which are

opened must be carefully resealed and kept upright to prevent leakage. Store away

from incompatible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Component	CAS Number	Exposure Limit	Basis
Sodium Hydroxide	1310-73-2	2 mg/m ³	ACGIH Threshold Value (TLV)
		2 mg/m ³	OSHA Table Z-1: Limits for Air Contaminants
		2 mg/m ³	NIOSH Recommended Exposure Limits

Personal Protective Equipment

Eye Protection: Wear tightly fitting safety goggles or safety glasses with a full-face shield. Use

equipment for eye protection tested and approved under appropriate government standards such as NIOSH. Have eye-wash stations available where eye contact can

occur.

Hand Protection: Handle with chemical-resistant gloves. Gloves must be inspected prior to use. Dispose

of contaminated gloves. Wash and dry hands after use.

Skin Protection: Wear complete suit protection against chemicals, including chemical-resistant boots.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Safety showers should

be located in the work area where skin contact can occur.

Respiratory Protection: Where risk assessment shows air-purifying respirators are appropriate, use a NIOSH-

approved full-face respirator with appropriate cartridges. For high concentrations, unknown concentrations, and for oxygen deficient atmospheres, use a NIOSH approved air-supplied respirator. Respiratory protection may be needed for non-

ACI LIFT HIGH pH ALKALI BUILDER

SAFETY DATA SHEET

Version 1.0 Effective Date: 05/31/2018

routine or emergency situations. Respiratory protection must be provided in

accordance with OSHA 29 CFR 1910.134.

General Controls: Always ensure adequate ventilation and that working areas contain safety showers and

eye wash stations. Handle material in accordance with good industrial hygiene and

safety practices.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Colorless Odor: None Odor Threshold: N/A 14.0 pH: Melting/Freezing Point: -18°C (0°F) **Boiling Point:** N/A Flash Point: N/A **Evaporation Rate:** N/A Flammability (solid, gas): N/A Flammability/Explosion Limits: N/A

Vapor Pressure @ 20°C: <24 hPa (<18 mmHg)

Vapor Density: >1 (air=1) Specific Gravity: 1.278 10.66 lbs/gal Density: Complete Solubility in Water: Partition Coefficient: N/A Autoignition Temperature: N/A **Decomposition Temperature:** N/A Viscosity: 7 cPs

10. STABILITY AND REACTIVITY

Chemical Stability: Stable under recommended storage conditions.

Conditions and Materials to

Avoid:

Avoid Water, acids, strong oxidizing agents, most metals, Aluminum, Lead, Tin, Zinc

Hazardous Decomposition

Products:

Hazardous decomposition products under fire conditions: Sodium oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component	CAS Number	Test	Toxicity
Sodium Hydroxide	1310-73-2	Oral LD50	No data available
		Dermal LD50	No data available
		Inhalation LC50	No data available

ACI LIFT HIGH PH ALKALI BUILDER

SAFETY DATA SHEET

Version 1.0 Effective Date: 05/31/2018

Potential Health Effects

Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the

mucous membrane and upper respiratory tract.

Skin: May be harmful if absorbed through skin. Causes severe skin burns.

Eyes: Causes severe eye burns.

Ingestion: Toxic if swallowed. Do not ingest.

Signs and Symptoms of Exposure: Burning sensation. Nausea. Cough. Wheezing. Laryngitis. Shortness of breath. Spasm,

inflammation, and edema of the larynx. Spasm, inflammation, and edema of the bronchi. Pneumonitis. Pulmonary edema. Material is extremely destructive to the tissue of the mucous membrane, upper respiratory tract, eyes, and skin. Headache.

Chronic Effects of Long-term

Exposure:

No data available

Carcinogenicity: No component of this product at levels greater than 0.1% is identified as carcinogenic

by IARC, ACGIH, or OSHA.

12. ECOLOGICAL INFORMATION

Acute Ecotoxicity

Component	CAS Number	Organism	Ecotoxicity
Sodium Hydroxide	1310-73-2	Bluegill sunfish	48 hr LC50 = 99mg/L

Ecological Effects

Persistence and Degradability: No data available

Bioaccumulation Potential: Not expected to bio-accumulate

Mobility in Soil: No data available

Other Adverse Effects: Harmful to aquatic life. The damaging effects are mostly the consequence of the

increase in pH of the water.

13. DISPOSAL CONSIDERATIONS

Disposal: Surplus and non-recyclable material should be treated as hazardous waste and be

disposed of by a licensed disposal company. Material should be disposed in accordance with all local, state, and federal regulations. Regulations vary by region. Do not release

into sewers or waterways.

Contaminated Packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT Information

ACI LIFT HIGH pH ALKALI BUILDER

SAFETY DATA SHEET

Version 1.0 Effective Date: 05/31/2018

Proper Shipping Name: Sodium Hydroxide Solution

UN Number: UN1824 Hazard Class: 8 Packing Group: PGII

Reportable Quantity (RQ): 4000 lbs (Sodium Hydroxide: 1000lbs)

Marine Pollutant: No

Note: Regulated for both bulk and non-bulk.

15. REGULATORY INFORMATION

US Federal

SARA 302 Components: None Listed

SARA 311/312 Hazards: Acute Health Hazard

SARA 313 Components: None Listed

TSCA Inventory: Sodium Hydroxide (CAS 1310-73-2)

European Union

EC Inventory: Sodium Hydroxide (EINECS 215-185-5)

State Regulations

CA Prop 65: This product contains no known hazardous components above the safe harbor limits.

16. OTHER INFORMATION

SDS Version: 1.2

Revision Date: 12/14/2017 Supersedes: 02/10/2014

The information contained in this document was carefully compiled and is believed to be accurate. The information represents the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. However, it does not represent any guarantee of the properties of the product. Brady Industries shall not be held liable for any damages resulting from handling or from contact with the above product. It is the responsibility of the purchaser to determine the suitability of the product for their particular purposes. Nothing contained herein shall be construed to be a recommendation to use, or as a license to operate under, or to infringe any existing patents.

For product information or to re-order, call Brady Industries at 1-800-293-4698.