

TECHNICAL **C**ONCEPTS

TCELL TROPICAL SUNRISE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 1: Identification

1.1. Product identifier

Product name : TCELL TROPICAL SUNRISE

Product code : 108230 SKU # : FG402472

1.2. Recommended use and restrictions on use

Recommended use : Air care products, Odour agents

Restrictions on use : Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

1.3. Supplier

Manufacturer

Rubbermaid Commercial Products LLC

3124 Valley Avenue

VA 22601-2694 Winchester - USA

T 1.800.347.9800

www.rubbermaidcommercial.com

Other

Rubbermaid Commercial Products LLC

20 Hereford Street

L6Y 0M1 Brampton - Canada

T 1.800.998.7004

1.4. Emergency telephone number

Emergency number : 24-Hour Emergency: INFOTRAC: 1-800535-5063

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flammable liquids, Category 4 H227 Skin corrosion/irritation, Category 2 H315 Skin sensitisation, Category 1 H317 Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)



Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) : H227 - Combustible liquid

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 - Wear protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification (GHS-CA)
2,6-DIMETHYL-2-HEPTANOL	(CAS-No.) 13254-34-7	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

05/31/2018 EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Product identifier	%	Classification (GHS-CA)
LIMONENE	(CAS-No.) 5989-27-5	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ALLYL CAPROATE	(CAS-No.) 123-68-2	1 - 5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315
ISOAMYL ALLYLGLYCOLATE	(CAS-No.) 67634-00-8	1 - 5	Acute Tox. 4 (Oral), H302
LINALOOL	(CAS-No.) 78-70-6	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
2,4-DIMETHYL-3- CYCLOHEXENE CARBOXALDEHYDE	(CAS-No.) 68039-49-6	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
DELTA-DAMASCONE	(CAS-No.) 57378-68-4	0.1 - 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical

advice.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Wash

contaminated clothing before reuse. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

No additional information available

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store

away from other materials.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

05/31/2018 EN (English) 2/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from sources of ignition - No smoking. Provide good ventilation in process area to

prevent formation of vapour.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated

clothing before reuse. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources.

Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation to minimize mist and/or vapour

concentrations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

protective gloves

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. Transparent.

Colour : colourless to slightly yellow

Odour characteristic Odour threshold No data available рΗ No data available Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point No data available Freezing point No data available : No data available Boiling point

Flash point : 65 °C

Auto-ignition temperature : No data available Decomposition temperature No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Vapour pressure at 50 °C No data available Relative density 0.923 - 0.927 Solubility No data available Log Pow : No data available Viscosity, kinematic : No data available

05/31/2018 EN (English) 3/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Stable under normal conditions of use.

Chemical stability : The product is stable at normal handling and storage conditions.

Possibility of hazardous reactions : Not established.

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Incompatible materials : Strong acids. Strong bases. Oxidizing agent.

Hazardous decomposition products : fume. Carbon monoxide. Carbon dioxide. Organic compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Oral: Not classified.

Acute toxicity (dermal) : Dermal: Not classified.

Acute toxicity (inhalation) : Not classified

TCELL TROPICAL SUNRISE	
LD50 oral rat	4812.76 mg/kg
LD50 dermal rat	7601.75 mg/kg
ATE CA (oral)	4812.76 mg/kg bodyweight
ATE CA (dermal)	7601.75 ma/ka bodyweight

ALLYL CAPROATE (123-68-2)	
LD50 oral rat	220 mg/kg
LD50 dermal rat	300 mg/kg

ISOAMYL ALLYLGLYCOLATE (67634-00-8)

LD50 oral rat 730 mg/kg

LINALOOL (78-70-6)

LD50 oral	2790 mg/kg bodyweight
LD50 dermal	5610 mg/kg bodyweight

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
LD50 oral rat	4000 mg/kg
LD50 oral	2830 mg/kg
LD50 dermal	> 2000 mg/kg bodyweight

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

LINALOOL (78-70-6)	
LC50 fish 1	27.8 mg/l
EC50 other aquatic organisms 1	20 mg/l waterflea
EC50 other aquatic organisms 2	88.3 mg/l

05/31/2018 EN (English) 4/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.2. Persistence and degradability

TCELL TROPICAL SUNRISE	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

LINALOOL (78-70-6)		
Log Pow	2.84	
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)		
Log Pow	2.7	

12.4. Mobility in soil

LINALOOL (78-70-6)	
Log Pow	2.84
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
Log Pow	2.7

12.5. Other adverse effects

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Empty containers should be taken for recycling, recovery or waste in accordance with local

regulation.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. Basic shipping description

No additional information available

14.2. Transport information/DOT

Department of Transport

DOT NA no. : UN3082 UN-No.(DOT) : 3082

Packing group (DOT) : III - Minor Danger

DOT Symbols : G - Identifies PSN requiring a technical name

Transport document description : UN3082 Environmentally hazardous substances, liquid, n.o.s. (CONTAINS; LIMONENE(5989-

27-5); 2-t-BUTYLCYCLOHEXYL ACETATE(88-41-5)), 9, III

Proper Shipping Name (DOT) : Environmentally hazardous substances, liquid, n.o.s.

CONTAINS; LIMONENE(5989-27-5); 2-t-BUTYLCYCLOHEXYL ACETATE(88-41-5)

Contains Statement Field Selection (DOT) :

Class (DOT) : 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140

Division (DOT) : 9

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



Dangerous for the environment : No

05/31/2018 EN (English) 5/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

DOT Special Provisions (49 CFR 172.102)

: 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.

146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.

173 - An appropriate generic entry may be used for this material.

335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leakproof when used as bulk packaging.

IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.

DOT Packaging Exceptions (49 CFR 173.xxx) : 155

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Quantity Limitations Passenger aircraft/rail : No limit

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : No limit

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

IBC code : Not applicable.

Other information : No supplementary information available.

14.3. Air and sea transport

IMDG

UN-No. (IMDG) : 3082

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE

POLLUTANT

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

IATA

UN-No. (IATA) : 3082

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. National regulations

No additional information available

LIMONENE (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

ALLYL CAPROATE (123-68-2)

Listed on the Canadian DSL (Domestic Substances List)

ISOAMYL ALLYLGLYCOLATE (67634-00-8)

Listed on the Canadian DSL (Domestic Substances List)

05/31/2018 EN (English) 6/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

LINALOOL (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

2,6-DIMETHYL-2-HEPTANOL (13254-34-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

LIMONENE (5989-27-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ALLYL CAPROATE (123-68-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ISOAMYL ALLYLGLYCOLATE (67634-00-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

LINALOOL (78-70-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

DELTA-DAMASCONE (57378-68-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

Date of issue : 01/01/2018

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Other information : REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our

knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may

not be applicable.

Full text of H-statements:

At 01 11-State ments.	
H226	Flammable liquid and vapour.
H227	Combustible liquid
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS_CANADA_GHS_NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/31/2018 EN (English) 7/7