# MATERIAL SAFETY DATA SHEET



	1. Product and Company Identification		
Product number	160-002		
Product name	Potpourri Air Freshener & Deodorizer		
Effective date	24-Feb-2011		
Company information	Claire Manufacturing Co. 1005 S. Westgate Drive Addison, IL 60101 United States		
Company phone	General Assistance 630-543-7600		
Emergency telephone US	800-424-9300		
Emergency telephone outside US	703-527-3887		
Version #	05		
Supersedes date	16-Mar-2010		
	2. Hazards Identification		
Emergency overview	FLAMMABLE Aerosol. CONTENTS UNDER PRESSURE. Will be easily ignited by heat, spark or flames. Prolonged exposure may cause chronic effects.		
Potential health effects			
Routes of exposure	Skin contact. Ingestion.		
Eyes	Contact with eyes may cause irritation.		
Skin	Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).		
Inhalation	Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful.		
Ingestion	Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage. Components of the product may be absorbed into the body by ingestion.		
Target organs	Lungs.		
Chronic effects	May cause delayed lung damage. Prolonged skin contact may defat the skin and produce dermatitis.		
Signs and symptoms	Discomfort in the chest. Defatting of the skin. Irritation.		

## 3. Composition / Information on Ingredients

Components	CAS #	Percent
Acetone	67-64-1	60 - 70
Propane	74-98-6	15 - 20
n-Butane	106-97-8	10 - 15
Non-hazardous and other components below reportable levels		1 - 2.5

4. First Aid Measures			
First aid procedures			
Eye contact	Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.		
Skin contact	Immediately take off all contaminated clothing. Wash off with warm water and soap. Get medical attention if irritation develops or persists.		
Inhalation	Move to fresh air. If symptoms persist, get medical attention.		
Ingestion	Have victim rinse mouth thoroughly with water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. In the unlikely event of swallowing contact a physician or poison control center.		
Notes to physician	Symptoms may be delayed.		

## 5. Fire Fighting Measures

Flammable properties	Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.		
Extinguishing media			
<b>Suitable extinguishing media</b> Alcohol foam. Dry chemical. Carbon dioxide (CO2). Do not use water jet. rotection of firefighters			
Protection of menginers Protective equipment and precautions for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.		
	6. Accidental Release Measures		
Methods for containment	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.		
Methods for cleaning up	Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.		
	7. Handling and Storage		
Handling	Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Do not smoke while using or until sprayed surface is thoroughly dry. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.		
Storage	Level 3 Aerosol. Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Do not handle or store near an open flame, heat or other sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Level 3 Aerosol. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.		

## 8. Exposure Controls / Personal Protection

#### **Exposure limits**

ACGIH				
Components	CAS #	TWA	STEL	Ceiling
Acetone	67-64-1	500 ppm	750 ppm	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
n-Butane	106-97-8	1000 ppm	Not established	Not established
OSHA				
Components	CAS #	TWA	STEL	Ceiling
Acetone	67-64-1	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established

#### Personal protective equipment

Skin protectionWear appropriate chemical resistant gloves. Wear appropriate chemical resistant<br/>clothing.Respiratory protectionWhen workers are facing concentrations above the exposure limit they must use<br/>appropriate certified respirators. If permissible levels are exceeded use NIOSH<br/>mechanical filter / organic vapor cartridge or an air-supplied respirator.

## 9. Physical & Chemical Properties

	9. Physical & Chemical Properties		
Appearance	Compressed liquefied gas.		
Boiling point	77 °F (25 °C) estimated		
Color	Pale yellow 0.694 g/cm3 estimated 32.5488 kJ/g estimated No -156 °F (-104.4 °C) Propellant Liquid. Aerosol.		
Density			
Flammability (HOC)			
Flash back			
Flash point			
Form			
Freezing point	Not available		
Odor	Characteristic.		
pH	Not applicable		
Physical state	Liquid.		
Pressure	60 - 70 psig @70°F		
Solubility	Completely		
Specific gravity	0.6941 estimated		
	10. Chemical Stability & Reactivity Information		
Chemical stability	Risk of ignition.		
Conditions to avoid	Heat, flames and sparks.		
Hazardous decomposition proc	lucts No hazardous decomposition products are known.		
	11. Toxicological Information		
Acute effects	Acute LD50: 29399 mg/kg estimated, Rat, Dermal		
Component analysis - LD50			
Toxicology Data - Selected LD	50s and LC50s		
Acetone	67-64-1 Oral LD50 Rat 5800 mg/kg		
n-Butane	106-97-8 Inhalation LC50 Rat 658 mg/L 4 h		
Propane	74-98-6 Inhalation LC50 Rat 658 mg/L 4 h		
Sensitization	Not expected to be hazardous by OSHA criteria.		
Teratogenicity	Not expected to be hazardous by OSHA criteria.		
	12. Ecological Information		
Ecotoxicity	DescriptionLC50 8120 mg/L, Fish, 96.00 Hours, EC50 19779 mg/L, Daphnia, 48.00 Hours, Components of this product have been identified as having potential environmental concerns.		
	13. Disposal Considerations		
Waste codes	D001: Waste Flammable material with a flash point <140 F		
Disposal instructions	Contents under pressure. Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a		

RCRA ignitable waste, D001.

## **14. Transport Information**

### **Department of Transportation (DOT) Requirements**

Basic shipping requirements:	
Proper shipping name	Consumer commodity
Hazard class	ORM-D
Subsidiary hazard class	None
Additional information:	
Packaging exceptions	156, 306
Packaging non bulk	156, 306
Packaging bulk	None

#### IMDG

Basic shipping requirements:	
Proper shipping name	AEROSOLS
Hazard class	2.1
UN number	1950
Additional information:	
Packaging exceptions	LTD QTY
Labels required	None

#### ΙΑΤΑ

Basic shipping requirements:	
Proper shipping name	Aerosols, flammable
Hazard class	2.1
UN number	1950
Additional information:	
Packaging exceptions	LTD QTY
Labels required	2.1





## 15. Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Occupational Safety and Health Adr	ninistration (OSHA)
29 CFR 1910.1200 hazardous chemical	Yes
CERCLA (Superfund) reportable qua	antity
Acetone: 5000.0000	

 Superfund Amendments and Reauthorization Act of 1986 (SARA)

 Section 302 extremely
 No

 hazardous substance
 No

 Section 311 hazardous chemical
 Yes

 Hazard categories (311/312)
 Immediate Hazard - Yes

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

1				
Inventory status	laventenva			
Country(s) or region	Inventory n		On inventory (yes/no)*	
China	-	Existing Chemical Substances in China (IECSC)	No	
Europe	European In	ventory of New and Existing Chemicals (EINECS)	No	
Europe	European Li	European List of Notified Chemical Substances (ELINCS)		
Japan	Inventory of	Existing and New Chemical Substances (ENCS)	No	
Korea	Existing Che	emicals List (ECL)	No	
United States & Puerto Rico	•	ances Control Act (TSCA) Inventory	Yes	
A "Yes" indicates that all compon		uct comply with the inventory requirements administered by	the governing country(s)	
State regulations			0 0 ,(,	
U.S Pennsylvania - RTK (Rigl	ht to Know) Lis	ł		
Acetone	67-64-1	Environmental hazard		
n-Butane	106-97-8	Present		
Propane	74-98-6	Present		
		16. Other Information		
Further information	HMIS®	is a registered trade and service mark of the NPCA.		
HMIS® ratings	Health: Flamma Physica	-		
Disclaimer	The info knowled designe disposa informa	brmation provided in this Safety Data Sheet is correct t dge, information and belief at the date of its publication of only as a guidance for safe handling, use, processin I and release and is not to be considered a warranty o tion relates only to the specific material designated and I used in combination with any other materials or in an	n. The information given is ig, storage, transportation, r quality specification. The d may not be valid for such	

Product and Company Identification: Product Review

in the text.

**Regulatory Compliance** 

MSDS sections updated Prepared by