

# **Crew® Restroom Floor & Surface SC Non-Acid Disinfectant Cleaner**

Version Number: 1

Preparation date: 2017-07-26

Product name: Product Code:	Crow® Destroom Floor & Surfood SC Non Asid Disinfortant Classes
	Crew® Restroom Floor & Surface SC Non-Acid Disinfectant Cleaner
	4278763, 5019211
SDS #:	MS0801248
Recommended use:	Industrial/Institutional
	Restroom Care
	Disinfectant Cleaner
	This product is intended to be diluted prior to use
Uses advised against:	Uses other than those identified are not recommended
Manufacturer, importer, supplier:	Canadian Headquarters
JS Headquarters	Diversey Canada, Inc.
Diversey, Inc.	3755 Laird Road Units 8-11
2415 Cascade Pointe Blvd.	Mississauga, Ontario L5L 0B3
Charlotte, NC 28208	Phone: 1-800-668-7171
Phone: 1-888-352-2249	
SDS Internet Address: https://sds.diverse	y.com
Emergency telephone number:	1-800-851-7145; 1-651-917-6133 (Int'I)
	2. HAZARDS IDENTIFICATION
Classification for the undiluted pro	oduct Category 4
Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated	Category 2
exposure)	
Flammability	Flammable liquid and vapour, Category 3
Vetal Corrosion:	Category 1
$\wedge$	$\wedge$
$\mathbf{v}$	
Signal Word:	Danger.
Jazard and Procautionany Statements	
Hazard and Precautionary Statements	USES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. HARMFUL IF SWALLOWED. MAY
	JGH PROLONGED OR REPEATED EXPOSURE. MAY BE CORROSIVE TO METALS.

Causes burns/ serious damage to mouth, throat and stomach. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Keep only in original container. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating or lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe spray. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Do not eat, drink or smoke when using this product. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. In case of fire: Use CO2, dry chemical, or **Crew® Restroom Floor & Surface SC 1 of 6** 

Non-Acid Disinfectant Cleaner

foam to extinguish. Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep cool. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas.

# Health hazards not otherwise classified (HHNOC) - Not applicable

Physical hazards not otherwise classified (PHNOC) - Not applicable

## Classification for the diluted product @ 1:256

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### Hazard and Precautionary Statements

None required.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Classified Ingredients**

Ingredient(s)	CAS #	Weight %
Alcohol ethoxylates	68131-39-5	10 - 20%
n-alkyl dimethyl benzyl ammonium chloride	68424-85-1	5 - 10%
Octyl decyl dimethyl ammonium chloride	32426-11-2	5 - 10%
Tetrasodium salt of EDTA	64-02-8	3 - < 5%
Ethyl alcohol	64-17-5	3 - < 5%
Dioctyl dimethyl ammonium chloride	5538-94-3	3 - < 5%
Didecyl dimethyl ammonium chloride	7173-51-5	3 - < 5%
Sodium hydroxide	1310-73-2	> 0.1 - < 1%

\*Exact percentages are being withheld as trade secret information

## 4. FIRST AID MEASURES

#### Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

<u>Most Important Symptoms/Effects:</u> No information available. <u>Immediate medical attention and special treatment needed</u>Not applicable.

#### **Diluted Product:**

Eyes: Rinse with plenty of water. Skin:\_No specific first aid measures are required Inhalation:\_No specific first aid measures are required Ingestion:\_IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

#### 5. FIRE-FIGHTING MEASURES

Specific methods: Suitable extinguishing media: Specific hazards: No special methods required Not applicable. Corrosive material (See sections 8 and 10). Although this product has a flash point below 200 Deg. F, it is an aqueous solution containing an alcohol and does not sustain combustion.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# 6. ACCIDENTAL RELEASE MEASURES

Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas. FLAMMABLE LIQUID AND VAPOR. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating or lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Storage: Keep tightly closed in a dry, cool and well-ventilated place. Store in a well-ventilated place. Keep cool. Store locked up. Store in corrosive-resistant container with a resistant inner liner. Aerosol Level (if applicable) : Not applicable.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS #	ACGIH	OSHA
Alcohol ethoxylates	68131-39-5	-	-
n-alkyl dimethyl benzyl ammonium chloride	68424-85-1	-	-
Octyl decyl dimethyl ammonium chloride	32426-11-2	-	-
Tetrasodium salt of EDTA	64-02-8	-	-
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA) 1900 mg/m³ (TWA)
Dioctyl dimethyl ammonium chloride	5538-94-3	-	-
Didecyl dimethyl ammonium chloride	7173-51-5	-	-
Sodium hydroxide	1310-73-2	2 mg/m <sup>3</sup> (Ceiling)	2 mg/m <sup>3</sup> (TWA)

#### Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment	
Eye protection:	Chemical-splash goggles.
Hand protection:	Chemical-resistant gloves.
Skin and body protection:	Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection:	In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.
Diluted Product:	

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels

Eye protection:	No personal protective equipment required under normal use conditions.
Hand protection:	No personal protective equipment required under normal use conditions.
Skin and body protection:	No personal protective equipment required under normal use conditions.
Respiratory protection:	No personal protective equipment required under normal use conditions.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Evaporation Rate: No information available Odor threshold: No information available. Melting point/range: Not determined Autoignition temperature: No information available Solubility in other solvents: No information available Density: 8.51 lbs/gal 1.02 Kg/L Bulk density: No information available Flash point (°F): 129.2 °F 54 °C

Color: Clear, Dark Green Odor: Fresh Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Relative Density (relative to water): 1.02 Vapor density: No information available Vapor pressure: No information available. Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt. pH: 7.25 Corrosion to metals: Corrosive

#### VOC % by wt. at use dilution 0.02

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## **10. STABILITY AND REACTIVITY**

Reactivity: Stability: Hazardous decomposition products: Materials to avoid: Conditions to avoid: Not Applicable The product is stable None reasonably foreseeable. Oxidizing agents. Anionic surfactant. Do not mix with chlorinated products (such as bleach). No information available.

**11. TOXICOLOGICAL INFORMATION** 

#### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

## Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). **Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. Harmful if swallowed. Symptoms may include vomiting, nausea, and/or feeling of general unwellness.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE): No information available

**Carcinogen Listings:** Ethyl alcohol is only classified as an IARC 1 carcinogen and California Prop 65 chemical when it is meant for ingestion in alcoholic beverages. We do not produce alcoholic beverages; therefore it is not considered a carcinogen in our products.

Ingredient(s)	CAS #	NTP	IARC	OSHA	CA Prop 65	CA Prop 65 Reproductive
Ethyl alcohol	64-17-5				Carcinogen	Developmental

#### Numerical measures of toxicity

ATE - Oral (mg/kg):	1900
ATE - Dermal (mg/kg):	>5000
ATE - Inhalatory, mists (mg/l):	>20

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

#### **13. DISPOSAL CONSIDERATIONS**

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal,

whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D001 Ignitable Waste D002 Corrosive Waste RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

DOT (Ground) Bill of Lading Description: UN1903, DISINFECTANTS, LIQUID, CORROSIVE, N.O.S., (quaternary ammonium compounds), 8, II

IMDG (Ocean) Bill of Lading Description: UN1903, DISINFECTANT, LIQUID, CORROSIVE, N.O.S., (quaternary ammonium compound), 8, II MARINE POLLUTANT

## **15. REGULATORY INFORMATION**

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).

#### RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Alcohol ethoxylates	68131-39-5	-	-	-	-
n-alkyl dimethyl benzyl ammonium chloride	68424-85-1	-	-	-	-
Octyl decyl dimethyl ammonium chloride	32426-11-2	-	-	-	-
Tetrasodium salt of EDTA	64-02-8	-	-	-	-
Ethyl alcohol	64-17-5	Х	Х	Х	-
Dioctyl dimethyl ammonium chloride	5538-94-3	-	-	-	-
Didecyl dimethyl ammonium chloride	7173-51-5	-	-	-	-
Sodium hydroxide	1310-73-2	Х	Х	Х	Х

#### CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	> 0.1 - < 1%	1000		

#### Canadian Regulations

Ingredient(s)	CAS #	NPRI
Ethyl alcohol	64-17-5	Х

## **16. OTHER INFORMATION**

**NFPA (National Fire Protection Association)** Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 2 Instability 0

Diluted Product: Health 0

Flammability 0 Instability 0

Version Number: 1 Preparation date: 2017-07-26 Reason for revision: Prepared by: Additional advice: Not applicable NAPRAC • Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.