



Revision Number: 001.1

Issue date: 07/24/2017

**1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER****Product identifier used on the label:** Persil Proclean Power-Pearls - Original**Recommended use of the chemical and restrictions on use:** Universal, No restrictions on use.**Name, address and telephone number of the chemical manufacturer:**Henkel Consumer Goods Inc.  
7201 E. Henkel Way  
Scottsdale, AZ 85255

Telephone: For medical emergencies 1-888-689-9082

CHEMTREC: 1-800-424-9300

Internet: www.henkel-northamerica.com

**2. HAZARDS IDENTIFICATION**

The hazards described in this Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

**Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200**

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
SERIOUS EYE IRRITATION	2A

**Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200****Signal word:** WARNING**Hazard Statement(s):**Causes skin irritation.  
Causes serious eye damage.**Symbol(s):****Precautionary Statements:**

**Prevention:** Wash thoroughly after handling.  
Wear eye and face protection.

**Response:** IF ON SKIN: Wash with plenty of water.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If skin irritation occurs: Get medical attention.  
Take off contaminated clothing and wash it before reuse.  
If eye irritation persists: Get medical advice/attention.

**Storage:** Not prescribed

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

**Hazards not otherwise classified:** Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

**See Section 11 for additional toxicological information.**

RS Number: 512520

Persil Proclean Power-Pearls - Original

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Sodium-Aluminum silicate Zeolite A	68989-22-0	10 - 30 %
Disodium carbonate, compound with hydrogen peroxide (2:3)	15630-89-4	10 - 30 %
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	68411-30-3	10 - 30 %
Sodium carbonate	497-19-8	1 - 5 %
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	68955-19-1	1 - 5 %
Alcohols, C12-18, 7EO	68213-23-0	1 - 5 %

\*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

### 4. FIRST AID MEASURES

#### Description of necessary measures

**Inhalation:** Move to fresh air. In case of breathing difficulties seek immediate medical advise.  
**Skin contact:** Rinse with water. Take off all clothing contaminated by the product.  
**Eye contact:** Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.  
**Ingestion:** Rinse mouth with water, (only if the person is conscious). Do not induce vomiting, seek medical advice immediately.

#### Most important symptoms and effects, both acute and delayed

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes). After skin contact: Temporary irritation of the skin (redness, swelling, burning). After inhalation: Dust may cause irritation of the mucous membranes and upper respiratory tract. After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting.

#### Indication of any immediate medical attention and special treatment needed

After eye contact: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. After skin contact: Rinse affected area with large amounts of mild soap and water until no evidence of product remains. After inhalation: Remove from exposure area to fresh air. After ingestion: Administer immediately plenty of water. With ingestion of larger quantities (in adults one tablespoon) or in the case of discomfort or pain seek immediate medical attention.

### 5. FIRE FIGHTING MEASURES

#### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Dry chemical, carbon dioxide, water spray or regular foam.  
**Unsuitable extinguishing media:** None

#### Specific hazards arising from the chemical

Oxides of carbon and oxides of nitrogen.

#### Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Shut off all ignition sources. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Avoid breathing vapors, keep upwind. Keep unnecessary personnel away.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop or reduce any leaks if it is safe to do so. Spills present a slipping hazard. Keep unnecessary personnel away. Ensure clean-up is conducted by trained personnel only. Make sure area is slip-free before re-opening to traffic.

### Environmental precautions

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local water treatment plant.

### Methods and materials for containment and cleaning up

SMALL SPILLS: Sweep or scoop up and place into suitable clean, dry containers for reclamation or later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Sweep or scoop up and place into containers for later disposal. Dispose in suitable waste container.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid skin and eye contact. Do not ingest. Use with adequate ventilation. Keep the containers closed when not in use.

### Conditions for safe storage, including any incompatibilities

Store away from incompatible substances, excessive heat, flames, sparks or other ignition sources. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Sodium-Aluminum silicate Zeolite A	1 mg/m3 TWA Respirable fraction. 10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None
Sodium carbonate	None	None	None	None
Polyethylene glycol MW 4000	None	None	10 mg/m3 TWA Particulate.	None

### Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

### Individual protection measures

<b>Respiratory:</b>	If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).
<b>Eye:</b>	Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.
<b>Hand/Body:</b>	Chemical-resistant gloves are required where repeated or prolonged skin contact may occur. Protective clothing is required where repeated or prolonged skin contact may occur.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	pearls white fresh
<b>Odor:</b>	fresh
<b>Odor threshold:</b>	Not available.
<b>pH:</b>	9.7 - 10.7 (20 °C)
<b>Melting point/ range:</b>	Not available.
<b>Boiling point/range:</b>	Not available.
<b>Flash point:</b>	Not applicable
<b>Evaporation rate:</b>	Not available.
<b>Flammable/Explosive limits - lower:</b>	Not available.
<b>Flammable/Explosive limits - upper:</b>	Not available.
<b>Vapor pressure:</b>	Not available.
<b>Vapor density:</b>	Not available.

<b>Solubility in water:</b>	Not available.
<b>Partition coefficient (n-octanol/water):</b>	Not available.
<b>Autoignition temperature:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.
<b>Viscosity:</b>	Not available.
<b>VOC content:</b>	Not available.

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	This product reacts with acids.
<b>Chemical stability:</b>	Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).
<b>Possibility of hazardous reactions:</b>	Hazardous polymerization does not occur under normal temperatures and pressures.
<b>Conditions to avoid:</b>	Avoid storing in direct sunlight and avoid extremes of temperature.
<b>Incompatible materials:</b>	Strong oxidizers, acids.
<b>Hazardous decomposition products:</b>	Thermal decomposition products may include oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

### Likely routes of exposure including symptoms related to characteristics

<b>Inhalation:</b>	Dust may cause irritation of the mucous membranes and upper respiratory tract
<b>Skin contact:</b>	Repeated or prolonged excessive exposure may cause irritation or dermatitis.
<b>Eye contact:</b>	This product may cause irritation with stinging, tearing, and redness.
<b>Ingestion:</b>	Ingestion of large quantities may cause gastrointestinal irritation with nausea, vomiting and diarrhea.
<b>Physical/Chemical:</b>	No physical/chemical hazards are anticipated for this product.
<b>Other relevant toxicity information:</b>	This product is a laundry care product. The use of this product by consumers is safe under normal and reasonable foreseen use.

### Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Sodium-Aluminum silicate Zeolite A	None	Nuisance dust
Disodium carbonate, compound with hydrogen peroxide (2:3)	None	No Data
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	None	Irritant
Sodium carbonate	Oral LD50 (RAT) = 4,090 mg/kg Inhalation LC50 (RAT, 2 h) = 2.3 mg/l	Irritant, Sensory
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	None	No Data
Alcohols, C12-18, 7EO	None	Irritant

### Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Sodium-Aluminum silicate Zeolite A	No	No	No
Disodium carbonate, compound with hydrogen peroxide (2:3)	No	No	No
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	No	No	No
Sodium carbonate	No	No	No
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	No	No	No
Alcohols, C12-18, 7EO	No	No	No

<b>Carcinogenicity</b>	None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).
<b>Mutagenicity</b>	None of the ingredients in this product are known to cause mutagenicity.

**Toxicity for reproduction**

None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

**12. ECOLOGICAL INFORMATION****Aquatic Toxicity:**

The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings. This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions.

**Toxicity to fish:**

The aquatic toxicity profile of this product has not been determined.

**Toxicity to aquatic invertebrates:**

The aquatic toxicity profile of this product has not been determined.

**Toxicity to algae:**

The aquatic toxicity profile of this product has not been determined.

**Persistence and degradability**

Hazardous substances CAS-No.	Result value	Route of application	Species	Method
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts 68411-30-3	readily biodegradable	aerobic	85 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts 68955-19-1	readily biodegradable	aerobic	93 %	EU Method C.4-C (Determination of the "Ready" BiodegradabilityCarbon Dioxide Evolution Test)
Alcohols, C12-18, ethoxylated 68213-23-0	readily biodegradable	aerobic	79 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

**Bioaccumulative potential**

The bioaccumulation potential of this product has not been determined.

**Mobility in soil**

The mobility of this product (in soil and water) has not been determined.

### 13. DISPOSAL CONSIDERATIONS

**Description of waste residues:**

**Hazardous waste number:** Not regulated

**Safe handling and disposal methods:**

**Recommended method of disposal:** This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

**Disposal of uncleaned packages:** Do not reuse this container.

### 14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

**U.S. Department of Transportation Ground (49 CFR)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**International Air Transportation (ICAO/IATA)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**Water Transportation (IMO/IMDG)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

### 15. REGULATORY INFORMATION

**Occupational safety and health act:** Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

**United States Regulatory Information**

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act inventory.  
**TSCA 12 (b) Export Notification:** None above reporting de minimis  
**CERCLA/SARA Section 302 EHS:** None above reporting de minimis.  
**CERCLA/SARA Section 311/312:** Not available.  
**CERCLA/SARA Section 313:** None above reporting de minimis.  
**California Proposition 65:** No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information**

**CEPA DSL/NDL Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act inventory.

## 16. OTHER INFORMATION

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

**This safety data sheet contains changes from the previous version in sections:** New Safety Data Sheet format.

**Prepared by:** R&D Support Services

**Issue date:** 07/24/2017