Grout/Stone Sealer - Impregnator

Printed: 12/11/2019 Revision: 12/11/2019

Page: 1

Product and Company Identification

Product Code: 06440

Grout/Stone Sealer - Impregnator **Product Name:**

Genlabs **Phone Number: Company Name:** 1 (909)591-8451

5568 Schaefer Ave.

Chino, CA 91710

Web site address: www.genlabscorp.com sol@genlabscorp.com **Email address:**

Chemtrec 1 (800)424-9300 **Emergency Contact:**

Sealer Recommended Use:

Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Acute Toxicity: Oral, Category 4

Serious Eye Damage/Eye Irritation, Category 2B



GHS Signal Word: Warning

H302 - Harmful if swallowed. **GHS Hazard Phrases:**

H320 - Can cause eye irritation.

GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P301+310 - If swallowed: Immediately call a Poison Center or doctor. P330 - Rinse **GHS Response Phrases:**

mouth.

P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313 - If eye irritation persists, get medical attention immediately.

GHS Storage and Disposal

Phrases:

P411+235 - Store in cool dry place at room temperature away from direct sunlight.

P501 - Dispose of contents and container according to the local, city, state and federal

regulations.

Potential Health Effects

(Acute and Chronic):

Chronic: None.

May be harmful if swallowed and enters airways. Inhalation:

Skin Contact: Can cause mild skin irritation. Can cause eye irritation. **Eye Contact:** Ingestion: Harmful if swallowed.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
7732-18-5	Water	Proprietary	
NA	(Not available)	Proprietary	

Grout/Stone Sealer - Impregnator

Page: 2 Printed: 12/11/2019 Revision: 12/11/2019

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: No specific treatment is necessary since this material is not likely to be hazardous by

inhalation.

No specific treatment is necessary, since this material is not likely to be hazardous. In Case of Skin Contact:

In Case of Eye Contact: No specific treatment is necessary, since this material is not likely to be hazardous. No specific treatment is necessary, since this material is expected to be non-hazardous. In Case of Ingestion:

Treat symptomatically and supportively. Note to Physician:

5. Fire Fighting Measures

NP Method Used: Estimate Flash Pt:

UEL: N/A LEL: N/A **Explosive Limits:**

NΡ **Autoignition Pt:**

Suitable Extinguishing Media: Not available.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.

Flammable Properties and

No data available.

Hazards:

Hazardous Combustion

No data available.

Products:

Accidental Release Measures

Steps To Be Taken In Case

Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in

suitable container.

7. Handling and Storage

Precautions To Be Taken in

No special handling procedures are required.

Handling:

Precautions To Be Taken in

No special storage requirements.

Storing:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7732-18-5	Water	No data.	No data.	No data.
NA	(Not available)	No data.	No data.	No data.

Grout/Stone Sealer - Impregnator

Page: 3 Printed: 12/11/2019 Revision: 12/11/2019

Respiratory Equipment

Respirator protection is not normally required.

(Specify Type):

Eye Protection:Eye protection is not normally required.Protective Gloves:Protective garments not normally required.Other Protective Clothing:Protective garments not normally required.Engineering ControlsThere are no special ventilation requirements.

(Ventilation etc.):

9. Physica	I and	Chemical	Pro	perties
------------	-------	----------	-----	---------

Physical States: [] Gas [X] Liquid [] Solid Appearance and Odor: Clear colorless liquid with no odor.

pH: ~ 4.00 - 7.00

Melting Point: NA

Boiling Point: >= 100.00 C

Flash Pt: NP Method Used: Estimate

Evaporation Rate: NE

Flammability (solid, gas): No data available.

Explosive Limits: LEL: N/A UEL: N/A

Vapor Pressure (vs. Air or

ΝE

mm Hg):

Vapor Density (vs. Air = 1): NE

Specific Gravity (Water = 1): ~ 1.010

Density: ~ 8.42 LB/GA

Bulk density: NP
Solubility in Water: 100%
Saturated Vapor NE

Concentration:

Octanol/Water Partition No data.

Coefficient:

VOC / Volume: 0.0000 G/L

Autoignition Pt: NP
Decomposition Temperature: NE
Viscosity: NP
Particle Size: NP
Heat Value: NP
Corrosion Rate: NP

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid -

None.

Instability:

Incompatibility - Materials To None.

Avoid:

Hazardous Decomposition or Carbon monoxide, Carbon dioxide.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - None.

Hazardous Reactions:

Grout/Stone Sealer - Impregnator

Printed: 12/11/2019 Revision: 12/11/2019

Page: 4

11. Toxicological Information

Toxicological Information: Epidemiology: No data available.

Teratogenicity: No data available.

Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies:

Carcinogenicity/Other

Information:

CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.
NA	(Not available)	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7732-18-5	Water	No	No	No
NA	(Not available)	No	No	No

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard **'Hazard Categories' defined** [] Yes [X] No Chronic (delayed) Health Hazard

for SARA Title III Sections [] Yes [X] No Fire Hazard

311/312 as indicated: [] Yes [X] No Sudden Release of Pressure Hazard

[] Yes [X] No Reactive Hazard

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7732-18-5	Water	CA PROP.65: No; CA TAC, Title 8: No
NA	(Not available)	CA PROP.65: No; CA TAC, Title 8: No

Grout/Stone Sealer - Impregnator

Page: 5 Printed: 12/11/2019 Revision: 12/11/2019

16. Other Information

Revision Date: 12/11/2019

Hazard Rating System:





HMIS:

Additional Information About No data available.

This Product:

Company Policy or Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.

Licensed to Genlabs Corp.: MIRS MSDS, (c) A V Systems, Inc.