Safety Data Sheet

KR304DS



1 Material and Supplier Identification

Product Name:	Mr. Digester Carpet	
Description:	Bacterial Enzyme Stain Digester	
Recommended use of the chemical and restrictions:	Use only for the purpose on product label. This product is not intended to be prior dilution if specified on product label.	e used without
Supplier's Information:	Cole Supply Co Inc 531 Getty Ct., Suite A Benicia, CA 94510 800-762-2653 (Customer Service)	
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (Chemtel 24 hrs)	
2 Hazards Identification		
Classification of Mixture:	Not Classified Pictogra	m
		No Pictogram
Signal Word:	WARNING	
Hazard Statements:	May cause skin and eye irritation.	
Precautionary Statements		
General:	Keep out of Reach of Children. Read label before use.	
Prevention:	Wash hands thoroughly after handling.	
Response:	IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse skin with irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lenses easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If prol call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention in	, if present and blem persists,

3 Composition/Information on Ingredients

Hazardous Ingredients

Propylene Glycol Monomethyl Ether

CAS Number 107-98-2 Concentration Range % 1-5

4 First Aid Measures	3
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

6 Accidental Release Measures

Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

1/27/2016	1564	Mr. Digester Carpet	Page 2 of 5

8 Exposure Controls/Personal Protection

Control Parameters: <u>Hazardous Ingredients</u> Propylene Glycol Monomethyl Ether

ACGIH TLV TWA 150 ppm TWA 100 ppm **OSHA PEL**

NIOSH IDLH TWA 100 ppm

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.	
Personal Protection		
Eye Protection:	Use protective glasses or safety goggles if splashing or spray-back is likely.	
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.	
Skin Protection:	Use apron if splashing or spray-back is likely.	
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.	
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.	

9 Physical and Chemical Properties

Physical State: Color: Odor: pH:	Liquid Opaque Spring Fresh 7-8	Specific Gravity: Evaporation Rate: Solubility in Water: VOC (g/L):	1.01 < 1 Complete <35	Vapour Pressure (mm Hg): Vapour Density: Freezing Point (°F): Boiling Point (°F): Flash Point (°F):	< 17 mm Hg > 1 < 32 > 212 > 200
		< means less than	∣ > n	neans greater than	

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

1/27/2016	1564	Mr. Digester Carpet	Page 3 of 5

11 Toxological Information

Symptoms:			
Eye Contact:	Adverse symptoms may include th	e following: irritation, waterin	ig, redness
Skin Contact:	Adverse symptoms may include the following: irritation, redness		
Inhalation: Ingestion:	Adverse symptoms may include the following: respiratory tract irritation, coughing Adverse symptoms may include the following: stomach pains		
Acute Toxicity:	Adverse symptoms may include th	e lollowing. Stomach pains	
Eye Contact:	May cause eye irritation.		
Skin Contact:	May cause skin irritation.		
Inhalation:	May cause respiratory irritation.		
Ingestion:	May cause burns to mouth, throat	and stomach.	
Toxicity Data:			
Hazardous Ingredients	Result	<u>Species</u>	Dose
Propylene Glycol Monomethyl Ether	LD 50- Oral LC 50- Inhalation	Mouse Rat	11,700 mg/kg 10000 ppm
	LD 50- Initiation	Rabbit	13000 mg/kg
Chronic Effects:	No known significant effects or cr		5 5 5
12 Ecological Information			
12 Ecological Information			
Ecotoxicity:	No data available.		
Aquatic Toxicity: Hazardous Ingredients	Pooult 6	pecies	Dooo
Propylene Glycol Monomethyl Ether		pecies	Dose
Other Adverse Effects:	No known significant effects or cr	itical hazards.	
13 Disposal Considerations			
Disposal Methods:	Diluted product can be flushed to Dispose of waste in accordance v	sanitary sewer. Discard em vith federal, state, and local r	pty container in trash. egulations.
14 Transportation Informatio	on		
Certain shipping modes or package The classification provided may not <u>Ground Transport</u>			s or package sizes.
DOT Classification:			
UN Number:			
Transport Hazard Class:			
Packaging Group:			
Hazardous Division:			
Hazardous Contents:			
15 Regulatory Information			
SARA Title III:	No		
California Proposition 65:	No		
Other Regulations:			
16 Other Information			
HMIS/NFPA Hazard Rating:	Health: 1 Flammabilit	y: 0 Reactivity: 0	
The information contained herein is implied, is made regarding the accur			
1/27/2016 1564		Mr. Digester Carpet	Page 4 of 5
		<u> </u>	~g=

consult Cole Supply Co Inc. SDS Revision Date: 1/27/2016