

TECHNICAL **C**ONCEPTS

MB45 GENTLE BREEZE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 01/01/2018 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product name : MB45 GENTLE BREEZE

Type of product : Aerosol
Product code : 1832473
SKU # : 3485949

1.2. Recommended use and restrictions on use

Recommended use : Air care products, Odour agents

Restrictions on use : Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

1.3. Supplier

Manufacturer

Rubbermaid Commercial Products LLC 3124 Valley Avenue

VA 22601-2694 Winchester - USA

T 1.800.347.9800

www.rubbermaidcommercial.com

Other

Rubbermaid Commercial Products LLC

20 Hereford Street

L6Y 0M1 Brampton - Canada

T 1.800.998.7004

1.4. Emergency telephone number

Emergency number : 24-Hour Emergency: INFOTRAC: 1-800535-5063

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flammable aerosols, Category 1 H222
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2A H319
Skin sensitisation, Category 1 H317

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)





Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) : H222 - Extremely flammable aerosol.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P280 - Wear protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

05/29/2018 EN (English) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 3: Composition/information on ingredients

Substances

Not applicable

Mixtures 3.2.

Name	Product identifier	%	Classification (GHS-CA)
Alcohol	(CAS-No.) 64-17-5	10 - 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 - 1	Skin Sens. 1, H317
3-Methyl-4-(2,6,6-trimethyl-2- cyclohexen-1-yl)-3-buten-2-one	(CAS-No.) 127-51-5	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CITRONELLOL	(CAS-No.) 106-22-9	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures after inhalation : Cough. Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact Take off immediately all contaminated clothing. Get medical advice if skin irritation persists.

Wash with plenty of water/.... Wash contaminated clothing before reuse.

Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be First-aid measures after eye contact irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention. : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. First-aid measures after ingestion

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Potential adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

Specific hazards arising from the hazardous product

Fire hazard : Extremely flammable aerosol.

Explosion hazard May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed

containers, spreading fire and increasing risk of burns and injuries.

Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when

fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove

ignition sources. Use special care to avoid static electric charges.

05/29/2018 EN (English) 2/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Methods and materials for containment and cleaning up

Methods for cleaning up

: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.

Hygiene measures

Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before

Additional hazards when processed

Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Technical measures

: Comply with applicable regulations.

Storage conditions

: Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources.

Incompatible products : Strong bases. Strong acids.

: Sources of ignition. Direct sunlight. Heat sources. Incompatible materials

SECTION 8: Exposure controls/personal protection

Control parameters

Alcohol (64-17-5)			
Alberta	OEL STEL (ppm)	1000 ppm	
Alberta	Notations and remarks	URT irr	
British Columbia	OEL STEL (ppm)	1000 ppm	
British Columbia	Notations and remarks	URT irr	
Manitoba	OEL STEL (ppm)	1000 ppm	
New Brunswick	OEL STEL (ppm)	1000 ppm	
New Foundland & Labrador	OEL STEL (ppm)	1000 ppm	
Nova Scotia	OEL STEL (ppm)	1000 ppm	
Nunavut	OEL STEL (ppm)	1000 ppm	
Northwest Territories	OEL STEL (ppm)	1000 ppm	
Prince Edward Island	OEL STEL (ppm)	1000 ppm	
Saskatchewan	OEL STEL (ppm)	1250 ppm	
Saskatchewan	OEL TWA (ppm)	1000 ppm	
HEXYLENE GLYCOL (107-41	HEXYLENE GLYCOL (107-41-5)		

	Saskatchewan	OEL STEL (ppm)	25 ppm
	Saskatchewan	OEL TWA (ppm)	25 ppm
- 6			•

Appropriate engineering controls

Appropriate engineering controls

Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

05/29/2018 EN (English) 3/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear Transparent Liquid.

Colour : colourless to slightly yellow

Odour : characteristic Odour threshold No data available No data available Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) No data available Melting point No data available Freezing point No data available **Boiling point** : No data available Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : 4.5 - 5.5 bar Vapour pressure at 50 °C : No data available

Relative density : 0.7

Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available
Explosive limits : 1.8 - 19 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Stable under normal conditions of use.

Chemical stability : Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme

risk of explosion by shock, friction, fire or other sources of ignition.

Possibility of hazardous reactions : Not established.

Conditions to avoid : Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

Incompatible materials : Oxidizing agent. Strong acids. Strong bases.

Hazardous decomposition products : May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

CITRONELLOL (106-22-9)	
LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 mg/kg bodyweight
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h

05/29/2018 EN (English) 4/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

PEXYLER EL (XOC) (1074-1-5)	Alcohol (64-17-5)		
DS0 oral	LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l	
DS0 oral	HEXYLENE GLYCOL (107-41-5)		
2,000 mg/kg bodyweight 5,000 mg/kg bodywei	· · ·	> 2000 mg/kg bodyweight	
Serious eye damage/installon : Causes serious eye installon. Respitatory or skin sensitization : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified : Not classified : Not classified : Reproductive toxicity : Not classified : Not classified : STOT-angle exposure : Not classified : STOT-angle exposure : Not classified	LD50 dermal		
Respiratory or skin sensitization	Skin corrosion/irritation		
Respiratory or skin sensitization	Serious eve damage/irritation	: Causes serious eve irritation.	
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified MB45 GENTLE BREEZE Vaporizer Aerosol Potential adverse human health effects and symptoms Symptomseffects after inhalation : Shortness of breath. May cause an allergic skin reaction. Symptomseffects after skin contact : Causes skin irritation. Symptomseffects after skin contact : Causes skin irritation. SECTION 12: Ecological information 12.1. Toxicity CITRONELLOL (106-22-9) LC50 tinh 1		·	
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified Aspiration hazard : Not classified M845 GENTLE BREEZE Vaporizer Aerosol Potential adverse human health effects and symptoms Symptoms effects after inhalation : Shortness of breath. May cause an allergic skin reaction. Symptomselfects after skin contact : Causes skin irritation. Symptomselfects after eye contact : Causes skin irritation. SECTION 12: Ecological information 12.1 Toxicity CITRONELLOL (106-22-9) LC50 fish 1 10 mg/l EC50 other aquatic organisms 1 17.48 mg/l waterflea EC50 other aquatic organisms 1 3000 mg/l EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 2 275 mg/l HEYLIERE GLYCOL (107-41-5) LC50 fish 1 8680 mg/l EC50 other aquatic organisms 2 275 mg/l HEYLIERE GLYCOL (107-41-5) LC50 fish 1 8680 mg/l EC50 other aquatic organisms 2 3410 mg/l waterflea EC50 other aquatic organisms 2 3420 mg/l EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 2 3420 mg/l EC50 other aquatic organisms 2 3420 mg/l EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 2 3420 mg/l EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 2 3420 mg/l EC50 other aquatic organisms 3 5012 mg/l waterflea EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 2 3420 mg/l EC50 other aquatic organisms 2 3420 mg/l EC50 other aquatic organisms 2 3420 mg/l EC50 other aquatic organisms 3 5012 mg/l waterflea EC50 other aquatic organisms 4 5012 mg/l EC50 other aquatic o			
Reproductive toxicity : Not classified STOT-ingle exposure : Not classified STOT-repeated exposure : Aerosol STOT-repeated exposure : Aerosol STOT-repeated exposure : Aerosol STOT-repeated exposure : Aerosol STOT-repeated exposure : Based on available data, the classification criteria are not met. symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. Symptoms/effects after skin contact : Causes skin initiation. STOT-repeated exposure : Causes skin initiation. SECTION 12: Ecological information STOT-REPEATED STOTE			
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified MB45 GENTLE BREEZE Vaporizer Aerosol Potential adverse human health effects and symptoms Symptomselfleds after inhalation : Shortness of breath. May cause an allergic skin reaction. Symptomselfleds after skin contact : Causes skin irritation. Symptomselfleds after eye contact : Causes skin irritation. Symptomselfleds after eye contact : Causes serious eye irritation. SECTION 12: Ecological information 12.1. Toxicity GIRONELLOL (106-22-9) LC50 fish 1	Caroning garnerity	. 1.0. 0.00000	
STOT-repeated exposure : Not classified MB45 GENTLE BREEZE Vaporizer Aerosol Potential adverse human health effects and symptoms Symptoms/effects after inhalation : Based on available data, the classification criteria are not met. Symptoms/effects after sinhalation : Shortness of breath. May cause an allergic skin reaction. Symptoms/effects after sin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes serious eye irritation. SECTION 12: Ecological information 12.1. Toxicity CITRONELLO (106-22-9) LC50 ishs 1	Reproductive toxicity	: Not classified	
MB45 GENTLE BREEZE Vaporizer Aerosol	STOT-single exposure	: Not classified	
M45 GENTLE BREEZE Vaporizer Aerosol Potential adverse human health effects and symptoms Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes skin irritation. SECTION 12: Ecological information 12.1. Toxicity CITRONELLOL (106-22-9) LCS0 fish 1	STOT-repeated exposure	: Not classified	
Vaporizer	Aspiration hazard	: Not classified	
Potential adverse human health effects and symptoms symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after skin contact Symptoms/effects after eye contact Causes skin irritation. SECTION 12: Ecological information 12.1. Toxicity CITRONELLOL (106-22-9) LC50 lish 1 10 mg/l CC50 other aquatic organisms 1 17.48 mg/l waterflea CC50 other aquatic organisms 2 2.38 mg/l Alcohol (64-17-5) LC50 lish 1 13000 mg/l CC50 other aquatic organisms 2 2.75 mg/l CC50 other aquatic organisms 2 2.75 mg/l CC50 other aquatic organisms 1 5012 mg/l waterflea CC50 other aquatic organisms 2 2.75 mg/l CC50 other aquatic organisms 1 5012 mg/l waterflea CC50 other aquatic organisms 2 2.75 mg/l LC50 lish 1 1 8690 mg/l CC50 other aquatic organisms 2 2.75 mg/l LC50 lish 1 0 1000 mg/l CC50 other aquatic organisms 2 2.75 mg/l LC50 lish 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MB45 GENTLE BREEZE		
Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. Symptoms/effects after skin contact : Causes skin irritation. SECTION 12: Ecological information 12.1. Toxicity CITRONELLOL (106-22-9) LC50 fish 1	Vaporizer	Aerosol	
Symptoms/effects after skin contact Symptoms/effects after eye contact Causes serious eye irritation. SECTION 12: Ecological information 12.1. Toxicity CITRONELLOL (106-22-9) LC50 fish 1		: Based on available data, the classification criteria are not met.	
Symptoms/effects after skin contact Symptoms/effects after eye contact Causes serious eye irritation. SECTION 12: Ecological information 12.1. Toxicity CITRONELLOL (106-22-9) LC50 fish 1	Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction.	
Symptoms/effects after eye contact : Causes serious eye irritation. SECTION 12: Ecological information 12.1. Toxicity CITRONELLOL (106-22-9) LC50 fish 1			
SECTION 12: Ecological information 12.1. Toxicity CITRONELLOL (106-22-9) LC50 fish 1		: Causes serious eye irritation.	
CITRONELLOL (106-22-9) LC50 fish 1		•	
CITRONELLOL (106-22-9) LC50 fish 1	SECTION 12: Ecological information		
LC50 fish 1	12.1. Toxicity		
LC50 fish 1	CITRONELLOL (106-22-9)		
EC50 other aquatic organisms 1 17.48 mg/l waterflea EC50 other aquatic organisms 2 2.38 mg/l Alcohol (64-17-5) LC50 fish 1 13000 mg/l EC50 Daphnia 1 9300 mg/l EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 2 275 mg/l HEXYLENE GLYCOL (107-41-5) LC50 fish 1 8690 mg/l EC50 other aquatic organisms 2 275 mg/l HEXYLENE quatic organisms 2 5410 mg/l waterflea EC50 other aquatic organisms 1 5410 mg/l waterflea EC50 other aquatic organisms 2 > 429 mg/l 12.2. Persistence and degradability MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow 0-0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow 0-0.32 Bioaccumulative potential Not established.		10 mg/l	
EC50 other aquatic organisms 2 2.38 mg/l			
Alcohol (64-17-5)			
LC50 fish 1			
EC50 Daphnia 1 9300 mg/l EC50 other aquatic organisms 1 5012 mg/l waterflea EC50 other aquatic organisms 2 275 mg/l HEXYLENE GLYCOL (107-41-5) LC50 fish 1 8690 mg/l EC50 other aquatic organisms 1 5410 mg/l waterflea EC50 other aquatic organisms 2 > 429 mg/l 12.2. Persistence and degradability MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		13000 mg/l	
ECS0 other aquatic organisms 1 5012 mg/l waterflea ECS0 other aquatic organisms 2 275 mg/l HEXYLENE GLYCOL (107-41-5) LCS0 fish 1 8690 mg/l ECS0 other aquatic organisms 1 5410 mg/l waterflea ECS0 other aquatic organisms 2 > 429 mg/l 12.2. Persistence and degradability MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		-	
ECS0 other aquatic organisms 2 275 mg/l		· ·	
HEXYLENE GLYCOL (107-41-5) LC50 fish 1 8690 mg/l EC50 other aquatic organisms 1 5410 mg/l waterflea EC50 other aquatic organisms 2 > 429 mg/l 12.2. Persistence and degradability MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		· ·	
LC50 fish 1 8690 mg/l EC50 other aquatic organisms 1 5410 mg/l waterflea EC50 other aquatic organisms 2 > 429 mg/l 12.2. Persistence and degradability MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1			
EC50 other aquatic organisms 1 5410 mg/l waterflea EC50 other aquatic organisms 2 > 429 mg/l 12.2. Persistence and degradability MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		8690 mg/l	
EC50 other aquatic organisms 2 > 429 mg/l 12.2. Persistence and degradability MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		· ·	
12.2. Persistence and degradability MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		·	
MB45 GENTLE BREEZE Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	<u> </u>	· · ···· ·· ·	
Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1			
Alcohol (64-17-5) Persistence and degradability Not established. 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		Not catablished	
Persistence and degradability 12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	·	INUL ESTADIISTIEU.	
12.3. Bioaccumulative potential MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1			
MB45 GENTLE BREEZE Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	<u> </u>	Not established.	
Bioaccumulative potential Not established. CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	12.3. Bioaccumulative potential		
CITRONELLOL (106-22-9) Log Pow 3.1 Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	MB45 GENTLE BREEZE		
Log Pow 3.1 Alcohol (64-17-5) -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	Bioaccumulative potential	Not established.	
Alcohol (64-17-5) Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	CITRONELLOL (106-22-9)		
Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	Log Pow	3.1	
Log Pow -0.32 Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1	Alcohol (64-17-5)		
Bioaccumulative potential Not established. HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		-0.32	
HEXYLENE GLYCOL (107-41-5) Log Pow -0.1		Not established.	
Log Pow -0.1			
		-0.1	
12-7. Housing III out			

05/29/2018 EN (English) 5/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

CITRONELLOL (106-22-9)	
Log Pow	3.1
Alcohol (64-17-5)	
Log Pow	-0.32
HEXYLENE GLYCOL (107-41-5)	
Log Pow	-0.1

12.5. Other adverse effects

Effect on ozone layer : None to our knowledge.

GWPmix comment : No known effects from this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under

pressure. Do not drill or burn even after use.

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. Basic shipping description

No additional information available

14.2. Transport information/DOT

Department of Transport

DOT NA no. : UN1950 UN-No.(DOT) : 1950

Transport document description : UN1950 Aerosols, 2.1

Proper Shipping Name (DOT) : Aerosols

Contains Statement Field Selection (DOT)

Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Division (DOT) : 2.1

Hazard labels (DOT) : 2.1 - Flammable gas



Dangerous for the environment : No

DOT Special Provisions (49 CFR 172.102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.

DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Packaging Non Bulk (49 CFR 173.xxx) : None
DOT Packaging Bulk (49 CFR 173.xxx) : None
DOT Quantity Limitations Passenger aircraft/rail : 75 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except

Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Other information : No supplementary information available.

14.3. Air and sea transport

IMDG

UN-No. (IMDG) : 1950
Proper Shipping Name (IMDG) : AEROSOLS

Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1

05/29/2018 EN (English) 6/7

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Class (IMDG) : 2 - Gases

IATA

UN-No. (IATA) : 1950

Proper Shipping Name (IATA) : Aerosols, flammable

Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. National regulations

CITRONELLOL (106-22-9)

Listed on the Canadian DSL (Domestic Substances List)

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL SALICYLATE (118-58-1)

Listed on the Canadian DSL (Domestic Substances List)

Alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

HEXYLENE GLYCOL (107-41-5)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

CITRONELLOL (106-22-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

BENZYL SALICYLATE (118-58-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

HEXYLENE GLYCOL (107-41-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16: Other information

Date of issue : 01/01/2018

Other information : REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

SDS_CANADA_GHS_NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

05/29/2018 EN (English) 7/7