

Safety Data Sheet Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	THE CUTTER 2985 Cutting fluid For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	s: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
GHS Classification Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: Skin Sensitization: Effects on or via Lactation: Aspiration Toxicity:	Category 2 Category 1 Category 1 Effects on or via Lactation: Category 1
GHS Label Elements Signal Word:	Dangar
Symbols:	Danger
Hazard Statements:	Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May cause harm to breast-fed children May be fatal if swallowed and enters airways
Precautionary Statements: Prevention:	Obtain special instructions before use Do not breathe mist, vapors or spray. Avoid contact during pregnancy/while nursing Wash hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product Wear protective gloves. Wear eye / face protection. Wear protective clothing. Contaminated work clothing should not be allowed out of the workplace
Response: -Eyes	If exposed or concerned: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

	present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin	IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical attention.
-Ingestion:	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting.
-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Storage: Disposal:	Store locked up. Dispose of contents and container in accordance with local, state and federal regulations.
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	 May be harmful if swallowed Keep out of reach of children NOTE TO PHYSICIAN:

• Contains petroleum distillates. Possible aspiration hazard.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Hydrotreated Petroleum Distillates	64742-52-5	30-60
Chlorinated Paraffin	1372804-76-6	10-30
Carboxylic Acid Amine Salt	68953-28-6	3-7
Undeceth-3	34398-01-1	1-5
Water	7732-18-5	1-5
Triethanolamine	102-71-6	1-5
Oleic Acid	112-80-1	1-5
Aminomethyl Propanol	124-68-5	0.1-1
4-(2-Nitrobutyl)Morpholine	2224-44-4	0.1-1
Dimethyl Oxazolidine	51200-87-4	0.1-1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.	
-Skin Contact:	Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical attention.	
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.	
-Ingestion:	IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Do NOT induce vomiting.	
Note to Physicians:	Contains petroleum distillates. Possible aspiration hazard.	
5. FIRE-FIGHTING MEASURES		

Suitable Extinguishing Media:Carbon dioxide, Dry chemical, FoamSpecific Hazards Arising from the
Chemical:
Hazardous Combustion Products:Carbon dioxide, Dry chemical, Foam
Thermal decomposition can lead to release of irritating and toxic gases and vapors.Protective Equipment and
Precautions for Firefighters:Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full
protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice or	Safe	Handling:	
-----------	------	-----------	--

Storage Conditions:

Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe mist, vapors or spray. Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:	None established		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Triethanolamine 102-71-6	TWA: 5mg/m ³	-	-
Engineering Controls:	Provide good general ventilatio If work practices generate dust chemicals above the occupatio	, fumes, gas, vapors or mists v nal exposure limits, local exha	
	engineering controls should be	considered.	
Personal Protective Equipment			
Eye/Face Protection:	Wear splash goggles.		
Skin and Body Protection:	Wear rubber or other chemical-	resistant gloves.	
Respiratory Protection:	Not required with expected use		
	If occupational exposure limits NIOSH/MSHA approved respire 3 should be considered.	ator suitable for the use-condit	ions and chemicals in Section
General Hygiene Considerations:	Wash hands and any exposed See 29 CFR 1910.132-138 for		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Blue
Odor:	Mild
pH:	10.2-10.4 (10% emulsion)
Melting Point / Freezing Point:	No information available
Boiling Point / Boiling Range:	> 149 °C / 300 °F
Flash Point:	> 110 °C / > 230 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available
Upper Flammability Limit:	No information available
Lower Flammability Limit:	No information available
Vapor Pressure:	No information available
Vapor Density:	No information available
Specific Gravity:	0.977
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available
Autoignition Temperature:	No information available
Decomposition Temperature:	No information available
Viscosity:	No information available

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
-Skin Contact:	Pain, redness and cracking of the skin. May cause sensitization by skin contact
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea. Potential for aspiration if swallowed.
Immediate, Delayed, Chronic Effec	ts
Product Information:	Data not available or insufficient for classification.
Chronic Toxicity:	Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure.
Numerical Measures of Toxicity The following acute toxicity estimates	(ATE) are calculated based on the GHS document.
ATEmix (oral):	3387 ma/ka

A I Emix (oral):	3387 mg/kg
ATEmix (dermal):	2701 mg/kg
ATEmix (inhalation-gas):	23796 mg/l
ATEmix (inhalation-dust/mist):	5.3 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated Petroleum Distillates	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	Not Available
64742-52-5			

2985 - THE CUTTER

Chlorinated Paraffin 1372804-76-6	= 2000 mg/kg (Rat)	Not Available	Not Available
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Triethanolamine 102-71-6	= 4190 mg/kg(Rat)	> 20 mL/kg(Rabbit)	Not Available
Oleic Acid 112-80-1	= 25 g/kg (Rat)	Not Available	Not Available
Aminomethyl Propanol 124-68-5	= 2900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	Not Available
Dimethyl Oxazolidine 51200-87-4	= 950 mg/kg (Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecoto	xicity

Chemical Name	Chemical Name Algae/Aquatic Plants Fish		Toxicity to Microorganisms		
Hydrotreated Petroleum Distillates 64742-52-5	Not Available	5000: 96 h Oncorhynchus mykiss mg/L LC50	Not Available	1000: 48 h Daphnia magna mg/L EC50	
Triethanolamine 102-71-6	216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas mg/L LC50 static 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available	
Oleic Acid 112-80-1	Not Available	205: 96 h Pimephales promelas mg/L LC50 static	Not Available	Not Available	
Aminomethyl Propanol 124-68-5	520: 72 h Desmodesmus subspicatus mg/L EC50	190: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	193: 48 h Daphnia magna mg/L EC50	

Persistence and I	Degradability:			
Bioaccumulation:				

No information available. No information available.

Marine Pollutant:

Yes.

Other Adverse Effects:

No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

<u>DOT:</u> UN/ID No:	UN3082
Proper Shipping Name:	Environmentally hazardous liquid, n.o.s., (contains Chlorinated Paraffins (C14-17)), Marine Pollutant
Hazard Class:	9
Packing Group:	III
Special Provisions:	This product contains a chemical which is listed as a severe marine pollutant according to DOT. The regulated shipping description is required on all bulk packages (>119 gallons). Non-bulk shipments are not applicable to this shipping description. Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

IMDG:	
UN/ID No:	UN3082
Proper Shipping Name:	Environmentally hazardous liquid, n.o.s., (contains Chlorinated Paraffins (C14-17)), Marine Pollutant
Hazard Class:	9
Packing Group:	III
Marine Pollutant:	Yes.
Additional information:	According to IMDG Code 2.10.2.7, marine pollutants packed in single or inner packagings with a capacity of not more than 5 L or 5 kg are excluded from marine pollutant marking requirements.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories	
Acute Health Hazard:	Yes
Chronic Health Hazard:	Yes
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION						
NFPA HMIS	Health Hazards: 2 Health Hazards: 2*	Flammability: Flammability:		Instability: 0 Physical Hazards: 0	Special:	N/A
Revision Date: Reasons for Revision:	04-Apr-202 Section, 14	I				

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet