

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 28-Apr-2015

1. PRODUCT AND COMPANY IDENTIFICATION

GS HIGH DILUTION DISINFECTANT 256 3508 , 3516 Disinfectant For Industrial and Institutional Use Only			
Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com			
: 888-314-6171 CHEMTREC 800-424-9300			
Category 4 Category 4 Category 1 Sub-category B Category 1			

Danger

GHS Label Elements Signal Word:

Symbols:

Hazard Statements:

Precautionary Statements: Prevention:

Response: -Eyes

-Skin

-Inhalation:

-Ingestion: -Specific Treatment:

Harmful if swallowed. Harmful in contact with skin Causes severe skin burns and serious eye damage. Wash hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product Wear protective gloves. Wear eye / face protection. Wear protective clothing. Do not breathe mist, vapors or spray. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Disposal:	Store locked up. Dispose of contents and container in accordance with local, state and federal regulations.
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	 Corrosive. Inhalation of vapors or mist may cause respiratory irritation. Keep out of reach of children. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric.

• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

0.53568% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	40-70
dialkyl dimethyl ammonium chloride	68424-95-3	10-30
alkyl dimethyl benzyl ammonium chloride	68424-85-1	5-10
ethanol	64-17-5	1-5
tetrasodium ethylenediaminetetraacetate	64-02-8	1-5
alcohol ethoxylate	68439-46-3	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin Contact:	Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.
Note to Physicians:	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

Storage Conditions:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	
ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm	
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm	
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³	
		(vacated) TWA: 1900 mg/m ³		
ingineering Controls:	Provide good general ventilati	ion		
ngineering controls.				
	If work practices generate dust, fumes, gas, vapors or mists which expose workers to			
	chemicals above the occupational exposure limits, local exhaust ventilation or other			
	engineering controls should be considered.			
	Eye wash stations and shower facilities should be readily accessible in areas where the			
	product is handled.			
Personal Protective Equipment				
ye/Face Protection:	Wear splash goggles.			
kin and Body Protection:	Wear rubber or other chemical-resistant gloves.			
lespiratory Protection:	Not required with expected use.			
	If occupational exposure limits are exceeded or respiratory irritation occurs, use of a			
	NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section			
			ins and chemicals in Secti	
	3 should be considered.			
eneral Hygiene Considerations:		d skin thoroughly after handling.		
	See 29 CFR 1910.132-138 fo	r further guidance.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Clear
Odor:	Mild
pH:	6.5-7.5
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.01
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity:

This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products:	Extremes of temperature and direct sunlight. Strong oxidizing agents. Strong acids. May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.			
	11. TOXICOLOGICAL INFORMATION			
Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.			
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.			
-Skin Contact:	Pain, redness, blistering and possible chemical burn.			
-Inhalation:	Nasal discomfort and coughing.			
-Ingestion:	Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.			
Immediate, Delayed, Chronic Eff	ects			
Product Information:	Data not available or insufficient for classification.			
Chronic Toxicity:	May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Contains a known or suspected reproductive toxin.			
Target Organ Effects:	Blood. Central nervous systemEyes. Liver. Reproductive System. Respiratory SystemSkin.			
Numerical Measures of Toxicity The following acute toxicity estimated	tes (ATE) are calculated based on the GHS document.			
ATEmix (oral): ATEmix (dermal): ATEmix (inhalation-dust/mist):	439 mg/kg 1354 mg/kg 5.8 mg/l			

Component	Acute	Toxicity	Information
Component	Acuto	IONIOILY	momunon

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
alkyl dimethyl benzyl ammonium chloride 68424-85-1	= 426 mg/kg (Rat)	Not Available	Not Available
ethanol 64-17-5	= 7060 mg/kg (Rat)	Not Available	= 124.7 mg/L (Rat)4 h
tetrasodium ethylenediaminetetraacetate 64-02-8	= 10 g/kg (Rat)	Not Available	Not Available
alcohol ethoxylate 68439-46-3	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity				
Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
ethanol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
tetrasodium ethylenediaminetetraacetate 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	Not Available	610: 24 h Daphnia magna mg/L EC50

Persistence and Degradability: No information available.

Bioaccumulation:

No information available.

No information available.

Other Adverse Effects:

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:	Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging:	Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

<u>DOT:</u>	Not Regulated
Proper Shipping Name:	Non-Hazardous Product
Special Provisions:	Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u>

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
ethanol - 64-17-5	Carcinogen Developmental
acetaldehyde - 75-07-0	Carcinogen

WARNING: This product contains a chemical known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

EPA Pesticide Registration Number: 1839-167-5741

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

Danger. Keep out of reach of children. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles or face shield), clothing, and gloves when handling. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

16. OTHER INFORMATION

NFPA	
HMIS	

Health Hazards: 3 Health Hazards: 3

Flammability: 0 Flammability: 0 Instability: 0 Physical Hazards: 0 Special: N/A

Revision Date: Reasons for Revision: 28-Apr-2015 No information available. **Disclaimer:**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet