

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 23-Mar-2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: P-4D
Product Number: 1012, 4805
Recommended Use: Disinfectant

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity - Oral: Category 4

Skin Corrosion/Irritation: Category 1 Sub-category B

Serious Eye Damage/Eye Irritation: Category 1
Flammable Liquids Category 4

GHS Label Elements

Signal Word:

Symbols:

Danger

Hazard Statements: Harmful if inhaled.

Causes severe skin burns and serious eye damage.

Combustible liquid

Precautionary Statements:

Prevention: Wash hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product

Do not breathe mist, vapors or spray.

Wear protective gloves. Wear eye / face protection. Wear protective clothing. Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Response: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower. Wash contaminated clothing before reuse.

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

-Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Revision Date: 23-Mar-2018 1012 - P-4D

In case of fire: Use CO2, dry chemical, or foam for extinction Fire: Store locked up. Store in a well-ventilated place. Keep cool Storage:

Dispose of contents and container in accordance with local, state and federal regulations. Disposal:

Hazards Not Otherwise Classified: Not Applicable

Other Information: · Corrosive.

Inhalation of vapors or mist may cause respiratory irritation.

Keep out of reach of children.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---|------------|----------|
| water | 7732-18-5 | 60-100 |
| hydrogen peroxide | 7722-84-1 | 5-10 |
| dialkyl dimethyl ammonium chloride | 68424-95-3 | 1-5 |
| alkyl dimethyl benzyl ammonium chloride | 68424-85-1 | 1-5 |
| ethanol | 64-17-5 | 1-5 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Consult a physician if necessary Wash off immediately with soap and plenty of water while -Skin Contact:

removing all contaminated clothes and shoes Immediate medical attention is not required If

skin irritation persists, call a physician Discard or destroy contaminated shoes. Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR -Ingestion:

PHYSICIAN. Never give anything by mouth to an unconscious person.

Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage. Contains hydrogen peroxide. Ingestion may result in distention of esophagus and

stomach.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: **Unsuitable Extinguishing Media:** Specific Hazards Arising from the Use, Water spray (fog), Carbon dioxide, Foam, Dry chemical Do not use a solid water stream as it may scatter and spread fire.

Chemical:

Combustion products are toxic. Releases oxygen when heated to decomposition which may intensify fire. Risk of overpressure and bursting due to decomposition in containers, pipes

and other confined spaces.

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. On **Hazardous Combustion Products:**

decomposition product releases oxygen which may intensify fire

Protective Equipment and Precautions for Firefighters:

-Inhalation:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

1012 - P-4D Revision Date: 23-Mar-2018

Methods for Clean-Up: Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Handle in accordance with good industrial hygiene and safety practice. Do not return Advice on Safe Handling:

product to original container. Do not confine product in unvented containers or between

closed valves. Wash thoroughly after handling.

Storage Conditions: Store containers upright and tightly closed using vented closures to prevent pressure

> build-up. Store in accordance with the particular national regulations. Elevated temperatures accelerate product decomposition. Keep out of the reach of children.

Incompatible Materials: Sodium hypochlorite (or other hypochlorites).

9 months from manufacture Suggested Shelf Life:

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits: None established.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|-------------------|----------------|---------------------------------------|-----------------------------|
| hydrogen peroxide | TWA: 1 ppm | TWA: 1 ppm | IDLH: 75 ppm |
| 7722-84-1 | | TWA: 1.4 mg/m ³ | TWA: 1 ppm |
| | | (vacated) TWA: 1 ppm | TWA: 1.4 mg/m³ |
| | | (vacated) TWA: 1.4 mg/m ³ | _ |
| ethanol | STEL: 1000 ppm | TWA: 1000 ppm | IDLH: 3300 ppm |
| 64-17-5 | | TWA: 1900 mg/m ³ | TWA: 1000 ppm |
| | | (vacated) TWA: 1000 ppm | TWA: 1900 mg/m ³ |
| | | (vacated) TWA: 1900 mg/m ³ | _ |

Engineering Controls: Provide good general ventilation.

> If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Eye wash stations and shower facilities should be readily accessible in areas where the

product is handled.

Personal Protective Equipment

Eye/Face Protection:

Wear splash goggles.

Wear rubber or other chemical-resistant gloves. **Skin and Body Protection:**

Not required with expected use. **Respiratory Protection:**

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

Wash hands and any exposed skin thoroughly after handling. **General Hygiene Considerations:**

See 29 CFR 1910.132-138 for further guidance.

1012 - **P-4D** Revision Date: 23-Mar-2018

9. PHYSICAL AND CHEMICAL PROPERTIES

| Liquid | |
|-----------------------------|--|
| Purple | |
| Mild | |
| 2.0-3.0 | |
| No information available. | |
| 85 °C / 185 °F | |
| > 85 °C / > 185 °F ASTM D56 | |
| < 1 (Butyl acetate = 1) | |
| No information available. | |
| 1.02 | |
| Soluble in water | |
| No information available. | |
| | |

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas. **Conditions to Avoid:** Heat, flames and sparks. High temperature accelerates decomposition of product.

Incompatible Materials: Sodium hypochlorite (or other hypochlorites).

Hazardous Decomposition May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Products: Releases oxygen when heated to decomposition which may intensify fire.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|--------------------------------|----------------------|--|-------------------------------|--|
| hydrogen peroxide 7722-84-1 | Not Available | 16.4: 96 h Pimephales promelas mg/L LC50 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available | 18 - 32: 48 h Daphnia magna mg/L EC50 Static |
| ethanol 64-17-5 | Not Available | 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through | Not Available | 9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static |

13. DISPOSAL CONSIDERATIONS

Persistence and Degradability:
Bioaccumulation:No information available.
No information available.Other Adverse Effects:No information available.

Disposal of Wastes:Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.

1012 - **P-4D** Revision Date: 23-Mar-2018

14. TRANSPORT INFORMATION

DOT: Not Regulated

Proper Shipping Name: Non Hazardous Product

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG: Not Regulated

Proper Shipping Name: Non Hazardous Product

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
Sudden release of pressure hazard:
No
Reactive Hazard:
Yes
No
Yes

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

EPA Pesticide Registration Number: 1839-224-5741

EPA Statement:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label:

Danger. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or inhaled. Do not get in eyes, on skin or on clothing. Wear eye protection (goggles, safety glasses with side shields, or face shield). Wear coveralls worn over long-sleeved shirts and long pants, chemical resistant gloves, socks, and chemical resistant footwear. Avoid contamination of food. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

16. OTHER INFORMATION

NFPA Health Hazards: 3 Flammability: 2 Instability: 1 Special: N/A

HMIS Health Hazards: 3 Flammability: 2 Physical Hazards: 1

Revision Date: 23-Mar-2018 Reasons for Revision: New Name

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet