

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 23-Jul-2019

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: X-EFFECT
Product Number: 1019, 4857
Recommended Use: Disinfectant

Uses Advised Against: For Commercial and Industrial Use

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Acute toxicity - Inhalation (Dusts/Mists) Category 4
Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 1

**GHS Label Elements** 

Signal Word: Danger

Symbols:



Hazard Statements: Harmful if inhaled.

Causes skin irritation.

Causes serious eye damage

**Precautionary Statements:** 

**Prevention:** Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection Wear protective gloves

Response:

**-Eyes** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN.

-Skin IF ON SKIN (or hair): Wash with plenty of soap and water If skin irritation occurs: Get

medical attention. Take off contaminated clothing and wash before reuse

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:Not ApplicableDisposal:Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information: • Corrosive.

· Harmful if swallowed

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

avage.

Keep out of reach of children.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride	68424-85-1	1-5
C9-11 Pareth-6	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	0.1-1
Citric Acid	77-92-9	0.1-1
Fragrance	PROPRIETARY	<0.1
Sodium Hydroxide	1310-73-2	<0.1
Terpineol Acetate	8007-35-0	<0.1
7-Octen-2-ol, 2-Methyl-6-Methylene-, Dihydro Deriv.	53219-21-9	<0.1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	<0.1
Ethylene Brassylate	105-95-3	<0.1
Eucalyptus Globulus Leaf Oil	8000-48-4	<0.1
Diphenyl Ether	101-84-8	<0.1
Benzyl Acetate	140-11-4	<0.1
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	<0.1
Anisaldehyde	123-11-5	<0.1
Colorant	PROPRIETARY	<0.1
Acid Blue 9	3844-45-9	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

**-Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin Contact: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse

If skin irritation occurs: Get medical attention.

**-Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians: NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Product does not support combustion, Use extinguishing agent suitable for type of

surrounding fire

**Specific Hazards Arising from the** 

**Protective Equipment and** 

Chemical:

Dried product is capable of burning. Combustion products are toxic.

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

·

Precautions for Firefighters: protective gear. Cool fire-exposed containers with water spray.

Revision Date: 23-Jul-2019 1019 - X-EFFECT

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions: Environmental Precautions:** Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

### 7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach **Storage Conditions:** 

of children. Keep from freezing.

1 year from date of manufacture. Suggested Shelf Life:

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>
Diphenyl Ether 101-84-8	STEL: 2 ppm vapor TWA: 1 ppm vapor	TWA: 1 ppm vapor TWA: 7 mg/m³ vapor (vacated) TWA: 1 ppm vapor (vacated) TWA: 7 mg/m³ vapor	IDLH: 100 ppm vapor TWA: 1 ppm vapor TWA: 7 mg/m³ vapor
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

**Eye/Face Protection:** 

Wear splash goggles.

**Skin and Body Protection:** 

Wear rubber or other chemical-resistant gloves.

**Respiratory Protection:** 

Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

**General Hygiene Considerations:** 

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Purple
Odor:	Pleasant
pH:	5.0-5.8
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F Estimated
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.994
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

# 10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include carbon r

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

#### 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness and cracking of the skin.
 -Inhalation: Nasal discomfort and coughing.
 -Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

## **Numerical Measures of Toxicity**

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 8867 mg/kg
ATEmix (dermal): 24444 mg/kg
ATEmix (inhalation-dust/mist): 1.1 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg(Rat)	Not Available	Not Available
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride 68424-85-1	= 426 mg/kg(Rat)	Not Available	Not Available
C9-11 Pareth-6 68439-46-3	= 1400 mg/kg (Rat)	Not Available	Not Available

Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³ ( Rat ) 4 h
Citric Acid 77-92-9	= 3 g/kg ( Rat )	Not Available	Not Available
Sodium Hydroxide 1310-73-2	Not Available	= 1350 mg/kg ( Rabbit )	Not Available
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg (Rat)	> 5000 mg/kg ( Rabbit )	Not Available
Eucalyptus Globulus Leaf Oil 8000-48-4	= 2480 mg/kg (Rat)	Not Available	Not Available
Diphenyl Ether 101-84-8	= 2450 mg/kg (Rat)	> 7940 mg/kg ( Rabbit )	Not Available
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	Not Available
Anisaldehyde 123-11-5	> 2000 mg/kg (Rat)	> 5000 mg/kg(Rabbit)	> 0.32 mg/L (Rat)7 h

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
Citric Acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available
Sodium Hydroxide 1310-73-2	Not Available	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
Diphenyl Ether 101-84-8	Not Available	4: 96 h Pimephales promelas mg/L LC50 flow-through 4 - 7.9: 96 h Pimephales promelas mg/L LC50 static	Not Available	0.11 - 1.1: 48 h Daphnia magna mg/L LC50

Persistence and Degradability:<br/>Bioaccumulation:No information available.<br/>No information available.Other Adverse Effects:No information available.

# 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:**Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.
Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

**DOT:** Not Regulated

Proper Shipping Name: Non Hazardous Product

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG: Not Regulated

Proper Shipping Name: Non Hazardous Product

# 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product does not contain listed substances above the "de minimus" level

#### SARA 311/312 Hazard Categories

Acute Health Hazard:YesChronic Health Hazard:NoFire Hazard:NoSudden release of pressure hazard:NoReactive Hazard:No

#### **California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

#### **EPA Pesticide Registration Number:** 5741-20

#### **EPA Statement:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **EPA Pesticide Label:**

DANGER. Corrosive. Causes irreversible eye damage. Harmful if absorbed through the skin. Harmful if swallowed. Do not get in eyes, skin or on clothing. Wear protective eye wear (goggles/face shield/safety glasses), rubber gloves and protective clothing. After product is diluted in accordance with the directions for use, protective eye wear is not required. Wash thoroughly with soap and water after handling and before eating, drinking, smoking tobacco, chewing gum, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

### **16. OTHER INFORMATION**

NFPA Health Hazards: 3 Flammability: 0 Instability: 0 Special: N/A

Health Hazards: 3 Flammability: 0 Physical Hazards: 0

Revision Date: 23-Jul-2019

Reasons for Revision: Section, 3, 8, 11, and, 12

#### **Disclaimer:**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**