



SAFETY DATA SHEET

1. Identification

| | |
|---|--|
| Product identifier | Advanced Grout Sealer |
| Other means of identification | None. |
| Recommended use | Sealer. |
| Recommended restrictions | None known. |
| Manufacturer/Importer/Supplier/Distributor information | |
| Company Name | LATICRETE International |
| Address | 1 Laticrete Park, N Bethany, CT 06524 |
| Telephone | (203)-393-0010 |
| Contact person | Steve Fine |
| Website | www.laticrete.com |
| Emergency phone number | Call CHEMTREC day or night USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887 |

2. Hazard(s) identification

| | | |
|-----------------------|--|-----------------------------|
| Physical hazards | Flammable aerosols | Category 1 |
| | Gases under pressure | Liquefied gas |
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Specific target organ toxicity, single exposure | Category 3 narcotic effects |
| | Aspiration hazard | Category 1 |
| Environmental hazards | Hazardous to the aquatic environment, acute hazard | Category 2 |
| | Hazardous to the aquatic environment, long-term hazard | Category 2 |
| OSHA defined hazards | Not classified. | |

Label elements



| | |
|--------------------------------|---|
| Signal word | Danger |
| Hazard statement | Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects. |
| Precautionary statement | |
| Prevention | Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe mist or vapor. Wash thoroughly after handling. Avoid breathing vapors. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment. |
| Response | If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Collect spillage. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. If on skin: Wash with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. |
| Storage | Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Store locked up. |

Disposal
Hazard(s) not otherwise classified (HNOC)

Dispose of contents/container in accordance with local/regional/national/international regulations.
May displace oxygen and cause rapid suffocation.

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % |
|---|-------------|---------|
| Naphtha (petroleum), hydrotreated heavy | 64742-48-9 | 60 - 80 |
| Butane | 106-97-8 | 10 - 20 |
| Propane | 74-98-6 | 10 - 20 |
| Partially Fluorinated Acrylic Copolymer | Proprietary | < 2 |
| n-Butyl acetate | 123-86-4 | < 2 |

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move into fresh air and keep at rest. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.

Skin contact Flush thoroughly with water for at least 15 minutes. Wash skin with soap and water. Get medical attention if irritation develops and persists.
Frostbite: Do not remove clothes, but flush with copious amounts of lukewarm water. Call an ambulance and continue to flush during transportation to hospital.

Eye contact Flush thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention immediately.

Ingestion Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed Skin irritation. Irritation of nose and throat. Irritating to mucous membranes. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Exposure to rapidly expanding gas or vaporizing liquid may cause frostbite ("cold burn"). Very high exposure can cause suffocation from lack of oxygen.

Indication of immediate medical attention and special treatment needed Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed. Solvent vapors may form explosive mixtures with air.

Special protective equipment and precautions for firefighters Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Move containers from fire area if you can do it without risk.

General fire hazards Extremely flammable aerosol - contents under pressure. Aerosol containers can explode when heated, due to excessive pressure build-up. The product is extremely flammable, and explosive vapor/air mixtures may be formed even at normal room temperatures. Gas may travel considerable distance to a source of ignition and flash back. May form explosive mixtures with air.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Do not breathe mist or vapor. Avoid contact with skin and eyes. Local authorities should be advised if significant spillages cannot be contained. Stay upwind. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Ventilate closed spaces before entering. Use personal protection recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water.

Large Spills: Dike the spilled material, where this is possible. Following product recovery, flush area with water. Cover with plastic sheet to prevent spreading. Absorb spillage with non-combustible, absorbent material.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage

Precautions for safe handling

Wash thoroughly after handling. Avoid prolonged exposure. Avoid contact with skin, eyes and clothing. Do not breathe mist or vapor. The product is extremely flammable. May form explosive mixtures with air. Ground container and transfer equipment to eliminate static electric sparks. Do not handle or store near an open flame, heat or other sources of ignition. Contents under pressure. Do not puncture. Do not expose to electric current or heat. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Use only in well-ventilated areas. Handle and open container with care.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in cool place. Keep in a well-ventilated place. Keep container tightly closed. Keep in an area equipped with sprinklers. Keep this material away from food, drink and animal feed. Use care in handling/storage. Keep away from sources of ignition - No smoking.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|--|------|-----------------------------------|
| Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) | PEL | 400 mg/m3 |
| n-Butyl acetate (CAS 123-86-4) | PEL | 100 ppm 710 mg/m3 |
| Propane (CAS 74-98-6) | PEL | 150 ppm 1800 mg/m3 1000 ppm |

US. ACGIH Threshold Limit Values

| Components | Type | Value |
|--------------------------------|------|----------|
| Butane (CAS 106-97-8) | STEL | 1000 ppm |
| n-Butyl acetate (CAS 123-86-4) | STEL | 200 ppm |
| | TWA | 150 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|-----------------------|------|-----------------------|
| Butane (CAS 106-97-8) | TWA | 1900 mg/m3 800 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|---|--|-----------------------------------|
| Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) | TWA | 400 mg/m3 |
| n-Butyl acetate (CAS 123-86-4) | STEL | 100 ppm 950 mg/m3 |
| | TWA | 200 ppm 710 mg/m3 |
| | TWA | 150 ppm 1800 mg/m3 1000 ppm |
| Propane (CAS 74-98-6) | | |
| Biological limit values | No biological exposure limits noted for the ingredient(s). | |
| Exposure guidelines | Follow standard monitoring procedures. | |
| Appropriate engineering controls | Explosion proof exhaust ventilation should be used. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment. Provide easy access to water supply or an emergency shower. | |
| Individual protection measures, such as personal protective equipment | | |
| Eye/face protection | Wear goggles/face shield. | |
| Skin protection | | |
| Hand protection | Wear protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier. | |
| Other | Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves. Protective shoes or boots. Structural firefighters protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations. Wear chemical protective equipment that is specifically recommended by the Personal Protective Equipment manufacturer. | |
| Respiratory protection | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment. | |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. Launder contaminated clothing before reuse. Remove and isolate contaminated clothing and shoes. | |

9. Physical and chemical properties

| | |
|--|---------------------------|
| Appearance | Compressed liquefied gas. |
| Physical state | Liquid. |
| Form | Aerosol liquid. |
| Color | Clear. |
| Odor | Solvent. |
| Odor threshold | Not available. |
| pH | No data available. |
| Melting point/freezing point | Not applicable. |
| Initial boiling point and boiling range | Not available. |
| Flash point | < -0.4 °F (< -18.0 °C) |
| Evaporation rate | Not applicable. |
| Flammability (solid, gas) | Flammable gas. |

Upper/lower flammability or explosive limits

Flammability limit - lower (%) 1.8 % v/v

Flammability limit - upper (%) 9.5 % v/v

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 0.817

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

VOC (Weight %) 1.5 g Ozone/g product

10. Stability and reactivity

Reactivity The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable under normal temperature conditions. Heat may cause the containers to explode.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Conditions to avoid Heat, sparks, flames, elevated temperatures. Pressurized container: Must not be exposed for temperatures above 50°C.

Incompatible materials Strong oxidizing agents. Strong acids.

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information**Information on likely routes of exposure**

Inhalation Vapors/aerosol spray may irritate the respiratory system.

Skin contact Causes skin irritation.

Eye contact May cause eye irritation on direct contact.

Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics Skin irritation. Irritation of nose and throat. Irritating to mucous membranes.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

| Components | Species | Test Results |
|--|---------|----------------------|
| Butane (CAS 106-97-8) | | |
| Acute | | |
| Inhalation | | |
| LC50 | Rat | 658 mg/l, 4 Hours |
| Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 2000 mg/kg |
| Inhalation | | |
| LC50 | Rat | > 4.96 mg/l, 4 Hours |

| Components | Species | Test Results |
|--|--|--------------|
| Oral LD50 | Rat | > 5000 mg/kg |
| Propane (CAS 74-98-6) | | |
| Acute | | |
| Inhalation LC50 | Rat | 1355 mg/l |
| Skin corrosion/irritation | Causes skin irritation. | |
| Serious eye damage/eye irritation | May cause eye irritation. | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Not classified. | |
| Skin sensitization | Not a skin sensitizer. | |
| Germ cell mutagenicity | Not classified. | |
| Carcinogenicity | Not classified. | |
| OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) | | |
| Not listed. | | |
| Reproductive toxicity | Not classified. | |
| Specific target organ toxicity - single exposure | May cause drowsiness or dizziness. | |
| Specific target organ toxicity - repeated exposure | Not classified. | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | |
| Further information | Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. Organic solvents may be absorbed into the body by inhalation and cause permanent damage to the nervous system, including the brain. | |

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

| Components | Species | | Test Results |
|--|--|---------|----------------------|
| Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) | | | |
| Aquatic | | | |
| Algae | IC50 | Algae | <= 10 mg/l, 72 hours |
| Crustacea | EC50 | Daphnia | <= 10 mg/l, 48 hours |
| Fish | LC50 | Fish | <= 10 mg/l, 96 hours |
| Persistence and degradability | No data is available on the degradability of this product. | | |
| Bioaccumulative potential | No data available for this product. | | |
| Partition coefficient n-octanol / water (log Kow) | | | |
| Butane (CAS 106-97-8) | | | 2.89 |
| Propane (CAS 74-98-6) | | | 2.36 |
| n-Butyl acetate (CAS 123-86-4) | | | 1.78 |
| Mobility in soil | No data available. | | |
| Mobility in general | The product is insoluble in water. | | |
| Other adverse effects | No data available. | | |

13. Disposal considerations

| | |
|---------------------------------------|--|
| Disposal instructions | Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations. |
| Hazardous waste code | Waste codes should be assigned by the user based on the application for which the product was used. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. |

Contaminated packaging Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not puncture or incinerate even when empty.

14. Transport information

DOT

| | |
|------------------------------|---|
| UN number | UN1950 |
| UN proper shipping name | Aerosols |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| Packing group | Not applicable. |
| Environmental hazards | |
| Marine pollutant | Yes |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Packaging exceptions | 306 |
| Packaging non bulk | None |
| Packaging bulk | None |

IATA

| | |
|------------------------------|---|
| UN number | UN1950 |
| UN proper shipping name | Aerosols |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| Packing group | Not applicable. |
| Environmental hazards | Yes |
| ERG Code | 10L |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

IMDG

| | |
|------------------------------|---|
| UN number | UN1950 |
| UN proper shipping name | AEROSOLS |
| Transport hazard class(es) | |
| Class | 2.1 |
| Subsidiary risk | - |
| Label(s) | 2.1 |
| Packing group | Not applicable. |
| Environmental hazards | |
| Marine pollutant | Yes |
| EmS | F-D, S-U |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

General information IATA classification is not relevant as the material is not transported by air.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

This material contains one or more substances which requires export notification under TSCA Section 12(b) and 40 CFR Part 707 Subpart D:
Partially Fluorinated Acrylic Copolymer
PMN Number: P-08-0643

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

| | |
|--------------------------------|--------|
| Butane (CAS 106-97-8) | LISTED |
| n-Butyl acetate (CAS 123-86-4) | LISTED |
| Propane (CAS 74-98-6) | LISTED |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| | |
|--------------------------|------------------------|
| Hazard categories | Immediate Hazard - Yes |
| | Delayed Hazard - No |
| | Fire Hazard - Yes |
| | Pressure Hazard - Yes |
| | Reactivity Hazard - No |

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Butane (CAS 106-97-8)
Propane (CAS 74-98-6)

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Butane (CAS 106-97-8)
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)
n-Butyl acetate (CAS 123-86-4)
Propane (CAS 74-98-6)

US. New Jersey Worker and Community Right-to-Know Act

Butane (CAS 106-97-8)
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)
n-Butyl acetate (CAS 123-86-4)
Propane (CAS 74-98-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Butane (CAS 106-97-8)
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)
n-Butyl acetate (CAS 123-86-4)
Propane (CAS 74-98-6)

US. Rhode Island RTK

Butane (CAS 106-97-8)
n-Butyl acetate (CAS 123-86-4)
Propane (CAS 74-98-6)

US. California Proposition 65

Not Listed.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | No |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | Yes |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | No |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 24-February-2015

Revision date -

Version # 01

NFPA ratings



References

HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer

The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.