

TECHNICAL CONCEPTS

COUNTRY DELIGHT MB9000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 01/01/2018 Version: 1.0

ECHNICAL CONCEPTS Da	te of issue: 01/01/2018 Version: 1.0
SECTION 1: Identification	
1.1. Product identifier	
Product name	: COUNTRY DELIGHT MB9000
Type of product	: Aerosol
Product code	: 1788364
SKU #	: FG4012481
1.2. Recommended use and restric	tions on use
Recommended use	: Air care products,Odour agents
Restrictions on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
1.3. Supplier	
Manufacturer	Other
Rubbermaid Commercial Products LLC	Rubbermaid Commercial Products LLC
3124 Valley Avenue VA 22601-2694 Winchester - USA	20 Hereford Street L6Y 0M1 Brampton - Canada
T 1.800.347.9800	T 1.800.998.7004
www.rubbermaidcommercial.com	
1.4. Emergency telephone number	
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063
Classification (GHS-CA) Flammable aerosols, Category 1 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Categor Skin sensitisation, Category 1 Specific target organ toxicity — Single exp Full text of H statements : see section 16 2.2. GHS Label elements, including GHS-CA labelling	H317 osure, Category 3, Respiratory tract irritation H335
Hazard pictograms (GHS-CA)	
Signal word (GHS-CA)	: Danger
Hazard statements (GHS-CA)	 H222 - Extremely flammable aerosol. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.
Precautionary statements (GHS-CA)	 P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P280 - Wear protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a doctor if you feel unwell. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
2.3. Other hazards	

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification (GHS-CA)
Alcohol	(CAS-No.) 64-17-5	10 - 30	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
BENZYL ALCOHOL	(CAS-No.) 100-51-6	1 - 5	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 - 1	Skin Sens. 1, H317
EUGENOL	(CAS-No.) 97-53-0	0.1 - 1	Eye Irrit. 2A, H319 Skin Sens. 1, H317
AMYL CINNAMAL	(CAS-No.) 122-40-7	0.1 - 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
3-Methyl-4-(2,6,6-trimethyl-2- cyclohexen-1-yl)-3-buten-2-one	(CAS-No.) 127-51-5	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
ACETYL CEDRENE	(CAS-No.) 32388-55-9	0.1 - 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PINENES	(CAS-No.) 127-91-3	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
4.2. Most important symptoms and effect	ets (acute and delayed)
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECT	ION 5: Fire-fighting measures	
5.1.	Suitable extinguishing media	
Suitable	e extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
5.2.	Unsuitable extinguishing media	
Unsuita	ble extinguishing media	: Do not use a heavy water stream.
5.3.	Specific hazards arising from the h	azardous product
Fire haz	zard	: Extremely flammable aerosol.
Explosi	on hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Safety Data Sheet

5.4.	Special protective equipment a	precautions for fire-fighters
Firefight	ing instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire whe fire reaches explosives. Evacuate area.
Protection	on during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECT	ON 6: Accidental release r	easures
6.1.	Personal precautions, protectiv	equipment and emergency procedures
General	measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
6.2.	Methods and materials for cont	nment and cleaning up
Methods	s for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.3.	Reference to other sections	
For furth	ner information refer to section 8: "E	osure controls/personal protection"
SECT	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precaut	ions for safe handling	No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
Hygiene	measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
Addition	al hazards when processed	: Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.
7.2.	Conditions for safe storage, inc	ding any incompatibilities
Technic	al measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage	conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompa	atible products	: Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)		
Alberta	OEL STEL (ppm)	1000 ppm
Alberta	Notations and remarks	URT irr
British Columbia	OEL STEL (ppm)	1000 ppm
British Columbia	Notations and remarks	URT irr
Manitoba	OEL STEL (ppm)	1000 ppm
New Brunswick	OEL STEL (ppm)	1000 ppm
New Foundland & Labrador	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Nunavut	OEL STEL (ppm)	1000 ppm
Northwest Territories	OEL STEL (ppm)	1000 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
HEXYLENE GLYCOL (107-41-5)		
Saskatchewan	OEL STEL (ppm)	25 ppm
Saskatchewan	OEL TWA (ppm)	25 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemica	Inconarties	
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: clear. Transparent.	
Colour	: colourless to slightly yellow	
Odour	: characteristic	
Odour threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Relative evaporation rate (ether=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Vapour pressure	: 4.5 - 5.5 bar	
Vapour pressure at 50 °C	: No data available	
Relative density	: 0.7	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Explosive limits	: 1.8 - 19 vol %	
9.2. Other information		

No additional	information	available

SECTION 10: Stability and react	ivity
10.1. Reactivity	
Reactivity	: Stable under normal conditions of use.
Chemical stability	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.
Incompatible materials	: Oxidizing agent. Strong acids. Strong bases.
Hazardous decomposition products	: May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information	on	
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
05/29/2018	EN (English)	4/9

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

EUGENOL (97-53-0)	
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2580 mg/l
BENZYL ALCOHOL (100-51-6)	
LD50 oral rat	500 mg/kg
LD50 oral	1230 mg/kg bodyweight
LD50 dermal rabbit	660 mg/kg
LD50 dermal	2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	4.2 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	9 mg/l/4h
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l
HEXYLENE GLYCOL (107-41-5)	
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
AMYL CINNAMAL (122-40-7)	
LD50 oral	3730 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
ACETYL CEDRENE (32388-55-9)	
LD50 oral rat	≈ 5200 mg/kg
LD50 dermal rabbit	≈ 500 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Deproductive toxicity	. Not allocational
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
COUNTRY DELIGHT MB9000	
Vaporizer	Aerosol
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
	,

SECTION 12: Ecological information

EUGENOL (97-53-0)	
LC50 fish 1	5.6 mg/l
EC50 other aquatic organisms 1	1.9 mg/l waterflea
EC50 other aquatic organisms 2	15.4 mg/l
BENZYL ALCOHOL (100-51-6)	
LC50 fish 1	460 mg/l
EC50 Daphnia 1	230 mg/l
EC50 other aquatic organisms 1	230 mg/l waterflea

12.1. Toxicity

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

BENZYL ALCOHOL (100-51-6)	500 mm/l		
EC50 other aquatic organisms 2	500 mg/l		
Alcohol (64-17-5)			
LC50 fish 1	13000 mg/l		
EC50 Daphnia 1	9300 mg/l		
EC50 other aquatic organisms 1	5012 mg/l waterflea		
EC50 other aquatic organisms 2	275 mg/l		
	HEXYLENE GLYCOL (107-41-5)		
LC50 fish 1	8690 mg/l		
EC50 other aquatic organisms 1	5410 mg/l waterflea		
EC50 other aquatic organisms 2	> 429 mg/l		
AMYL CINNAMAL (122-40-7)			
LC50 fish 1	3 mg/l		
EC50 other aquatic organisms 1	1.1 mg/l waterflea		
EC50 other aquatic organisms 2	1.89 mg/l		
12.2. Persistence and degradability			
COUNTRY DELIGHT MB9000			
Persistence and degradability	Not established.		
Alcohol (64-17-5)			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
COUNTRY DELIGHT MB9000			
Bioaccumulative potential	Not established.		
EUGENOL (97-53-0) Log Pow	2.27		
	2.21		
BENZYL ALCOHOL (100-51-6)			
Log Pow	1.05		
Alcohol (64-17-5)			
Log Pow	-0.32		
Bioaccumulative potential	Not established.		
HEXYLENE GLYCOL (107-41-5)			
Log Pow	-0.1		
AMYL CINNAMAL (122-40-7)			
Log Pow	4.7		
12.4. Mobility in soil			
EUGENOL (97-53-0)			
Log Pow	2.27		
BENZYL ALCOHOL (100-51-6)			
Log Pow	1.05		
Alcohol (64-17-5) Log Pow	-0.32		
	-0.52		
HEXYLENE GLYCOL (107-41-5)			
Log Pow	-0.1		
AMYL CINNAMAL (122-40-7)			
Log Pow	4.7		
12.5. Other adverse effects			
Effect on ozone layer	: None to our knowledge.		
	: No known effects from this product.		
	: Avoid release to the environment.		

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 13: Disposal consideration	5
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. Basic shipping description	
No additional information available	
14.2. Transport information/DOT	
Department of Transport	
DOT NA no.	: UN1950
UN-No.(DOT)	: 1950
Transport document description	: UN1950 Aerosols, 2.1
Proper Shipping Name (DOT)	: Aerosols
Contains Statement Field Selection (DOT)	:
Class (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Division (DOT)	: 2.1
Hazard labels (DOT)	: 2.1 - Flammable gas
	FLAMMABLE GAS
Dangerous for the environment	: No
,	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
-	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Other information	: No supplementary information available.
14.3. Air and sea transport	
IMDG	
UN-No. (IMDG)	: 1950
Proper Shipping Name (IMDG)	: AEROSOLS
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
Class (IMDG)	: 2 - Gases
IATA	
UN-No. (IATA)	: 1950
Proper Shipping Name (IATA)	: Aerosols, flammable
	: UN 1950 Aerosols, flammable, 2.1
	: 2
SECTION 15: Regulatory information	
15.1. National regulations	
EUGENOL (97-53-0)	
Listed on the Canadian DSL (Domestic Substan	ces List)
	·

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

BENZYL SALICYLATE (118-58-1)		
Listed on the Canadian DSL (Domestic Substances List)		
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)		
Listed on the Canadian DSL (Domestic Substances List)		
BENZYL ALCOHOL (100-51-6)		
Listed on the Canadian DSL (Domestic Substances List)		
Alcohol (64-17-5)		
Listed on the Canadian DSL (Domestic Substances List)		
HEXYLENE GLYCOL (107-41-5)		
Listed on the Canadian DSL (Domestic Substances List)		
AMYL CINNAMAL (122-40-7)		
Listed on the Canadian DSL (Domestic Substances List)		
PINENES (127-91-3)		
Listed on the Canadian DSL (Domestic Substances List)		
ACETYL CEDRENE (32388-55-9)		
Listed on the Canadian DSL (Domestic Substances List)		
15.2. International regulations		
EUGENOL (97-53-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
BENZYL SALICYLATE (118-58-1)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
BENZYL ALCOHOL (100-51-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Alcohol (64-17-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
HEXYLENE GLYCOL (107-41-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
AMYL CINNAMAL (122-40-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
PINENES (127-91-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
ACETYL CEDRENE (32388-55-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

SECTION 16: Other information

: 01/01/2018

Other information

Date of issue

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

SDS_CANADA_GHS_NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product