

Version 1.0	Revision Date 02/23/2015	Print Date 06/09/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07730 TM BABY POWDER 30 DAY 12n5.3
Material number	:	0000000001042686
Manufacturer or supplier's o	deta	nils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	: Category 1 : Liquefied gas : Category 2A : Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source.



rsion 1.0	Revision Date 02/23/2015	Print Date 06/09/2015	
	use. P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after h P271 Use only outdoors or in a we P280 Wear eye protection/ face pr Response: P304 + P340 + P312 IF INHALED: and keep at rest in a position comf POISON CENTER or doctor/ phys P305 + P351 + P338 IF IN EYES: for several minutes. Remove conta easy to do. Continue rinsing. P337 + P313 If eye irritation persis attention. Storage: P405 Store locked up. P410 + P412 Protect from sunlight temperatures exceeding 50 °C/ 12 P403 Store in a well-ventilated pla Disposal:	 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection/ face protection. Response: P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. P403 Store in a well-ventilated place. Disposal: P501 Dispose of contents/container in accordance with local 	
Potential Health Effects			
Carcinogenicity:			
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.		
ACGIH	No component of this product present equal to 0.1% is identified as a carcino carcinogen by ACGIH.		
OSHA	No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA.		
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area. Show this safety data sheet to the doctor in attendance.



Version 1.0	Revision Date 02/23/2015	Print Date 06/09/2015
	Do not leave the victim unattended.	
If inhaled	: Consult a physician after significant If unconscious place in recovery por advice.	
In case of skin contact	 If skin irritation persists, call a phys Wash off immediately with plenty o minutes. If on clothes, remove clothes. 	
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s Rinse immediately with plenty of water 	•
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to ar If symptoms persist, call a physicia DO NOT induce vomiting unless di physician or poison control center. Take victim immediately to hospital 	n. rected to do so by a

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	· Prevent product from entering drains

Environmental precautions : Prevent product from entering drains.



Version 1.0	Revision Date 02/23/2015	Print Date 06/09/2015
	Prevent further leakage or s If the product contaminates respective authorities.	spillage if safe to do so. rivers and lakes or drains inform
Methods and materials for containment and cleaning up	acid binder, universal binde	nt material (e.g. sand, silica gel, er, sawdust). illage and collect in suitable

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm OSHA 2,400 mg/m3	
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0



Version 1.0 Revision Date 02/23/2			5 Print Date 06/09/2015		
propane	74-98-6	TWA	1,000 ppm	ACGIH	
		TWA	1,000 ppm	NIOSH REL	
			1,800 mg/m3		
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1	
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0	

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

Personal protective equipme	Personal protective equipment					
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.					
Hand protection						
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.					
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses)				
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.					
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.					

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: no data available
рН	: no data available
Melting point/freezing point	: no data available
Boiling point	: no data available

_



A07730 TM BABY POWDER 30 DAY 12n5.3

Version 1.0	Revision Date 02/23/2015	Print Date 06/09/2015
Flash point	: not applicable	
Evaporation rate	: no data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: 5,515.8 hPa	
Relative vapour density	: no data available	
Density	: no data available	
Solubility(ies)		
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Heat of combustion	: 36.51 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No decomposition if stored and applied as directed	•
reactions	Vapours may form explosive mixture with air.	
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.	
Incompatible materials	: Oxidizing agents Acids	
Hazardous decomposition products	: Carbon oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

no data available

Skin corrosion/irritation

Product:



Version 1.0

Revision Date 02/23/2015

Print Date 06/09/2015

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Product:

Remarks: Eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

acetone: propane:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

Partition coefficient: n- : Remarks: no data available octanol/water



Version 1.0	Revision Date 02/23/2015	Print Date 06/09/2015
Mobility in soil		
no data available		
Other adverse effects		
no data available <u>Product:</u>		
Regulation	40 CFR Protection of Environmer Stratospheric Ozone - CAA Section Substances	,
Remarks	This product neither contains, norwith a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity



Version 1.0

Revision Date 02/23/2015

Print Date 06/09/2015

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	Is : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of th	is product are reported in the following inventories:
TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory

AICS	INOU III	compliance	WILLI	the	inventory
NZIOC	Not in	compliance	with	the	inventorv

- PICCS Not in compliance with the inventory
- IECSC Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION




Version 1.0

Revision Date 02/23/2015

Print Date 06/09/2015





HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA GHS Label Information:

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drow siness or dizziness.
Precautionary statements	
	 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughy after handling. Use only outdoors or in a w ell-ventilated area. Wear eye protection/face protection. Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®], Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.