

Version 2.0

Revision Date 09/24/2015

Print Date 11/13/2015

ZepInc

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07712OS TM CITRUS 9000 L1 12N7.5 4/CS
Material number	:	0000000001042649
Manufacturer or supplier's o	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers			
For SDS Information	:	Compliance Services 1-877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.	
Emergency		In the District of Columbia 202-483-7616	

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas		
Colour	colourless		
Odour	characteristic		

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	 Category 2 Liquefied gas Category 2A Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after



sion 2.0	Revision Date 09/24/2015	Print Date 11/13/201
	use. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly afte P271 Use only outdoors or in a P280 Wear eye protection/ face Response: P304 + P340 + P312 IF INHALE and keep at rest in a position co POISON CENTER or doctor/ ph P305 + P351 + P338 IF IN EYE for several minutes. Remove co easy to do. Continue rinsing. P337 + P313 If eye irritation per attention. Storage: P403 + P233 Store in a well-ven tightly closed. P405 Store locked up. P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ Disposal: Dispose of contents/container in regulation.	r handling. well-ventilated area. protection. D: Remove victim to fresh ai mfortable for breathing. Call a ysician if you feel unwell. S: Rinse cautiously with wate ntact lenses, if present and sists: Get medical advice/ tilated place. Keep container ght. Do not expose to 122 °F.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as probat human carcinogen by IARC.	
ACGIH	No component of this product prese equal to 0.1% is identified as a carc carcinogen by ACGIH.	
OSHA	No component of this product prese equal to 0.1% is identified as a carc carcinogen by OSHA.	
NTP	No component of this product prese	ant at levels greater than or

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
1,1-difluoroethane	75-37-6	>= 50 - < 70
propan-2-ol	67-63-0	>= 20 - < 30
alkanes, C12-14-iso-	68551-19-9	>= 10 - < 20

SECTION 4. FIRST AID MEASURES

General advice

: Show this safety data sheet to the doctor in attendance.

Version 2.0	Revision Date 09/24/2015	Print Date 11/13/2015
If inhaled	: Remove to fresh air.	
	Call a physician or poison control of	centre immediately.
In case of skin contact	: Wash off immediately with plenty o minutes.	of water for at least 15
	Call a physician if irritation persists	3.
In case of eye contact	: In case of contact, immediately flue	sh eyes with plenty of water
	for at least 15 minutes.	.,
	If easy to do, remove contact lens,	, if worn.
	Seek medical advice.	
If swallowed	: If swallowed, DO NOT induce vom so by medical personnel.	iting unless directed to do
	Never give anything by mouth to a	in unconscious person.

Zepinc

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	oam arbon dioxide (CO2) /ater spray	
Hazardous combustion products	arbon dioxide (CO2) arbon monoxide moke	
Specific extinguishing methods		
Further information	or safety reasons in case of fire, cans eparately in closed containments. Ise a water spray to cool fully closed c	
Special protective equipment for firefighters	lear self-contained breathing apparatu	is for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.



Version 2.0

Revision Date 09/24/2015

Print Date 11/13/2015

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Keep away from fire (No Smoking). Do not swallow. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage temperature	: <49 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1-difluoroethane	75-37-6	TWA	1,000 ppm	US WEEL
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of shift at end of workwee	40 mg/l	ACGIH BEI



sion 2.0	Revision Date 09/24/2015	Print Date 11/13/2015	
		k	
Personal protective equip	ment		
Respiratory protection	approved filter.	In the case of dust or aerosol formation use respirator with an	
Hand protection Remarks	: The suitability for a specific work with the producers of the protecti	•	
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective s problems.	suit for abnormal processing	
Skin and body protection	: Impervious clothing Choose body protection accordin concentration of the dangerous s		
Hygiene measures	: Handle in accordance with good practice.	industrial hygiene and safety	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: not determined
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: negligible
Solubility in other solvents	: not determined

_



A07712OS TM CITRUS 9000 L1 12N7.5 4/CS

Version 2.0	Revision Date 09/24/2015	Print Date 11/13/2015	
Partition coefficient: n- octanol/water	: No data available		
Auto-ignition temperature	: not determined		
Thermal decomposition	: No data available		
Viscosity			
Viscosity, kinematic	: No data available		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents Alkali metals Acids
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/	kg
	Method: Calculation method	

Components:

: LC50 Mouse: 977,000 mg/l Exposure time: 2 h
LD50 Oral Rat: 4,396 mg/kg
Method: Calculation method

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation



Version 2.0

Revision Date 09/24/2015

Product:

Remarks: May irritate eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

1,1-difluoroethane: propan-2-ol: alkanes, C12-14-iso-:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- : Remarks: No data available octanol/water

Mobility in soil

No data available



A07712OS TM CITRUS 9000 L1 12N7.5 4/CS			
Version 2.0	Revision Date 09/24/2015	Print Date 11/13/2015	
Other adverse effects			
No data available <u>Product:</u>			
Regulation	40 CFR Protection of Environn Stratospheric Ozone - CAA Se Substances		
Remarks	This product neither contains, with a Class I or Class II ODS Clean Air Act Section 602 (40 + B).	as defined by the U.S.	
Additional ecological information	: No data available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal	methods
----------	---------

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): This material is not classified.

Transportation Regulation: IMDG (Vessel): This material is not classified.

Transportation Regulation: IATA (Cargo Air): This material is not classified.

Transportation Regulation: IATA (Passenger Air): This material is not classified.

Transportation Regulation: TDG (Canada): This material is not classified.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

SAFETY DATA SHEET



A07712OS TM CITRUS 9000 L1 12N7.5 4/CS

Version 2.0

Revision Date 09/24/2015

Print Date 11/13/2015

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
cyclohexane	110-82-7	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	s : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of this product are reported in the following inventories:		
TSCA DSL	On TSCA Inventory This product contains the following components that are not on the Canadian DSL nor NDSL.	

AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory

- PICCS Not in compliance with the inventory
- IECSC Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION




Version 2.0

Revision Date 09/24/2015

Print Date 11/13/2015





OSHA GHS Label Information:

Hazard pictograms	
Signal w ord	Warning:
Hazard statements	Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drow siness or dizziness.
Precautionary statements	
	Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/ vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Wear eye protection/face protection. Response: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel
	unw ell. IF IN EYES: Rinse cautiously with waterfor several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
	Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
	Disposal: Dispose of contents/container in accordance with local regulation.

Version:	2.0
Revision Date:	09/24/2015
Print Date:	11/13/2015

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®,



Version 2.0

Revision Date 09/24/2015

Print Date 11/13/2015

Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.