

Version 1.0	Revision Date 02/23/2015	Print Date 10/14/2015

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07772 YCC CLN COTTON 30% 12n6.6
Material number	:	00000000001042828
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

## SECTION 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

Appearance	Aerosol containing a liquefied gas	
Colour	yellow	
Odour	characteristic	

#### **GHS** Classification

Flammable aerosols Gases under pressure Eye irritation Skin sensitisation Specific target organ toxicity - single exposure	<ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 1</li> <li>Category 3 (Central nervous system)</li> </ul>
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames



rsion 1.0	Revision Date 02/23/2015	Print Date 10/14/2015
<u>sion 1.0</u>	and other ignition sources. No sm P211 Do not spray on an open flat P251 Pressurized container: Do nuse. P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after h P271 Use only outdoors or in a we P272 Contaminated work clothing the workplace. P280 Wear eye protection/ face pr P280 Wear protective gloves. <b>Response:</b> P302 + P352 IF ON SKIN: Wash v P304 + P340 + P312 IF INHALED and keep at rest in a position com POISON CENTER or doctor/ phys P305 + P351 + P338 IF IN EYES: for several minutes. Remove conta easy to do. Continue rinsing. P333 + P313 If skin irritation or ras advice/ attention. P337 + P313 If eye irritation persis attention.	oking. me or other ignition source. ot pierce or burn, even after gas/ mist/ vapours/ spray. handling. ell-ventilated area. should not be allowed out of rotection. with plenty of soap and water. : Remove victim to fresh air fortable for breathing. Call a sician if you feel unwell. Rinse cautiously with water act lenses, if present and sh occurs: Get medical sts: Get medical advice/
	advice/ attention. P337 + P313 If eye irritation persis attention. P363 Wash contaminated clothing <b>Storage:</b> P405 Store locked up. P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 12	sts: Get medical advice/ ) before reuse. t. Do not expose to 22 °F.
	P403 Store in a well-ventilated pla <b>Disposal:</b> P501 Dispose of contents/containe regulation.	
Potential Health Effects		
Carcinogenicity: IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product present equal to 0.1% is identified as a carcin	
OSHA	carcinogen by ACGIH. No component of this product present equal to 0.1% is identified as a carcin	
NTP	carcinogen by OSHA. No component of this product present equal to 0.1% is identified as a known by NTP.	

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous components



ersion 1.0	Revision Date 02/23/2015	Print Date 10/14/2015
Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 30 - < 50
2-(2-ethoxyethoxy)ethanol	111-90-0	>= 20 - < 30
propane	74-98-6	>= 20 - < 30
Naphtha (petroleum), light alkylate	e 64741-66-8	>= 5 - < 10
alpha-hexylcinnamaldehyde	101-86-0	>= 1 - < 5
dipentene	138-86-3	>= 0.1 - < 1

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	<ul> <li>Remove to fresh air.</li> <li>Consult a physician after significant exposure.</li> <li>If unconscious place in recovery position and seek medical advice.</li> </ul>
In case of skin contact	<ul> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If skin irritation persists, call a physician.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact	<ul> <li>Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist. Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> </ul>

## SECTION 4. FIRST AID MEASURES

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Water spray jet Dry chemical	
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	<ul> <li>Standard procedure for chemical fires.</li> <li>For safety reasons in case of fire, cans should be stored separately in closed containments.</li> <li>Use a water spray to cool fully closed containers.</li> <li>Collect contaminated fire extinguishing water separately. This</li> </ul>	5



Version 1.0	Revision Date 02/23/2015	Print Date 10/14/2015
	must not be discharged into drains. Fire residues and contaminated fire be disposed of in accordance with I	<b>e</b>
Special protective equipment for firefighters	: Wear self-contained breathing appa necessary.	ratus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Do not puncture. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	:	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>No smoking.</li> <li>Observe label precautions.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	:	Oxidizing agents Keep away from metals.



Version 1.0

Revision Date 02/23/2015

Print Date 10/14/2015

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
2-(2-ethoxyethoxy)ethanol	111-90-0	TWA	25 ppm	US WEEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

## **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

## Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection	
Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	<ul> <li>Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location.</li> </ul>
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.



Version 1.0	Revision Date 02/23/2015	Print Date 10/14/2015
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at tl	he end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	no data available
рН	:	not applicable
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	
		not applicable
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	no data available
Solubility(ies)		
Water solubility	:	no data available
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available
Heat of combustion	:	36.86 kJ/g
		5

## SECTION 10. STABILITY AND REACTIVITY



Version 1.0	Revision Date 02/23/2015 Print Date 10	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: Vapours may form explosive mixtu No decomposition if stored and ap	
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct	ct sunlight.
Incompatible materials	: Metals Oxidizing agents	
Hazardous decomposition products	: Carbon oxides	

## SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Components:	
dipentene:	· IDEO Oral rati E 200 ma/ka
Acute oral toxicity	: LD50 Oral rat: 5,300 mg/kg

## Skin corrosion/irritation

## Product:

Remarks: May cause skin irritation in susceptible persons.

## Serious eye damage/eye irritation

## Product:

Remarks: Irritating to eyes.

## Respiratory or skin sensitisation

## Product:

Remarks: Causes sensitisation.

## Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

## **Reproductive toxicity**

no data available

acetone: 2-(2-ethoxyethoxy)ethanol: propane: Naphtha (petroleum), light alkylate: alpha-hexylcinnamaldehyde: dipentene:



Version 1.0

Revision Date 02/23/2015

Print Date 10/14/2015

## STOT - single exposure

no data available

#### STOT - repeated exposure

no data available

## Aspiration toxicity

no data available

#### Further information

## Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

no data available

#### Persistence and degradability

#### no data available Bioaccumulative potential

## Product:

octanol/water <u>Components:</u>	Remarks: no data available
octanol/water	Pow: 0.54
alpha-hexylcinnamaldehyde : Partition coefficient: n- : octanol/water	log Pow: 4.686
Mobility in soil	
no data available	
Other adverse effects	
no data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).



Version 1.0	Revision Date 02/23/2015	Print Date 10/14/2015
Additional ecological information	: An environmental hazard cannot event of unprofessional handlin aquatic life with long lasting effe	g or disposal., Harmful to

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Dispose of in accordance with local regulations.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>The product should not be allowed to enter drains, water courses or the soil.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

## SECTION 15. REGULATORY INFORMATION

## EPCRA - Emergency Planning and Community Right-to-Know Act

## **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.



Version 1.0 Revision Date 02/23/2015 Print Date 10/14/2015

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard	Is : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of th	is product are reported in the following inventories:
TSCA DSL	On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory

IECSC Not in compliance with the inventory

#### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

Not in compliance with the inventory

Not in compliance with the inventory

#### SECTION 16. OTHER INFORMATION

NZIoC PICCS




Version 1.0

Revision Date 02/23/2015

Print Date 10/14/2015





## HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

## **OSHA GHS Label Information:**

Hazard pictograms	
Signal word	: Danger:
Hazard statements	<ul> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated.</li> <li>May cause an allergic skin reaction. Causes serious eye irritation. May cause drow siness or dizziness.</li> </ul>
Precautionary statements	:
	<ul> <li>Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear eye protection/face protection. Wear protective gloves.</li> <li>Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unw ell. IF IN EYES: Rinse cautiously with w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse.</li> <li>Storage: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.

<sup>2 =</sup> Moderate, 3 = High 4 = Extreme, \* = Chronic



Version 1.0

Revision Date 02/23/2015

Print Date 10/14/2015