

# SAFETY DATA SHEET

## 1. IDENTIFICATION

**PRODUCT NAME:** TSW2 Multi-Master

**USE:** Graffiti Remover

**Distributor:** This Stuff Works, Inc.  
3401 Investment Blvd.  
Suite #6  
Hayward, CA 94545

Phone: 1-800-447-2334

For Emergency call Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

Hazard Rating



### Classification:

Eye Irritation: GHS Category 2

Reproductive Toxicity: GHS Category 2A

### Label Elements

Signal Word: WARNING!

Hazard Statements:

H316 - Causes mild skin irritation.

H320 – Causes eye irritation.

H335 – May cause respiratory irritation.

H360 – May damage fertility or the unborn child.

### Precautionary Statements:

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 – If on skin or hair: Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### IDENTIFICATION OF THE PREPARATION:

CHEMICAL NAME	CAS#	Weight
1-Methyl-2-pyrrolidinone	872-50-4	30%
Proprietary Ingredients	Proprietary	

## 4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Ingestion: Do not induce vomiting unless directed by medical personnel. If vomiting occurs naturally, have victim lean forward. Never give anything by mouth to an unconscious person. Get medical aid.

Skin Contact: Remove any contaminated clothing. Wash skin with soap or mild detergent and water for at least 15 minutes. Get medical attention.

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention.

Notes to Physician: Treat symptomatically and supportively.

## 5. FIRE-FIGHTING MEASURES

The product is non-flammable and non-combustible.

## 6. ACCIDENTAL RELEASE MEASURES

Absorb spilled liquid with sorbent pads, socks, or other inert material such as vermiculite, sand, or earth. Use spark-proof tools. Provide ventilation to the affected area and remove all ignition sources. Approach the spill from upwind and pick up absorbed material and place it in a suitable container. Always use proper personal protective equipment as described in section 8.

## 7. HANDLING AND STORAGE

Precautions: Always use proper personal protective equipment as described in section 8. Wash thoroughly after handling.

Avoid contact with eyes, skin, and clothing. Remove contaminated clothing and wash before reuse. Empty containers contain product residue (liquid and vapor) and can be dangerous. Use with adequate ventilation. Avoid breathing vapor or mist.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Use safety glasses and protective gloves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear liquid

**Odor:** Bland

**Odor threshold:** N/A

**pH:** N/A

**Melting Point:** N/A

**Initial boiling point:** 212 ° F

**Flash Point:** N/A

**Evaporation rate (H<sub>2</sub>O=1):** 1.0

**Flammability:** Non-flammable

**Vapor Pressure:** 17.2 mm Hg (water)

**Vapor Density (Air=1):** No vapors are produced

**Specific Gravity:** 1.058

**Solubility in Water:** emulsifies in water

**Partition coefficient:** N/A

**Auto-Ignition Temperature:** N/A

**Decomposition Temperature:** N/A

**Viscosity:** Equals water

## 10. STABILITY AND REACTIVITY

**Stability:** Stable at room temperature in closed container under normal handling and storage conditions.

**Hazardous Polymerization:** Will not occur.

## 11. TOXICOLOGICAL INFORMATION

**Routes of Entry:** Inhalation, skin absorption, skin contact

Acute Exposure Hazards:

**INHALATION HAZARD:** Causes respiratory tract irritation. May cause headache. Material has a very low vapor pressure at room temperature, so inhalation exposures are not expected unless material is heated or misted

**INGESTION HAZARD:** Ingestion may cause gastrointestinal irritation with nausea, vomiting, and diarrhea.

**SKIN CONTACT HAZARD:** May cause skin irritation. May be harmful if absorbed through the skin. Not expected to cause an allergic reaction. Because of the high permeability rate of NMP in human skin, prolonged contact should be avoided.

**EYE CONTACT HAZARD:** May cause eye irritation. May cause temporary corneal clouding.

## 12. ECOLOGICAL INFORMATION

Not reported.

## 13. DISPOSAL CONSIDERATIONS

Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations

## 14. TRANSPORT INFORMATION

Not DOT regulated.

## 15. REGULATORY INFORMATION

Contains no SARA 313 ingredients

## 16. OTHER INFORMATION

### Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. Furthermore, as the conditions of use are beyond the control of This Stuff Works, Inc., it is the responsibility of the customer to determine the conditions of safe use of these products.

**Safety Data Sheet Prepared:** January 8, 2015