Item: K-70Alcohol

SAFETY DATA SHEET

CONTINENTAL CHEMICAL CO.

DATE: April 4, 2019 EMERGENCY PHONE

4920 E. WASHINGTON BLVD. COMMERCE CA. 90040

TRANSPORTATION: CHEMTREC: 800-424-9300 NON-TRANSPORTATION: HJB INC: 323-268-1288

SECTION I GENERAL INFORMATION

PRODUCT NAME: ISOPROPYL ALCOHOL, 70%

MANUFACTURER:

CONTINENTAL CHEMICAL

HMIS: 130 J

SECTION II- HAZARDS IDENTIFICATION

CLASSIFICATION

GHS CLASSIFICATION:

SKIN CORROSION (CATEGORY 1A)
SERIOUS EYE DAMAGE (CATEGORY 1)
ACUTE AQUATIC TOXICITY (CATEGORY 3)

GHS LABEL ELEMENTS



PICTOGRAM: SIGNAL WORD:

HAZARD STATEMENT:

FLAMMABLE

H314: CAUSES SEVERE EYE DAMAGE H402: NOT HARMFUL TO AQUATIC LIFE

PRECAUTIONARY STATEMENTS:

P280:WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P303/P361/P353: **IF ON SKIN OR HAIR:** REMOVE ALL CONTAMINATED CLOTHING. RINSE SKIN WITH

WATER/SHOWER

P305/P351/P338: **IF IN EYES:** RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE

CONTACT LENSES. CONTINUE RINSING.

P313: GET MEDICAL ATTENTION.

HMIS CLASSIFICATION:

HEALTH HAZARD:

FLAMMABILITY: 3

PHYSICAL HAZARDS: 0

NFPA RATING:

HEALTH HAZARD:

FIRE:

REACTIVITY HAZARD: 0

POTENTIAL HEALTH EFFECTS

INHALATION:

MAY BE HARMFUL IF INHALED. MATERIAL IS

EXTREMELY DESTRUCTIVE TO THE TISSUE OF THE MUCOUS MEMBRANE AND UPPER RESPIRATORY

TRACT.

SKIN:

MAY BE HARMFUL IF ABSORBED THROUGH SKIN.

CAUSE SEVERE SKIN BURNS.

EYES:

CAUSE SEVERE EYE BURNS.

INGESTION:

TOXIC IF SWALLOWED. DO NOT INGEST.

SECTION III CHEMICAL COMPOSITION

COMPONENT

CAS#

CONCENTRATION

ISOPROPYL ALCOHOL

67-63-0

70%

SECTION IV FIRST AID MEASURES

IF INHALED:

IF INHALED, MOVE PERSON INTO FRESH AIR. IF NOT

BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

SKIN CONTACT:

TAKE OFF CONTAMINATED CLOTHING AND SHOES

IMMEDIATELY. FLUSH SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CONSULT A

PHYSICIAN.

EYE CONTACT:

FLUSH EYES WITH PLENTY OF WATER FOR AT

LEAST 15 MINUTES AND CONSULT A PHYSICIAN.

IF INGESTED:

DO NOTINDUCE VOMITING UNLESS INSTRUCTED TO DO SO BY A PHYSICIAN. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON. RINSE MOUTH EITH WATER. CONSULT A PHYSICIAN.

SECTION V FIREFIGHTING MEASURES

FLAMMABILITY OVERVIEW:

CONSIDERED A FLAMMABLE SOLVENT SOLUTION.

FLASH POINT:

15°C ASTM D-56

EXTINGUISHING MEDIA:

USE WATER-SPRAY, FOAM, DRY CHEMICAL, OR

CARBON DIOXIDE.

SPECIAL PROTECTIVE EQUIPMENT:

WEAR A SELF-CONTAINED BREATHING APPARATUS

(SCBA) FOR FIREFIGHTING, IF NECESSARY.

HAZARDOUS COMBUSTION PRODUCTS: HAZARDOUS DECOMPOSITION PRODUCTS UNDER

FIRE CONDITION: OXIDES OF CARBON, SMOKE,

FUMES.

SECTION VI ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID BREATHING VAPORS, MIST OR GAS. ALWAYS

ENSURE ADEQUATE VENTILATION. EVACUATE

PERSONNEL TO SAFE AREAS.

ENVIRONMENTAL PRECAUTIONS:

PREVENT FURTHER LEAKAGE OR SPILLIAGE.

PREVENT FROM ENTERING DRAINS AND

WATERWAYS. DISCHARGE INTO THE ENVIRONMENT

MUST BE AVOIDED.

CONTAINMENT AND CLEAN UP:

SOAK UP WITH INERT ABSORBENT MATERIAL AND DISPOSE OF AS HAZARDOUS WASTE. KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

SECTION VII HANDLING AND STORAGE

SAFE HANDLING:

USE PERSONAL PROTECTIVE EQUIPMENT. AVOID

BREATHING VAPORS, MIST OR GAS. ALWAYS

ENSURE ADEQUATE VENTILATION.

SAFE STORAGE:

KEEP CONTAINERS TIGHTLY CLOSE IN A DRY WELL VENTILATED PLACE. CONTAINERS WHICH ARE

OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. STORE AWAY

FROM INCOMPATIBLE MATERIALS.

SECTION VIII EXPOSURE CONTROLS/ PERSONAL PROTECTION

EXPOSURE LIMITS

COMPONENT

CAS NUMBER

EXPOSURE LIMIT

BASIS ACGIH-TLV

ISOPROPYL ALCOHOL

67-63-0 400 mg/m3 980 mg/m3

OSHA TABLE Z-1

200 mg/m3

NIOSH EXPOSURE LIMITS

PERSONAL PROTECTIVE EQUIPMENT

EYE PROTECTION:

WEAR TIGHTLY FITTING SAFETY GOGGLES AND

FACE SHIELD. USE EQUIPMENT FOR EYE

PROTECTION TESTED AND APPROVED UNDER NIOSH. HAVE EYE-WASH STATIONS AVAILABLE

WHERE EYE CONTACT CAN OCCUR.

HAND PROTECTION:

HANDLE WITH CHEMICAL-RESISTANT GLOVES. GLOVES MUST BE INSPECTED PRIOR TO USE. DISPOSE OF CONTAMINATED GLOVES. WASH AND

DRY HANDS AFTER USE.

SKIN PROTECTION:

WEAR COMPLETE SUIT PROTECTION AGAINST CHEMICALS, INCLUDING CHEMICAL-RESISTANT BOOTS. SAFETY SHOWERS SHOULD BE LOCATED IN THE WORK AREA WHERE SKIN CONTACT CAN

OCCUR.

RESPIRATORY PROTECTION:

WHERE RISK ASSESSMENT SHOWS AIR-PURIFYING RESPIRATORS ARE APPROPRIATE, USE A NIOSH-

APPROVED FULL FACE RESPIRATOR WITH APPROPRIATE CARTRIDGES. RESPIRATORY

PROTECTION MUST BE PROVIDED IN ACCORDANCE

WITH OSHA 29 CFR 1910.134.

GENERAL CONTROLS:

ALWAYS ENSURE ADEQUATE VENTILATION AND THAT WORKING AREAS CONTAINS SAFETY SHOWERS AND EYE WASH STATIONS. HANDLE

MATERIAL IN ACCORDANCE WITH GOOD

INDUSTRIAL HYGIENE AND SAFETY PRACTICES.

SECTION IX PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

LIQUID

COLOR:

CLEAR ALCOHOL

ODOR: pH (as is):

NOT DETERMINE

VAPOR PRESSURE:

4.1 KPa @ 20°C

BOILING POINT:

 $83 - 85^{\circ}C$

VAPOR DENSITY (air = 1):

> 1

SPECIFIC GRAVITY:

0.793 - 0.803 @ 25°C

SOLUBILITY IN WATER:

COMPLETE

SECTION X STABILITY AND REACTIVITY

CHEMICAL STABILITY:

STABLE UNDER RECOMMENDED STORAGE

CONDITIONS.

MATERIALS TO AVOID:

HAZARDOUS DECOMPOSITION:

AVOID HEAT, SPARKS, OPEN FLAMES OXIDIZING AGENTS, CAUSTICS, CHLORINATED COMPOUNDS.

NONE

SECTION XI TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

COMPONENT

CAS NUMBER

TEST

TOXICITY

ISOPROPYL ALCOHOL

67-63-0

ORAL LD50 (Rat) SKIN-DRAIZE (Rabbit)

5840 mg/Kg 13900 mg (24 hr)

INHALATION LC50

25000 mg/m3

POTENTIAL HEALTH EFFECTS

INHALATION:

MAY BE HARMFUL IF INHALED. MATERIAL IS EXTREMELY DESTRUCTIVE TO THE TISSUE OF THE MUCOUS MEMBRANE AND UPPER RESPIRATORY

TRACT.

SKIN:

MAY BE HARMFUL IF ABSORBED THROUGH SKIN.

CAUSES SKIN BURNS.

EYES:

CAUSES SEVERE EYE BURNS.

INGESTION:

TOXIC IF SWALLOWED, DO NOT INGEST.

SYMPTOMS OF EXPOSURE:

BURNING SENSATION, NAUSEA, COUGH, WHEEZING,

LARYNGITIS, SHORTNESS OF BREATH, SPASM, INFLAMMATION, AND EDEMA OF THE LARYNX. SPASM, INFLAMMATION, AND EDEMA OF THE BRONCHI, PNEUMONITIS, PULMONARY EDEMA.

HEADACHE.

CHRONIC EFFECTS OF EXPOSURE:

NO DATA AVAILABLE

CARCINOGENICITY:

NO COMPONENTS OF THIS PRODUCT AT LEVELS

GREATER THAN 0.1% IS IDENTIFIED AS CARCINOGENIC BY IARC, ACGIH, OR OSHA.

SECTION XII ECOLOGICAL INFORMATION

ACUTE ECOTOXICITY

COMPONENT

ISOPROPYL ALCOHOL

CAS NUMBER 67-63-0

ORGANISM NONE

ECOTOXICITY NONE

ECOLOGICAL EFFECTS

PERSISTENCE AND DEGRADABILITY: NO DATA AVAILABLE

BIOACCUMULATION POTENTIAL:

NOT EXPECTED TO BIO-ACCUMULATE

MOBILITY IN SOIL:

NO DATA AVAILABLE

OTHER ADVERSE EFFECTS:

NONE

SECTION XIII DISPOSAL

DISPOSAL:

SURPLUS AND NON-RECYCLABLE MATERIAL

SHOULD BE TREATED AS HAZARDOUS WASTE AND

BE DISPOSED OF BY A LICENSED DISPOSAL COMPANY. DO NOT RELEASE INTO SEWERS OR

WATERWAYS.

CONTAMINATED PACKAGING:

DISPOSE OF AS UNUSED PRODUCT.

SECTION XIV TRANSPORTATION

PRODUCT NAME:

ISOPROPYL ALCOHOL, 70%

PROPER SHIPPING NAME:

ISOPROPANOL

ID NUMBER:

UN 1219

HAZARD CLASS OR DIVISION:

3

PACKING GROUP:

II

DOT HAZARDOUS SUBSTANCE:

ISOPROPANOL

SECTION XV REGULATORY INFORMATION

US FEDERAL

SARA 302 COMPONENTS:

NONE LISTED

SARA 311/312 HAZARDS:

ACUTE HEALTH HAZARD

SARA 313 COMPONENTS:

NONE LISTED

TSCA INVENTORY:

ISOPROPYL ALCOHOL (CAS 67-63-0)

EUROPEAN UNION

EC INVENTORY:

ISOPROPYL ALCOHOL

STATE REGULATIONS

CA PROP 65:

NONE LISTED

SECTION XVI OTHER INFORMATION

SDS VERSION: REVISION DATE: SUPERSEDES:

1.0 04/04/2015 NEW TO GHS

THE MANUFACTURER BASED ON ITS OWN DATA AND THE WORK OF OTHERS HAS ASSEMBLED THE INFORMATION IN THIS DATA SHEET. THE MANUFACTURE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, OR ADEQUACY OF THE INFORMATION CONTAINED HEREIN. THE MANUFACTURER SHALL NOT BE LIABLE (REGARDLESS OF FAULT) TO VENDEE, THE VENDEE'S EMPLOYEES, OR ANYONE FOR ANY DIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE ACCURACY, COMPLETENESS, ADEQUACY, OR FURNISHING OF SUCH INFORMATION.