

**Safety Data Sheet** 

Issue date 24-Jun-2015

Version 1

# 1. Identification of the Substance/Preparation and of the Company/Undertaking

Product Identifier

**Product name** 

SPRAYPAK SPRAY DISINFECTANT

Chemical name

7-9761-1

Other means of identification

Product code

FG 433-4104-4 Disinfectant Spray

Synonyms Registration number(s)

498-179

Recommended use of the chemical and restrictions on use

**Recommended Use** 

For disinfection of hard, non-porous, inanimate surfaces.

Uses advised against

Do not spray on varnished, painted or plastic surfaces.

Details of the supplier of the safety data sheet

**Supplier Address** 

Chase Products Co. 2727 Gardner Road Broadview, IL 60155

708-273-1121

**Emergency Telephone Number** 

**Company Phone Number** 24 Hour Emergency Phone Number 1-800-255-3924

**Emergency telephone** 

708-865-1000

ChemTel 1-800-255-3924

**Manufacturer Address** 

Chase Products Co. 2727 Gardner Road Broadview, IL 60155

708-273-1121

## Hazards Identification

### Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

### Label Elements

### **EMERGENCY OVERVIEW**

### Warning

### hazard statements

Causes serious eye irritation

Flammable Aerosol

Contains gas under pressure; may explode if heated



Appearance Hazy, yellow liquid

Physical State Aerosol

Odor Perfumed.

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves, protective clothing, eye protection and face protection.

Keep away from heat, sparks, open flames and hot surfaces. - No smoking

Pressurized container: Do not pierce or burn, even after use

Do not spray on an open flame or other ignition source

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

## **Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

## Hazards not otherwise classified (HNOC)

### Other Information

Toxic to aquatic life with long lasting effects

0.69% of the mixture consists of ingredient(s) of unknown toxicity

## Composition/information on Ingredients

Synonyms

Disinfectant Spray.

**Chemical Family** 

MIXTURES. 7-9761-1

Formula
Chemical nature

Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	45-50	*
Ethyl alcohol	64-17-5	30-35	*
N-Butane	106-97-8	10-15	*
Propane	74-98-6	1-5	*

Chemical Additions

### 4. First aid measures

### FIRST AID MEASURES

**Eye Contact** 

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact

Wash with soap and water. If irritation develops, consult a physician.

inhalation

If overcome by vapor, move person to fresh air.

**INGESTION** 

Ingestion from an aerosol product is unlikely to occur.

## Most important symptoms and effects, both acute and delayed

**Symptoms** 

Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches.

Prolonged and repeated contact with the eyes may cause mild irritation.

### Indication of any immediate medical attention and special treatment needed

Note to physicians

None needed.

See label for active ingredients information.

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 5. Fire-fighting measures

### Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

**Explosion data** 

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge

Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

### Protective equipment and precautions for firefighters

Use personal protective equipment as required.

## 6, Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Personal precautions

CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.

Other Information

Keep out of reach of children.

**Environmental Precautions** 

**Environmental Precautions** 

See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** 

Provide adequate ventilation to area being treated. Soak up spills with chemically inert,

absorbent material.

Methods for cleaning up

Clean contaminated surface thoroughly.

### 7. Handling and Storage

### Precautions for safe handling

Advice on safe handling

Avoid getting spray into eyes. Keep out of reach of children.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing

temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B).

Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

## 8 Exposure Controls/Personal Protection

#### Control parameters

**Exposure guidelines** 

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³

		(vacated) TWA: 1900 mg/m <sup>3</sup>	
N-Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering controls** 

Use with adequate general or local exhaust ventilation.

## Individual protection measures, such as personal protective equipment

**Eye/face Protection** 

Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** 

Household type gloves, if desired.

Respiratory protection

None required if used in a well-ventilated area.

General hygiene considerations

None required.

## Physical and Chemical Properties

## Information on basic physical and chemical properties

**Physical State** 

**Appearance** 

Color

Aerosol

Hazy, yellow liquid

Odor

Odor threshold

Perfumed.

No information available

**Property** 

Melting point/freezing point

Boiling point/boiling range

Flash Point

Values 10.5 +/- 0.5

NA

212 °F/100 °C

Not avaliable. This is an aerosol

product for which Flame Projection is 6-8 inches without flashback.

Temperatures above 120 F may cause

cans to burst.

**Evaporation Rate** 

Flammability (solid, gas)

Flammability Limits in Air

Upper flammability limits **Lower Flammability Limit** 

Vapor pressure **Vapor Density** 

**Relative Density** Water solubility

Solubility in other solvents

**Partition coefficient Autoignition Temperature Decomposition temperature** 

Kinematic viscosity **Dynamic viscosity Explosive properties** 

**Oxidizing properties** 

clear

Remarks • Method

No information available No information available No information available

No information available

Faster than butyl acetate

Not available Not available

Not available

0.92 concentrate completely soluble No information available No information available

No information available

No information available

No information available

No information available No information available No information available No information available No information available No information available No information available No information available

No information available No information available

Other Information

Softening point Molecular weight VOC content (%)

Density

No information available No information available

51.32%

No information available

**Bulk Density** 

8.33 Lb/gal

## 10, Stability and Reactivity

#### Reactivity

Not applicable no data available

### **Chemical stability**

Stable.

#### Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization

Hazardous polymerization does not occur.

### **Conditions to Avoid**

Temperatures above 122 °F (50 °C).

### Incompatible Materials

Avoid heat, open flame and contact with strong oxidizers.

## Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

## 11. Toxicological Information

### Information on likely routes of exposure

Product Information

Acute: Prolonged inhalation of concentrated vapor or mist may cause headaches, dizziness

and nausea. Prolonged and repeated contact with skin may cause irritation and reddening.

Contact with eyes causes irritation.

inhalation

See data below.

**Eye Contact** 

no data available.

Skin contact

no data available.

**INGESTION** 

This is an aerosol product, ingestion is unlikely to occur. MAY BE HARMFUL IF

SWALLOWED.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	-	-
Ethyl alcohol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L (Rat)4 h
N-Butane 106-97-8	-	-	= 658 g/m³ (Rat)4 h
Propane 74-98-6	-	<u>-</u>	= 658 mg/L (Rat)4 h

## Information on toxicological effects

**Symptoms** 

See information above.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitization

No information available.

**Germ Cell Mutagenicity** 

No information available.

carcinogenicity

Not known chronic effects based on available information.

Reproductive Toxicity STOT - single exposure STOT - repeated exposure No information available. No information available.

No information available.

**Aspiration Hazard** 

No information available.

## Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 

0.69% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-gas)

10000000

ATEmix (inhalation-vapor)

16447.4 mg/l

## 12. Ecological Information

### ecotoxicity

20.99% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ethyl alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### **Bioaccumulation**

See information below.

Chemical name	Partition coefficient
Ethyl alcohol 64-17-5	-0.32
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3

Other adverse effects

No information available

## 13. Disposal Considerations

### Waste treatment methods

Disposal of wastes

Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Contaminated packaging

Pressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status
Ethyl alcohol	Toxic
64-17-5	Ignitable

## 14. Transport Information

Note:

The following information is for aerosols with less than 17 oz net weight when shipped by road.

DOT

Consumer Commodity

UN/ID no

Limited Quantity Consumer Commodity

**Proper Shipping Name** 

**Hazard Class** 

ORM-D

ICAO (air)

The following information is for aerosols less than 17 oz net weight when shipped by air.

UN/ID no

ID8000

**Proper Shipping Name** 

Consumer Commodity or Limited Quantity

**Hazard Class** 

9 (packaging instructions Y963)

## 15. Regulatory Information

### International Inventories

**TSCA** 

DSL

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **US Federal Regulations**

**SARA 313** 

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

## SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)** 

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA** 

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-		X
Ethyl alcohol 64-17-5	X	X	X
N-Butane 106-97-8	X	X	X
Propane 74-98-6	X	х	Х

U.S. EPA Label information

EPA Pesticide registration number 498-179

**EPA Statement** 

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid contamination of foodstuff.

## 16. Other information

**NFPA** 

Health Hazards 1

Flammability 1

Instability 1

Physical and chemical

properties Not

applicable

HMIS\_

Health Hazards 1

Flammability 2

Physical Hazards 1

Personal Protection A -

Eyes protection

Prepared by Issue date

Regulatory Department

24-Jun-2015

Revision note

This SDS supersedes a previous MSDS dated January 17, 2011.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**