### MATERIAL SAFETY DATA SHEET

CSR-1343

PAGE 1 OF 3 MSDS

VALUE PRODUCTS INC 2128 INDUSTRIAL DRIVE STOCKTON, CA 95206

PRODUCT CODE: 1343 REVISION : 3

DATE ISSUED: 09/27/12

SUPERSEDES: 06/29/00

\*------

SECTION I PRODUCT IDENTIFICATION

PRODUCT NAME : SELECT FORCE 40
CHEMICAL NAME : HIGHLY ALKALINE DETERGENT BLEND

FORMULA : PROPRIETARY

DOT HAZARD CLASS : UN1823, SODIUM HYDROXIDE, SOLID, 8, PGII

HAZARD RATING (NFPA 704) HAZARD RATING SCALE

HEALTH: 3 O=MINIMAL
FIRE: 0 1=SLIGHT
REACTIVITY: 0 2=MODERATE
SPECIAL: NONE 3=SERIOUS
4=SEVERE

CHEMTREC'S 24 HOUR EMERGENCY TELEPHONE NUMBER 800-424-9300

------

SECTION II HAZARDOUS INGREDIENTS

------

SUBSTANCES LISTED IN THIS SECTION ARE THOSE IDENTIFIED AS BEING PRESENT AT A CONCENTRATION OF 1% OR GREATER, OR 0.1% IF THE SUBSTANCE IS ON THE LIST OF POTENTIAL CARCINOGENS CITED IN OSHA HAZARD COMMUNICATION STANDARD.

MATERIAL CAS# PERCENTAGE TLV PEI (BASED ON 100% FORMULA LEVEL)

SODIUM HYDROXIDE ANHYDROUS 1310-73-2 40 2mg/m3 2mg/m3 SODIUM DICHLOROISOCYANURATE 2893-78-9 2.0-4.0 0.5 ppm 0.5 ppm

------

SECTION III PHYSICAL DATA

BOILING POINT : NOT APPLICABLE VOLATILE : NA
VAPOR PRESSURE: NOT ESTABLISHED SOLUBILITY IN WATER: COMPLETE

VAPOR DENSITY: (AIR=1): NA EVAPORATION RATE ( $\rm H_2O=1$ ): NA SPECIFIC GRAVITY: NA VISCOSITY: NA

PH 1% SOLUTION: 12.5 - 13.5

DESCRIPTION: WHITE GRANULAR POWDER, SLIGHTLY CHLORINE ODOR

------

SECTION IV FIRE AND EXPLOSION HAZARDS

FLASH POINTS: NON-COMBUSTIBLE

FLAMMABLE LIMITS LEL/UEL: NA

METHOD USED: C.O.C.

EXTINGUISHING MEDIA: WATER SPRAY, FOAM, CARBON DIOXIDE MAY BE USED. WATER RUN-OFF FROM FIREFIGHTING OPERATIONS MAY BE CORROSIVE. WEAR FULL PROTECTIVE CLOTHING AND SELF-CONTAINED BREATHING APPARATUS.

UNUSUAL FIRE OR EXPLOSIVE HAZARD: NITROGEN TRICHLORIDE CAN BE GENERATED BY REACTION OF WATER ON THIS CHLORINE CONTAINING PRODUCT. CONTACT WITH METALS SUCH AS MAGNESIUM, ALUMINUM, GALVANIZED ZINC TO GENERATE EXPLOSIVE HYDROGEN GAS.

PRODUCT CODE: 1343

\_\_\_\_\_\_

# SECTION V

# HEALTH HAZARD DATA

\_\_\_\_\_\_

SIGNS AND SYMPTOMS OF EXPOSURE (SKIN, EYE CONTACT; INHALATION; INGESTION)

EYE CONTACT : DESTRUCTIVE TO EYE TISSUE UPON CONTACT. SMALL QUANTITIES MAY

RESULT IN PERMANENT DAMAGE OR LOSS OF VISION.

INHALATION : CAN CAUSE IRRITATION TO THROAT AND RESPIRATORY TRACT. A

BURNING SENSATION IN THE NOSE, THROAT AS WELL AS COUGHING AND CHOKING MAY BE NOTED. CONTINUED DEEP INHALATION MAY

DAMAGE LUNG TISSUES.

INGESTION : CAN CAUSE SEVERE BURN OF MUCOUS MEMBRANE OF THE MOUTH,

THROAT, ESOPHAGUS, AND STOMACH. MAY BE FATAL.

SKIN CONTACT : CAN CAUSE IRRITATION TO SKIN UPON CONTACT WITH POWDER.

> CONTACTING WITH CONCENTRATED SOLUTION WILL CAUSE IMMEDIATE LOCAL REACTION INCLUDING ITCHING, IRRITATION, FOLLOWED BY LOSS OF SURFACE LAYERS OF SKINS. PROLONGED CONTACT WITH

SOLUTION MAY CAUSE CHRONIC DERMATITIS.

#### FIRST AID MEASURES

EYE CONTACT : IMMEDIATELY FLUSH EYES WITH LOTS OF RUNNING WATER FOR 15

> MINUTES, LIFTING THE UPPER AND LOWER EYELIDS TO ENSURE FLUSHING OF THE ENTIRE SURFACE. SEEK MEDICAL ATTENTION AS

NEEDED.

INHALATION : REMOVE TO FRESH AREA. IF BREATHING IS DIFFICULT, ADMINISTER

OXYGEN. IF BREATHING STOP, START ARTIFICIAL RESUSCITATION.

TRANSPORT VICTIM TO A MEDICAL FACILITY IMMEDIATELY.

INGESTION DO NOT INDUCE VOMITING. DRINK LARGE QUANTITIES OF WATER AND

SEEK MEDICAL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON.

WASH SKIN WITH LOTS OF SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND SHOES; WASH BEFORE REUSE. IF IRRITATION OCCURS SKIN CONTACT :

AND PERSISTS SEEK MEDICAL ATTENTION AS NEEDED.

# SECTION VI

# REACTIVITY DATA

STABILITY: STABLE

INCOMPATIBILITY (MATERIALS TO AVOID): ACIDS, OXIDIZERS.

POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: HEAT, HUMID CONDITION.

HAZARDOUS DECOMPOSITION: EXOTHERMIC REACTIONS WHEN MIXED WITH STRONG ACIDS TO LIBERATE CHLORINE GAS. REACT WITH FOOD/DRINKS CONTAINING SUGAR TO FORM CARBON

MONOXIDE

## SPILL OR LEAK PROCEDURES

CLEAN-UP PROCEDURES: WEAR PROTECTIVE EQUIPMENTS INCLUDING NIOSH-APPROVED FULL FACEPIECE COMBINATION DUST/MIST AND ACID GAS RESPIRATORS, RUBBER BOOTS, AND FULL-LENGTH CLOTHING DURING CLEAN-UP OPERATIONS. ONLY TRAINED PERSONNEL SHOULD BE INVOLVED. SWEEP UP, VACUUM AND PLACE MATERIAL IN DRY, SEALABLE CONTAINERS

FOR DISPOSAL. AVOID DUSTING.

RECOMMENDED WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS. ENSURE THAT ALL RESPONSIBLE FEDERAL, STATE, LOCAL AGENCIES RECEIVE PROPER NOTIFICATION OF SPILLS AND DISPOSAL METHODS.

PRODUCT CODE: 1343

SECTION VIII SPECIAL PROTECTION DATA

\_\_\_\_\_\_

RESPIRATORY PROTECTION : NIOSH-APPROVED DUST MASK, RESPIRATOR EQUIPPED

WITH ORGANIC VAPOR/MIST CARTRIDGES.

EYE PROTECTION : SAFETY GOGGLES.

PROTECTIVE CLOTHING : RUBBER GLOVES, FULL-LENGTH CLOTHING.

VENTILATION : LOCAL MECHANICAL EXHAUST

OTHER PROTECTIVE MEASURES: EYEWASH FOUNTAIN AND SAFETY SHOWER

SECTION IX SPECIAL PRECAUTION

HYGIENIC PRACTICES IN HANDLING STORING: WASH THOROUGHLY AFTER HANDLING. DO NOT

EAT, DRINK, SMOKE IN THE WORKING AREAS.

PRECAUTION TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL, DRY, VENTILATED AREAS, AWAY FROM OXIDIZERS, ACIDS.

DISPOSAL OF EMPTY CONTAINER: EMPTY CONTAINERS SHOULD BE TRIPLE RINSED WITH WATER AND DISPOSED OF PURSUANT TO LOCAL, STATE, AND FEDERAL REQUIREMENTS.

-----

## SECTION X USER'S RESPONSIBILITY

THE RESPONSIBILITY TO PROVIDE A SAFE WORKPLACE REMAINS WITH THE USER. THE USER SHOULD CONSIDER THE HEALTH HAZARD AND SAFETY INFORMATION CONTAINED HEREIN AS A GUIDE AND SHOULD TAKE THOSE PRECAUTIONS REQUIRED IN AN INDIVIDUAL OPERATION TO INSTRUCT EMPLOYEES AND DEVELOP WORK PRACTICE PROCEDURES FOR A SAFE WORK ENVIRONMENT.

-----

THE INFORMATION CONTAINED HEREIN, TO THE BEST OF OUR KNOWLEDGE AND BELIEF, IS ACCURATE. HOWEVER, SINCE THE CONDITIONS OF HANDLING AND USE ARE BEYOND OUR CONTROL, WE MAKE NO GUARANTEE OF RESULTS, AND ASSUME NO LIABILITY FOR DAMAGES INCURRED BY USE OF THIS MATERIAL. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

REVISION

10/27/93 REVISED DOT CLASSIFICATION, HAZARDOUS INGREDIENTS, FIRST AIDS,

SPILL PROCEDURES, DISPOSAL PRECAUTION.

06/01/94 REVISED EMERGENCY PHONE NUMBER

06/29/00 REVISED HAZARD RATING