

SECTION 1: IDENTIFICATION

1.1 Product identifier: KL-SCHSOALM - KleenLine Essentials White Almond Hand Soap

Other means of identification:

ITEM No. (GAL.): KL-SCHSOALM
ITEM No. (55 GAL.): KL-SCHSOALM55

1.2 Recommended use of the chemical and restrictions on use:

Relevant uses (Consumer use):

- Hand cleaner

Relevant uses (Professional users):

- Hand cleaner

Relevant uses (Consumer use):

Hand Soap

Relevant uses (Professional use):

Hand Soap

Uses advised against:

- All uses not specified in this section or in section 7.3

1.3 Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party:

BradyPLUS
7055 Lindell Road
89118 Las Vegas - NV - United States
Phone: (877) 788-PLUS
BradyPLUS.com

1.4 Emergency phone number: CHEMTREC: 01-800-424-9300

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture:

29 CFR 1910.1200:

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

2.2 Label elements:

29 CFR 1910.1200:

None

Additional labeling:

Keep out of the reach of children

2.3 Hazards not otherwise classified (HNOC):

Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

3.2 Mixtures:

Chemical description: Aqueous solution based on surfactants, perfume and colourant.

Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 7732-18-5	Water	75 - <100 %

- CONTINUED ON NEXT PAGE -

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Chemical name/Classification	Concentration
CAS: 7647-14-5	Sodium chloride	1 - <2.5 %
CAS: 61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts Eye Dam. 1: H318 - Danger 	<1 %
CAS: 504-63-2	Propane-1,3-diol	<1 %
CAS: 32612-48-9	Ammonium Laureth Sulfate Eye Irrit. 2A: H319; Skin Irrit. 2: H315 - Warning 	<1 %
CAS: 2235-54-3	Ammonium dodecyl sulphate Acute Tox. 4: H302; Eye Irrit. 2A: H319 - Warning 	<1 %
CAS: 27323-41-7	Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) Eye Irrit. 2A: H319; Skin Irrit. 2: H315 - Warning 	<1 %
CAS: 56-81-5	Glycerol	<1 %
CAS: 68140-00-1	Coconut monoethanolamide Eye Dam. 1: H318 - Danger 	<1 %
CAS: Non-applicable	Fragrance	<1 %
CAS: 68240-06-2	Acrylate/styrene copolymer Comb. Dust: CD	<1 %
CAS: 7786-30-3	Magnesium chloride	<1 %
CAS: 1306-06-5	Hydroxylapatite (Ca5(OH)(PO4)3)	<1 %
CAS: 1344-00-9	Silicic acid, aluminum sodium salt	<1 %
CAS: 1344-95-2	Silicic acid, calcium salt	<1 %
CAS: 26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one Acute Tox. 3: H301+H331; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1: H317; STOT SE 3: H335 - Danger  	<1 %
CAS: 2682-20-4	2-methylisothiazol-3(2H)-one Acute Tox. 2: H330; Acute Tox. 3: H301+H311; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger  	<1 %
CAS: 13601-19-9	Tetrasodium hexacyanoferrate	<1 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST-AID MEASURES
4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this SDS.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

- CONTINUED ON NEXT PAGE -

SECTION 4: FIRST-AID MEASURES (continued)

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable

SECTION 5: FIRE-FIGHTING MEASURES**5.1 Suitable (and unsuitable) extinguishing media:****Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilled product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportable quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

- CONTINUED ON NEXT PAGE -

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

- Minimum Temp.: 41 °F
- Maximum Temp.: 86 °F
- Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):

Identification		Occupational exposure limits	
Glycerol	8-hour TWA PEL		5 mg/m ³
CAS: 56-81-5	Ceiling Values - TWA PEL		
Silicic acid, calcium salt	8-hour TWA PEL		5 mg/m ³
CAS: 1344-95-2	Ceiling Values - TWA PEL		

US. ACGIH Threshold Limit Values (2022):

Identification		Occupational exposure limits	
Glycerol	TLV-TWA		10 mg/m ³
CAS: 56-81-5	TLV-STEL		
Tetrasodium hexacyanoferrate	TLV-TWA		1 mg/m ³
CAS: 13601-19-9	TLV-STEL		2 mg/m ³

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

Identification		Occupational exposure limits	
Silicic acid, aluminum sodium salt	PEL		2 mg/m ³
CAS: 1344-00-9	STEL		
Tetrasodium hexacyanoferrate	PEL		1 mg/m ³
CAS: 13601-19-9	STEL		

- CONTINUED ON NEXT PAGE -

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Non-applicable

E.- Bodily protection

Non-applicable

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

It is not necessary to take additional emergency measures.

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

40 CFR Part 59 (VOC):

V.O.C.(weight-percent):	0.63 % weight
V.O.C. at 68 °F:	157.5 kg/m ³ (157.5 g/L)

California Air Resources Board (CARB) - VOC Regulatory:

V.O.C.(weight-percent):	0.63 % weight
V.O.C. at 68 °F:	157.5 kg/m ³ (157.5 g/L)

South Coast Air Quality Management District (AQMD) - VOC Regulatory:

V.O.C.(weight-percent):	0.63 % weight
V.O.C. at 68 °F:	157.5 kg/m ³ (157.5 g/L)

Ozone Transport Commission (OTC) Rules - VOC Regulatory:

V.O.C.(weight-percent):	0.63 % weight
V.O.C. at 68 °F:	157.5 kg/m ³ (157.5 g/L)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 68 °F:	Liquid
Appearance:	Opaque
Color:	<input type="checkbox"/> White
Odor:	Pleasant
Odour threshold:	Non-applicable *

*Non-applicable due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)
Volatility:

Boiling point at atmospheric pressure:	214 °F
Vapour pressure at 68 °F:	2345 Pa
Vapour pressure at 122 °F:	12356.6 Pa (12.36 kPa)
Evaporation rate at 68 °F:	Non-applicable *

Product description:

Density at 68 °F:	1040.4 kg/m ³
Relative density at 68 °F:	1.04
Dynamic viscosity at 68 °F:	Non-applicable *
Kinematic viscosity at 68 °F:	≈300 - 350 mm ² /s
Kinematic viscosity at 104 °F:	Non-applicable *
Concentration:	Non-applicable *
pH:	6.5 - 7.5
Vapour density at 68 °F:	Non-applicable *
Partition coefficient n-octanol/water 68 °F:	Non-applicable *
Solubility in water at 68 °F:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *

Flammability:

Flash Point:	Non Flammable (>199.4 °F)
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	648 °F
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

Particle characteristics:

Median equivalent diameter:	Non-applicable *
-----------------------------	------------------

9.2 Other information:
Information with regard to physical hazard classes:

Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Corrosive to metals:	Non-applicable *
Heat of combustion:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components:	Non-applicable *

Other safety characteristics:

Surface tension at 68 °F:	Non-applicable *
Refraction index:	Non-applicable *

*Non-applicable due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY
10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

- CONTINUED ON NEXT PAGE -

SECTION 10: STABILITY AND REACTIVITY (continued)
10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION
11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- CONTINUED ON NEXT PAGE -

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity	Genus	
Sodium chloride CAS: 7647-14-5	LD50 oral	3000 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation dust		
Propane-1,3-diol CAS: 504-63-2	LD50 oral	10500 mg/kg	Rat
	LD50 dermal	4200 mg/kg	Rat
	LC50 inhalation		
	LC50 inhalation vapour		
Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) CAS: 27323-41-7	LD50 oral	2320 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation vapour		
Glycerol CAS: 56-81-5	LD50 oral	27200 mg/kg	Rat
	LD50 dermal	56750 mg/kg	Guinean pig
	LC50 inhalation		
	LC50 inhalation vapour		
Coconut monoethanolamide CAS: 68140-00-1	LD50 oral	3300 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation dust		
Magnesium chloride CAS: 7786-30-3	LD50 oral	2800 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation dust		
5-chloro-2-methyl-2H-isothiazol-3-one CAS: 26172-55-4	LD50 oral	100 mg/kg	
	LD50 dermal		
	LC50 inhalation dust	0.5 mg/L	
2-methylisothiazol-3(2H)-one CAS: 2682-20-4	LD50 oral	>120 mg/kg	Rat
	LD50 dermal	>242 mg/kg	Rat
	LC50 inhalation		
	LC50 inhalation vapour		
Tetrasodium hexacyanoferrate CAS: 13601-19-9	LD50 oral	>5110 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation dust		

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

- CONTINUED ON NEXT PAGE -

SECTION 12: ECOLOGICAL INFORMATION (continued)

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

Identification	Concentration	Species	Genus
Sodium chloride CAS: 7647-14-5	LC50 9675 mg/L (96 h)	Lepomis macrochirus	Fish
	EC50 3412 mg/L (24 h)	Daphnia magna	Crustacean
	EC50 Non-applicable		
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts CAS: 61789-40-0	LC50 >10 - 100 mg/L (96 h)		Fish
	EC50 >10 - 100 mg/L (48 h)		Crustacean
	EC50 >10 - 100 mg/L (72 h)		Algae
Propane-1,3-diol CAS: 504-63-2	LC50 9720 mg/L (96 h)	Pimephales promelas	Fish
	EC50 Non-applicable		
	EC50 Non-applicable		
Coconut monoethanolamide CAS: 68140-00-1	LC50 28.5 mg/L (96 h)	Brachydanio rerio	Fish
	EC50 Non-applicable		
	EC50 1.1 mg/L (96 h)	Scenedesmus subspicatus	Algae
Magnesium chloride CAS: 7786-30-3	LC50 16500 mg/L (96 h)	Gambusia affinis	Fish
	EC50 1400 mg/L (24 h)	Daphnia magna	Crustacean
	EC50 2200 mg/L (72 h)	Scenedesmus subspicatus	Algae
5-chloro-2-methyl-2H-isothiazol-3-one CAS: 26172-55-4	LC50 1.6 mg/L (96 h)	Oncorhynchus mykiss	Fish
	EC50 4.71 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 Non-applicable		
2-methylisothiazol-3(2H)-one CAS: 2682-20-4	LC50 4.77 mg/L (96 h)	Oncorhynchus mykiss	Fish
	EC50 0.934 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 Non-applicable		
Tetrasodium hexacyanoferrate CAS: 13601-19-9	LC50 >100 mg/L (96 h)	Cyprinus carpio	Fish
	EC50 >100 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 Non-applicable		

Chronic toxicity:

Identification	Concentration	Species	Genus
Sodium chloride CAS: 7647-14-5	NOEC 252 mg/L	Pimephales promelas	Fish
	NOEC 314 mg/L	Daphnia pulex	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability	Biodegradability
Glycerol CAS: 56-81-5	BOD5 Non-applicable	Concentration 100 mg/L
	COD Non-applicable	Period 14 days
	BOD5/COD Non-applicable	% Biodegradable 63 %
5-chloro-2-methyl-2H-isothiazol-3-one CAS: 26172-55-4	BOD5 Non-applicable	Concentration 100 mg/L
	COD Non-applicable	Period 28 days
	BOD5/COD Non-applicable	% Biodegradable 0 %
2-methylisothiazol-3(2H)-one CAS: 2682-20-4	BOD5 Non-applicable	Concentration 10 mg/L
	COD Non-applicable	Period 28 days
	BOD5/COD Non-applicable	% Biodegradable 55.8 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential
Glycerol CAS: 56-81-5	BCF 3
	Pow Log -1.76
	Potential Low

- CONTINUED ON NEXT PAGE -

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential	
5-chloro-2-methyl-2H-isothiazol-3-one CAS: 26172-55-4	BCF	
	Pow Log	-0.71
	Potential	
2-methylisothiazol-3(2H)-one CAS: 2682-20-4	BCF	
	Pow Log	-0.49
	Potential	

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Propane-1,3-diol CAS: 504-63-2	Koc	Non-applicable	Henry	Non-applicable
	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	4.743E-2 N/m (77 °F)	Moist soil	Non-applicable
Glycerol CAS: 56-81-5	Koc	Non-applicable	Henry	Non-applicable
	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	6.516E-2 N/m (77 °F)	Moist soil	Non-applicable
2-methylisothiazol-3(2H)-one CAS: 2682-20-4	Koc	Non-applicable	Henry	0E+0 Pa·m ³ /mol
	Conclusion	Non-applicable	Dry soil	Non-applicable
	Surface tension	Non-applicable	Moist soil	Non-applicable

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Wastes generated by normal household activities (e.g., routine house and yard maintenance) are excluded from the definition of hazardous waste (Title 40 of the Code of Federal Regulations Part 261.4)

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

SECTION 15: REGULATORY INFORMATION (continued)

- CALIFORNIA LABOR CODE - The Hazardous Substances List: *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *Silicic acid, aluminum sodium salt (1344-00-9)*
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: Non-applicable
- CANADA-Domestic Substances List (DSL): *Water (7732-18-5)*; *Sodium chloride (7647-14-5)*; *1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)*; *Propane-1,3-diol (504-63-2)*; *Ammonium Laureth Sulfate (32612-48-9)*; *Ammonium dodecyl sulphate (2235-54-3)*; *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *Glycerol (56-81-5)*; *Coconut monoethanolamide (68140-00-1)*; *Acrylate/styrene copolymer (68240-06-2)*; *Magnesium chloride (7786-30-3)*; *Hydroxylapatite (Ca5(OH)(PO4)3) (1306-06-5)*; *Silicic acid, aluminum sodium salt (1344-00-9)*; *Silicic acid, calcium salt (1344-95-2)*; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)*; *2-methylisothiazol-3(2H)-one (2682-20-4)*; *Tetrasodium hexacyanoferrate (13601-19-9)*
- CANADA-Non-Domestic Substances List (NDSL): Non-applicable
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)* - 1000 lb
- Hazardous Air Pollutants (Clean Air Act): Non-applicable
- Massachusetts RTK - Substance List: *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *Glycerol (56-81-5)*; *Silicic acid, calcium salt (1344-95-2)*
- Minnesota - Hazardous substances ERTK: *Glycerol (56-81-5)*; *Silicic acid, aluminum sodium salt (1344-00-9)*; *Silicic acid, calcium salt (1344-95-2)*; *Tetrasodium hexacyanoferrate (13601-19-9)*
- New Jersey Worker and Community Right-to-Know Act: *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *Glycerol (56-81-5)*; *Silicic acid, calcium salt (1344-95-2)*
- New York RTK - Substance list: *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*
- NTP (National Toxicology Program): Non-applicable
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable
- Pennsylvania Worker and Community Right-to-Know Law: *Glycerol (56-81-5)*; *Silicic acid, aluminum sodium salt (1344-00-9)*; *Silicic acid, calcium salt (1344-95-2)*; *Tetrasodium hexacyanoferrate (13601-19-9)*
- Protective Action Criteria (PAC) with AEGLs, ERPGs, & TEELs: *Propane-1,3-diol (504-63-2)*; *Glycerol (56-81-5)*; *Magnesium chloride (7786-30-3)*; *Hydroxylapatite (Ca5(OH)(PO4)3) (1306-06-5)*; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)*; *Tetrasodium hexacyanoferrate (13601-19-9)*
- Rhode Island - Hazardous substances RTK: *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*
- SB-258 Cleaning Product Right to Know Act : Non-applicable
- The Toxic Substances Control Act (TSCA) : *Water (7732-18-5)*; *Sodium chloride (7647-14-5)*; *1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)*; *Propane-1,3-diol (504-63-2)*; *Ammonium Laureth Sulfate (32612-48-9)*; *Dodecylbenzenesulphonic acid, compound with 2,2',2''-nitrilotriethanol (1:1) (27323-41-7)*; *Glycerol (56-81-5)*; *Coconut monoethanolamide (68140-00-1)*; *Acrylate/styrene copolymer (68240-06-2)*; *Magnesium chloride (7786-30-3)*; *Hydroxylapatite (Ca5(OH)(PO4)3) (1306-06-5)*; *Silicic acid, aluminum sodium salt (1344-00-9)*; *Silicic acid, calcium salt (1344-95-2)*; *5-chloro-2-methyl-2H-isothiazol-3-one (26172-55-4)*; *2-methylisothiazol-3(2H)-one (2682-20-4)*; *Tetrasodium hexacyanoferrate (13601-19-9)*
- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION
Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

29 CFR 1910.1200:

- CONTINUED ON NEXT PAGE -

SECTION 16: OTHER INFORMATION (continued)

Acute Tox. 2: H330 - Fatal if inhaled.
Acute Tox. 3: H301+H311 - Toxic if swallowed or in contact with skin.
Acute Tox. 3: H301+H331 - Toxic if swallowed or if inhaled.
Acute Tox. 4: H302 - Harmful if swallowed.
Comb. Dust: CD - May form combustible dust concentrations in air
Eye Dam. 1: H318 - Causes serious eye damage.
Eye Irrit. 2A: H319 - Causes serious eye irritation.
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Sens. 1A: H317 - May cause an allergic skin reaction.
STOT SE 3: H335 - May cause respiratory irritation.

Advice related to training:

According to 29 CFR 1910.1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5-day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
CL50: Lethal Concentration 50
EC50: Effective concentration 50
Log-POW: Octanol-water partition coefficient
Koc: Partition coefficient of organic carbon
IARC: International Agency for Research on Cancer

NFPA:

Health Hazards: 0
Flammability Hazards: 0
Instability Hazards: 0
Special Hazards: Non-applicable



Date of compilation: 6/9/2025

Information in this Safety Data Sheet (SDS) is based on sources other than direct test data and is given in good faith. No warranty is expressed or implied. We believe that the information is current as of the date of this SDS. The use of this information, the conditions, the methods of handling, storage, use and disposal of the product are not within the control of the manufacturer and distributor, therefore it is the user's responsibility and obligation to determine the conditions of the safe use of this product and to ensure that its activities comply with all laws and regulations.

END OF SAFETY DATA SHEET