SensaMist WHITE TEA & THYME

Sensalviist vvriite tea a tritivie Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/02/2019 Version: 2.0

SECTION 1: Identific	ation	
1.1. Identification		
Product form	: Mix	ture
Product name	: Ser	nsaMist_WHITE TEA & THYME
CAS-No.	: MIX	(TURE
Product code	: SM·	-32-TEA-THYME
1.2. Recommended	use and restrictions on use	
No additional information av	vailable	
1.3. Supplier		
Vectair Systems Inc		
2095 Spicer Cove, Covingto	on Way Distribution Centre M	lemphis
TN 38134, USA		
Toll Free: 877-697-7276 (Ir	nternational) 1 901 373 7818	
1.4. Emergency telep	phone number	
Emergency number	: INF	OTRAC (US & Canada) 1-800-535-5053 (International) 1-352-323-3500
SECTION 2: Hazard(s) identification	
	the substance or mixture	
GHS-US classification		
Acute toxicity	H332	Harmful if inhaled
(inhalation:dust,mist)	11552	
Category 4		
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye	H318	Causes serious eye damage
irritation Category 1	1047	Management and all second and and all second and
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Full text of H statements : s	ee section 16	
	ante la challe a constitu	
	ents, including precautiona	ary statements
GHS US labeling	10)	
Hazard pictograms (GHS U	s) :	
Signal word (GHS US)	: Dan	nger
Hazard statements (GHS U	H31 H31	- F - Causes skin irritation 17 - May cause an allergic skin reaction 18 - Causes serious eye damage 32 - Harmful if inhaled

Precautionary statements (GHS US)

- Harmful if innaled
- : P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash hands, forearms and face thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 If on skin: Wash with plenty of water
- P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a poison center or doctor
 - P312 Call a poison center or doctor if you feel unwell
 - P321 Specific treatment (see supplemental first aid instruction on this label)
 - P332+P313 If skin irritation occurs: Get medical advice/attention.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P362+P364 Take off contaminated clothing and wash it before reuse.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
DPG - DIPROPYLENE GLYCOL	(CAS-No.) 25265-71-8	30 - 70	Acute Tox. 4 (Inhalation:dust,mist), H332
Linalool	(CAS-No.) 78-70-6	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
HEXYL CINNAMIC ALDEHYDE	(CAS-No.) 101-86-0	1 - 5	Skin Sens. 1B, H317
GERANIOL 950	(CAS-No.) 106-24-1	1 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
PEOMOSA	(CAS-No.) 19819-98-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
TIMBERSILK	(CAS-No.) 54464-57-2	1 - 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
BENZYL BENZOATE	(CAS-No.) 120-51-4	1 - 5	Acute Tox. 4 (Oral), H302
CITRAL EOA	(CAS-No.) 5392-40-5	0.5 - 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
d-Limonene	(CAS-No.) 5989-27-5	< 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor. Call a poison center/doctor/physician if you feel unwell.	
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately.	
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	s (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Immediate medical attention and spe	cial treatment, if necessary
Treat symptomatically.	

SECTIO	ON 5: Fire-fighting measures		
5.1.	Suitable (and unsuitable) extinguishi	ing media	
Suitable e	extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
04/16/2019)	EN (English US)	2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2.	Specific hazards arising from the c	hemical
No addi	tional information available	
5.3.	Special protective equipment and p	recautions for fire-fighters
Protectio	on during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECT	ON 6: Accidental release mea	sures
6.1.	Personal precautions, protective ed	uipment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerge	ncy procedures	: Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
Protectiv	/e equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid re	lease to the environment.	
6.3.	Methods and material for containm	ent and cleaning up
Methods	s for cleaning up	: Take up liquid spill into absorbent material.
Other in	formation	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furth	ner information refer to section 13.	
SECT	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Precauti	ons for safe handling	 Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene	measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includi	ng any incompatibilities
Storage	conditions	: Store in a well-ventilated place. Keep cool.
SECT	ON 8: Exposure controls/pers	onal protection
8.1.	Control parameters	
BENZ	YL BENZOATE (120-51-4)	
Not ap	plicable	
GERA	NIOL 950 (106-24-1)	
Not ap	plicable	
Linalo	ol (78-70-6)	

Not applicable			
DPG - DIPROPYLENE GLYC	OL (25265-71-8)		
Not applicable			
LINALYL ACETATE (115-95-	LINALYL ACETATE (115-95-7)		
Not applicable	Not applicable		
d-Limonene (5989-27-5)			
Not applicable			
CITRAL EOA (5392-40-5)			
ACGIH	Local name	Citral	
ACGIH	ACGIH TWA (ppm)	5 ppm (IFV - Inhalable fraction and vapor)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

CITRAL EOA (5392-40-5)		
ACGIH	Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018
HEXYL CINNAMIC ALDEHYDE (101-86-0)		
Not applicable		
PEOMOSA (19819-98-8)		
Not applicable		
TIMBERSILK (54464-57-2)		
Not applicable		

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand pr	otection:
---------	-----------

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and c	hemical properties	
Physical state	: Liquid	
Color	 Mixture contains one or more component(s) which have the following colour(s): Colourless to light yellow Colourless White Light yellow to colourless On exposure to air: yellow On exposure to light: yellow Colourless to yellow 	
Odor	 There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Pleasant odour Sweet odour Mild odour Fruity odour Floral odour Aromatic odour Irritating/pungent odour Strong odour Characteristic odour Almost odourless Alcohol odour Lemon odour Phenol odour 	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 98.9 °C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
04/16/2019	EN (English US) 4/10	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2.	Chemical stability		
Stable ι	Stable under normal conditions.		
10.3.	Possibility of hazardous reactions		
No dang	gerous reactions known under normal conditions of use.		
10.4.	Conditions to avoid		
None ur	nder recommended storage and handling conditions (see section 7).		

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Harmful if inhaled.
ATE US (dust, mist)	4.878 mg/l/4h
BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE US (oral)	1500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
GERANIOL 950 (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)
ATE US (oral)	3600 mg/kg body weight
Linalool (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
DPG - DIPROPYLENE GLYCOL (25265-71-8)	
LD50 oral rat	> 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 5010 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male / female, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	2.34 mg/l (Equivalent or similar to OECD 403, Rat, Male / female, Experimental value, Inhalation)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DPG - DIPROPYLENE GLYCOL (25265-71-8)	
ATE US (vapors)	2.34 mg/l/4h
ATE US (dust, mist)	2.34 mg/l/4h
d-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)
CITRAL EOA (5392-40-5)	
ATE US (dermal)	2250 mg/kg body weight
HEXYL CINNAMIC ALDEHYDE (101-86-0)	
ATE US (oral)	3100 mg/kg body weight
PEOMOSA (19819-98-8)	
ATE US (oral)	1609 mg/kg body weight
TIMBERSILK (54464-57-2)	·
LD50 oral rat	>= 5000 mg/kg
LD50 dermal rat	>= 5000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated xposure	: Not classified
Aspiration hazard	: Not classified
/iscosity, kinematic	: No data available

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
BENZYL BENZOATE (120-51-4)	
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
GERANIOL 950 (106-24-1)	
LC50 fish 1	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

GERANIOL 950 (106-24-1)	
ErC50 (algae)	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
DPG - DIPROPYLENE GLYCOL (25265-71-8)	
LC50 fish 1	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)
LC50 other aquatic organisms 1	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)
EC50 Daphnia 1	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
LINALYL ACETATE (115-95-7)	
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
d-Limonene (5989-27-5)	
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

TIMBERSILK (54464-57-2)	
LC50 fish 1	≈ 1.3 mg/l Bluegill Sunfish
EC50 Daphnia 1	≈ 1.38 mg/l Water Flea
ErC50 (algae)	≈ 2.6 mg/l Green Algae

12.2. Persistence and degradability

BENZYL BENZOATE (120-51-4)		
Persistence and degradability	Readily biodegradable in water.	
GERANIOL 950 (106-24-1)		
Persistence and degradability	Readily biodegradable in water.	
Linalool (78-70-6)		
Persistence and degradability	Readily biodegradable in water.	
DPG - DIPROPYLENE GLYCOL (25265-71-8)		
Persistence and degradability	Readily biodegradable in water.	
LINALYL ACETATE (115-95-7)		
Persistence and degradability	Readily biodegradable in water.	
d-Limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O ₂ /g substance	

12.3. Bioaccumulative potential

BENZYL BENZOATE (120-51-4)	
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)
Log Pow	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
GERANIOL 950 (106-24-1)	
Log Pow	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 $^{\circ}$ C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)		
Log Pow	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
DPG - DIPROPYLENE GLYCOL (25265-71-8)		
Log Pow	-0.462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)	
Bioaccumulative potential	Bioaccumulation: not applicable.	
LINALYL ACETATE (115-95-7)		
Log Pow	3.93 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
d-Limonene (5989-27-5)		
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)	
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).	

12.4. Mobility in soil

BENZYL BENZOATE (120-51-4)	BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)	
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)	
Ecology - soil	Low potential for mobility in soil.	
GERANIOL 950 (106-24-1)		
Log Koc	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Highly mobile in soil.	
Linalool (78-70-6)		
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)	
Ecology - soil	No (test)data on mobility of the substance available.	
DPG - DIPROPYLENE GLYCOL (25265-71-8)		
Surface tension	71.4 mN/m (22 °C, 1.01 g/l)	
Log Koc	0.78 (log Koc, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	
LINALYL ACETATE (115-95-7)		
Ecology - soil	Adsorbs into the soil.	
d-Limonene (5989-27-5)		
Ecology - soil	Adsorbs into the soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations 13.1. Disposal methods Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

BENZYL BENZOATE (120-51-4)
Listed on the Canadian DSL (Domestic Substances List)
GERANIOL 950 (106-24-1)
Listed on the Canadian DSL (Domestic Substances List)
Linalool (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
DPG - DIPROPYLENE GLYCOL (25265-71-8)
Listed on the Canadian DSL (Domestic Substances List)
LINALYL ACETATE (115-95-7)
Listed on the Canadian DSL (Domestic Substances List)
d-Limonene (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)
CITRAL EOA (5392-40-5)
CITRAL EOA (5392-40-5)
CITRAL EOA (5392-40-5) Listed on the Canadian DSL (Domestic Substances List)
CITRAL EOA (5392-40-5) Listed on the Canadian DSL (Domestic Substances List) HEXYL CINNAMIC ALDEHYDE (101-86-0)
CITRAL EOA (5392-40-5) Listed on the Canadian DSL (Domestic Substances List) HEXYL CINNAMIC ALDEHYDE (101-86-0) Listed on the Canadian DSL (Domestic Substances List)
CITRAL EOA (5392-40-5) Listed on the Canadian DSL (Domestic Substances List) HEXYL CINNAMIC ALDEHYDE (101-86-0) Listed on the Canadian DSL (Domestic Substances List) PEOMOSA (19819-98-8)
CITRAL EOA (5392-40-5) Listed on the Canadian DSL (Domestic Substances List) HEXYL CINNAMIC ALDEHYDE (101-86-0) Listed on the Canadian DSL (Domestic Substances List) PEOMOSA (19819-98-8) Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

WARNING:

This product can expose you to Myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.