MATERIAL SAFETY DATA SHEET

ULTREX PBB BLEND

Page 1 of 4 Revised 2/02/04 Replaces 8/12/03

Replaces 8/12/03 Printed 2/03/04

MSDS ID: ULTREX PBB B

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ULTREX PBB BLEND

Product Discriptor: Water Treatment MANUFACTURER: JOHNSONDIVERSEY, INC.

3630 E. KEMPER ROAD CINCINNATI, OH. 45241

EMERGENCY PHONE NUMBER: (800)851-7145

Component Name CAS Number % Exposure Limits Units ULTREX PBB BLEND >30% None established

III. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CAUTION-Contains cleaning agents that cause eye irritation. May be harmful if swallowed. Avoid contact with eyes or clothing. Prolonged contact with undiluted product may cause skin irritation. Wear eye and skin protection when handling. Contain spills and runoff which may harm the environment. POSSIBLE ROUTES OF ENTRY: Ingestion and Inhalation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE: EYES: Severe irritation with redness, pain and swelling. SKIN: Irritation with dryness or itching may develop with pain and redness. INGESTION: If swallowed, gastric distress, diarrhea, nausea and vomiting may occur. INHALATION: Dust, spray or mists

may cause burns or irritation.

CHRONIC: Same as Acute Effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis and sensitive skin.

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes and skin.

IV. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for 15 minutes. Get

medical attention.

SKIN: Flush skin with plenty of water. Remove and launder contaminated

clothing before reuse. Get medical attention for irritation or

injury.

INGESTION: Do not take internally. If swallowed, drink several glasses of

water. Do not induce vomiting. Contact a physician or poison

control center.

INHALATION: Remove to fresh air. If breathing difficulties arise, get medical

attention.

MATERIAL SAFETY DATA SHEET

ULTREX PBB BLEND

2 of 4 Page Revised 2/02/04 Replaces 8/12/03

2/03/04 Printed

MSDS ID: ULTREX PBB B

V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F):N/A LEL:N/A UEL:N/A UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Toxic fumes or vapor may form during fire.

EXTINGUISHING MEDIA: Water spray, CO2, foam or dry powder. FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure breathing apparatus (SCBA) in fire area.

SPECIAL INSTRUCTIONS: Contain runoff. Prevent from entering sewer or storm drain.

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED:

Flush small amounts to drain. Collect and return large amounts to container. This product does not contain a reportable quantity (RQ) under CERCLA.

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry area. Keep from freezing. If frozen, warm to thaw and mix for use. Keep container closed when not in use. Wear protective gear when handling or using. Do not pressurize container to empty.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses with side shields. Eye wash in use area if contact or splash hazard exists.

PROTECTIVE GLOVES: Alkali resistant.

RESPIRATORY PROTECTION: Not normally required.

OTHER PROTECTIVE CLOTHING/EQUIPMENT: Not normally required.

ENGINEERING CONTROLS:

MECHANICAL VENTILATION: Normal room ventilation should be sufficient to

control airborne levels.

LOCAL VENTILATION: Not usually required.

IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Light straw-colored liquid with mild organic odor.

BOILING POINT (DEG F): 212

VAPOR PRESSURE(mmHg): 17.5 at 20 C

pH: 10.63

VAPOR DENSITY: >AIR pH 1% SOLUTION: 10.47

VOLATILE BY VOLUME: <92

WEIGHT % SOLIDS: 8.5

FREEZING POINT:

SOLUBILITY IN WATER: Soluble

SPECIFIC GRAVITY/BULK DENSITY: 1.05

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable. If frozen, thaw and mix. INCOMPATIBILITY WITH OTHER MATERIALS: Strong acids, strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion forms oxides of carbon and nitrogen.

MATERIAL SAFETY DATA SHEET

ULTREX PBB BLEND

Page 3 of 4
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

MSDS ID: ULTREX PBB B

X. STABILITY AND REACTIVITY (Cont.)

HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

No data available. TOXICITY TEST DATA: No data available.

XII. ECOLOGICAL INFORMATION

ECOTOXICITY DATA: No data available.

ECOTOXICITY TEST DATA: No data available. ENVIRONMENTAL FATE: No data available.

XIII. DISPOSAL CONSIDERATIONS

RCRA CLASS: Not Regulated.

DISPOSAL: Dispose of in accordance with federal, state and local

regulations.

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping

information.

XV. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:

TSCA: All ingredients in this product are on TSCA inventory.

HAPS: Contains no hazardous air pollutants.

VOC CONTENT (PER 40 CFR PART 59): % VOC: 4.2 Lb/Gal VOC: 0.37

CERCLA/EPCRA:

SECTION 313 TOXIC CHEMICALS: None

SARA SECTION 311/312:

ACUTE: YES CHRONIC: NO FIRE: NO REACTIVITY: NO

SUDDEN RELEASE OF PRESSURE: NO

LISTED CARCINOGEN: None

NTP: No IARC: No OSHA: No

HMIS RATING: HEALTH: 2 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 1 FIRE: 0 REACTIVITY: 0 SPECIAL:

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

SODIUM POLYACRYLATE - CAS #9003-04-7

HYDROXY ALKYL DIPHOSPHONATE TETRA

SODIUM SALT - CAS #3794-83-0

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

MATERIAL SAFETY DATA SHEET
Page 4 of 4
Revised 2/02/04
Replaces 8/12/03
Printed 2/03/04

MSDS ID: ULTREX PBB B

ULTREX PBB BLEND

XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the applicability of this information for their particular conditions of storage, handling, and use.