B0695-05

basic

Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 1910.1200, Canadian WHMIS, and ANSI.

Class D-2B: Material causing other toxic effects (TOXIC), WHMIS Class B-3: Combustible liquid with a flash point between 37.8°C (180°F) and 93.3°C (200°F).

HCS Class: Combustible liquid having a flash point between 37.8°C (100°F) and 93.3°C (200°F). HCS Class: Irritating substance.

WHMIS (Pictograms)

WHMIS (Classification)

HCS

WHIMIS (FICEOGER			nes
Spotlon 1. Che	amical Product and Company Identification	179	WHAT I
Product Name/ Trade name	Squeaky Cleaner	Code	B1126
Synonym	Not available.	CAS#	Mixture.
Chemical Family	Cleaner.	Validation Dat	e 10/16/2008
Chemical Formula	Not applicable.	Print Date	10/16/2008
Manufacturer/ Supplier	Basic Coatings 1001 Brown Avenue Toledo, Ohio (800) 247-5471	In Case of Ch Emergeacy	HEMTREC (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS	Pr	otective Clothing

Name	CAS#	% by Weight	Exposure Limits	LCs ₉ /LD ₅₀
Water Propylene Glycol Monomethyl Ether	7732-18-5 >90 107-98-2 1 - 5	I .	Not available. ACGIH TLV (United States). TWA: 100 ppm 8 hour(s). STEL: 150 ppm 15 minute(s).	Not available. ORAL (LD50): Acute: 6.6 mg/kg (Rai].
Isopropyl Alcohol	67-63-0	1 - 5	OSHA (United States). TWA: 400 ppm	ORAL (LD50): Acute: 16971 mg/kg [Rat].
Cocamide Surfactant	70851-08-0	1 - 5	Not available.	Not available.

Potential Acute Health Effects	Hazardous in case of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (irritant). Non-corrosive for skin. Irritating to mouth, throat and stomach.
Potential Chronic Health Effects	May aggravate existing respiratory conditions. May aggravate existing skin conditions. Repeated skin exposure can produce local skin destruction, or dermatitis.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures		
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.	
Skin Contact	Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Ingestion	Contact a poison control center Immediately for treatment adivce. Do not induce vomiting unless instructed to do so be poison control center or doctor. Take small sips of water if able to swallow. Do not give anything to by mouth to an unconscious person.	

Section 5. Fire Fighting Measures		
Products of Combustion	Not available.	
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam, water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.	
Special Remarks on Fire Hazards	COMBUSTIBLE.	
Special Remarks on Explosion Hazards	No additional remark.	

Section 6. Accidental Release Measures			
Small Spill and Leak	Dilute with water and mop up, or absorb with an inert dry material and place in an appropria waste disposal container.		
Large Splil and Leak	Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Abso with DRY earth, sand or other non-combustible material. Prevent entry into sewer basements or confined areas; dike if needed.		
Personal Protection in Case of a Large Spill	Splash goggles. Boots. Gloves. Light protective clothing. Wear appropriate respirator when ventilation is inadequate.		

Section 7, Handling and Storage		
Precautions	Keep away from heat. Keep away from sources of ignition. Do not breathe gas/fumes/vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. If Ingested, seek medical advice immediately and show the container or the label.	
Incompatibility	Reactive with reducing agents, acids, alkalis.	
Storage	Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Do not store above 48.889°C (120°F). S2- Keep cut of the reach of children.	

Section 8. Exposure Controls/Personal Protection		
Engineering Controls	Good general ventilation should be sufficient to control airborne levels.	
Personal Protection Eyes	Safety glasses.	
Body	No special protective clothing is required.	
Respiratory	A respirator is not needed under normal and intended conditions of product use. Wear appropriate respirator when ventilation is inadequate. Be sure to use an approved/certified respirator or equivalent.	
Hands	Gloves.	



Exposure Limits

See Section 2 For Applicable Exposure Limits


Section 9. Physic	al and Chemical Properties			
Physical State and Appearance	Liquid.	Odor	Alcohol like.	
Molecular Weight	Not applicable.	Taste	Not available.	
рН	7 to 9 [Basic.]	Color	Blue.	
Boiling/Condensation Point	81.667 to 125°C (179 to 257°F)			
Melting/Freezing Point	May start to solidify at 0°C (32°F) based o	n data for: V	Vater.	
Critical Temperature	Not available.			
Instability Temperature	Not available.			
Specific Gravity	0.99 (Water = 1)	0.99 (Water = 1)		
Vapor Pressure	Not available.			
Vapor Density	Not available.			
Volatility	>90%			
voc	4%			
Evaporation Rate	<1 compared to Butyl acetate.			
Dispersion Properties	See solubility in water, methanol, acetone.			
Solubility	Easily soluble in methanol, acetone. Soluble in cold water, hot water.			
The Product is:	COMBUSTIBLE.			
Auto-ignition Temperature	Not available.			
Flash Points	Closed cup; 80°C (140°F) (Tagliabue.) Does not sustain combustion.			
Flammable Limits	Not available.			
Fire Hazards in Presence of Various Substances	COMBUSTIBLE.			
Explosion Hazards in Presence of Various Substances	Containers may explode when heated			

Section 10. Stability and Reactivity Data	
Stability	The product is stable.
Incompatibility with Various Substances	Reactive with reducing agents, acids, alkalis.
Hazardous Decomposition Not available. Products	

	cological Information	
Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion.	
Toxicity to Animals	Acute oral toxicity (LD50): 6.6 mg/kg [Rat]. (Propylene Glycol Monomethyl Ether).	
Acute Effects on Huma	ns	
E	yes Hazardous in case of eye contact (irritant).	
S	kin Sensitization of the product; Not available. Slightly hazardous in case of skin contact (irritant). Non-corrosive for skin. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.	
Inhalat	Inhalation Hazardous in case of inhalation. Irritating to mouth, throat and stomach. May cause, headache, dizziness, and nausea	
Ingest	on Hazardous in case of ingestion. Irritating to mouth, throat and stomach.	
Chronic Effects on Humans	May aggravate existing respiratory conditions. May aggravate existing skin conditions Repeated skin exposure can produce local skin destruction, or dermatitis.	
Special Remarks on Toxicity to Animals	Not available.	
Special Remarks on Not available. Chronic Effects on Humans		

Section 12. Ecological Information		
Ecotoxicity	Not available.	
BOD5 and COD	Not available.	
Products of Biodegradation	Not available.	
Toxicity of the Products of Biodegradation	f Not available.	
Special Remarks on the Products of Biodegradation	Not available.	

Section 13. Disposal Considerations			
Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations,		
Waste Stream	Not available.		



Maritime Transportation Not Regulated, Does not sustain combustion.

Special Provisions for Transport

Not available.

WHMIS (Classification)	Regulatory Information and Pictograms Class D-2B: Material causing other texic effects (TOXIC). WHMIS Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).		⊕ ⊕		
Regulatory Lists	No products were found.				
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).				
Other Classifications	HCS (U.S.A.)	HCS Class: Combustible liquid having a flash point between 37.6°C (100°F) and 93.3°C (200°F). HCS Class: Irritating substance.			
	USA Regulatory	ry			
	Lists				
i		SARA 311/312 MSDS distribution - che identification: Squeaky : Fire hazard, in	emical Inventory - hazard nmediate (Acute) Health Hazard		
		SARA 311/312 MSDS distribution - che identification: Squeaky: Fire hazard, in Not available.	emical Inventory - hazard nmediate (Acute) Health Hazard		
	Lists	identification: Squeaky : Fire hazard, Ir	emical inventory - hazard nmediate (Acute) Health Hazard		

Section 16. Other Information	
Validated by LMorsch on 10/16/2008.	Verified by LMorsch. Printed 10/16/2008.
Information Contact Basic Coatings 1001 Brown Avenue Toledo, Ohio (800) 247-5471	
HADBITY WHATSOFFER for the accuracy or completeness of the informa-	consibility of the user. All materials may present unknown burgeds and should be used with

Validated on 10/16/2008.	Squeaky Cleaner	Page: 5/5
· · · · · · · · · · · · · · · · · · ·		