



B1643-0512

Material Safety Data Sheet

This MSDS is prepared in accordance with US OSHA 1910.1200 Requirements, ANSI 16 Section Format Requirements, Canadian WHMIS requirements.

	Class D-2B: Material causing other toxic effects (TOXIC).	HCS Class: Irritating substance.
WHMIS (Pictograms)	WHMIS (Classification)	HCS
Section 1. Chemical Product and Company Identification		
Product Name/ Trade name	Hydroline Plus Satin	Code B0683
Synonym	Not available.	CAS # Mixture.
Chemical Family	Paint.	Validation Date 8/20/2008
Chemical Formula	Not applicable.	Print Date 8/20/2008
Manufacturer/ Supplier	Basic Coatings 1001 Brown Avenue Toledo, Ohio (800) 247-5471	In Case of Emergency CHEMTREC (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.	
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS	
		Protective Clothing 

Section 2. Composition and Information on Ingredients				
Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Urethane/Acrylic Dispersion	N/A	20 - 40	Not available.	Not available.
Acrylic Copolymer	NJTSR# 71-091799	20 - 40	Not available.	Not available.
N-Methyl-2-Pyrrolidone	872-50-4	5 - 10	Not available.	Not available.

Section 3. Hazards Identification	
Potential Acute Health Effects	Irritating to eyes and skin. Over exposure by Inhalation May cause headache, dizziness and nausea.
Potential Chronic Health Effects	May aggravate existing respiratory conditions.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures	
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Seek immediate medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

Products of Combustion Not available.

Fire Fighting Media and Instructions SMALL FIRE: Use DRY chemical powder.
LARGE FIRE: Use water, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards Not available.

Special Remarks on Explosion Hazards Not available.

Section 6. Accidental Release Measures

Small Spill and Leak Absorb with an inert material and place in an appropriate waste disposal container.

Large Spill and Leak Absorb with DRY earth, sand or other non-combustible material. Do not allow any potentially contaminated water including rain water, runoff from fire fighting or spills to enter any waterway, sewer or drain.

Personal Protection in Case of a Large Spill Splash goggles. Gloves. Light protective clothing. Boots. Wear appropriate respirator when ventilation is inadequate.

Section 7. Handling and Storage

Precautions Keep away from heat. Do not breathe gas/fumes/ vapor/spray. Do not ingest. If ingested, seek medical advice immediately and show the container or the label.

Incompatibility alkalis oxidizing agents

Storage Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8. Exposure Controls/Personal Protection

Engineering Controls Good general ventilation should be sufficient to control airborne levels.

Personal Protection

Eyes Safety glasses.

Body No special protective clothing is required.

Respiratory A respirator is not needed under normal and intended conditions of product use.

Hands Impervious gloves.

Protective Clothing (Pictograms)



Exposure Limits See Section 2 For Applicable Exposure Limits

Section 9. Physical and Chemical Properties

Physical State and Appearance Liquid.

Odor Characteristic.

Molecular Weight Not applicable.

Taste Not available.

pH Not available.

Color White.

Boiling/Condensation Point The lowest known value is 100°C (212°F) (Water).

Melting/Freezing Point May start to solidify at 0°C (32°F) based on data for: Water.

Critical Temperature Not available.

Instability Temperature Not available.

Specific Gravity 1.0272 (Water = 1)

Vapor Pressure	Not available.
Vapor Density	>1 (Air = 1)
Volatility	Not available.
VOC	271 (g/l).
Evaporation Rate	<1 compared to Butyl acetate.
Dispersion Properties	See solubility in water.
Solubility	Miscible in water.
The Product is:	May be combustible at high temperature.
Auto-ignition Temperature	Not available.
Flash Points	Closed cup: >176.67°C (350°F). (Setaflash.)
Flammable Limits	Not available.
Fire Hazards in Presence of Various Substances	Not available.
Explosion Hazards in Presence of Various Substances	Not available.

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	alkalis oxidizing agents
Hazardous Decomposition Products	Not available.

Section 11. Toxicological Information

Routes of Entry	Dermal contact. Eye contact. Inhalation. Ingestion.
Toxicity to Animals	LD50: Not available. LC50: Not available.
Acute Effects on Humans	<i>Eyes</i> Irritating to eyes. <i>Skin</i> Irritation of the product in case of skin contact: Not available. Sensitization of the product: Not available. <i>Inhalation</i> May cause, headache, dizziness, and nausea <i>Ingestion</i> nausea, Vomiting
Chronic Effects on Humans	May aggravate existing respiratory conditions.
Special Remarks on Toxicity to Animals	Not available.
Special Remarks on Chronic Effects on Humans	Not available.

Section 12. Ecological Information

Ecotoxicity Not available.

BOD5 and COD Not available.

Products of Biodegradation Not available.

Toxicity of the Products of Biodegradation Not available.

Special Remarks on the Products of Biodegradation Not available.

Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Not available.

Section 14. Transport InformationDOT (U.S.A)
(Pictograms)

TDG Classification - Not a TDG controlled material.



PIN UN, Proper Shipping Name, PG Not applicable.

Maritime Transportation Not available.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) Class D-2B: Material causing other toxic effects (TOXIC).



Regulatory Lists No products were found.

Other Regulations Not available. or of its ingredients

Other Classifications

HCS (U.S.A.)

HCS Class: Irritating substance.

USA Regulatory Lists

WARNING: This product contains chemical(s) known to the state of California to cause cancer, birth defects or other reproductive harm:

Benzene; Hydrazine; Ethylbenzene; N-Methyl-2-Pyrrolidone

WARNING: This product contains chemical(s) known to the state of California to cause birth defects or other reproductive harm.: N-Methyl-2-Pyrrolidone**WARNING:** This product contains chemical(s) known to the state of California to cause cancer.: Benzene; Ethylbenzene

Massachusetts RTK: Benzene

SARA 311/312 MSDS distribution - chemical inventory - hazard
Identification: N-Methyl-2-Pyrrolidone
SARA 313 toxic chemical notification and release reporting:
N-Methyl-2-Pyrrolidone 6.6%

DSD (EEC) This product is not classified according to the EU regulations.

**International
Regulations Lists** No products were found.

**Hazardous Material
Information System
(U.S.A.)**

Flammability	1
Physical Hazard	0

**National Fire
Protection
Association
(U.S.A.)**



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The **ENTIRE** MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product. **Specific Hazard**

Section 16. Other Information

Validated by LMorsch on 8/20/2008.

Verified by LMorsch.

Printed 8/20/2008.

Information Contact Basic Coatings
1001 Brown Avenue
Toledo, Ohio
(800) 247-5471

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 8/20/2008.

Hydrolne Plus Satin

Page: 5/5

Continued on Next Page