

## **Material Safety Data Sheet**

May be used to comply with OSHA'S Hazard Communication Standard 29 CFR 2910,1200. Standard must be consulted for specific requirements.

## U.S. DEPARTMENT OF LABOR

Occupational Safety and Health (Non-Mandatory Form) Form Approved OMB No. 1218-0072

Identity (As Used on Label and List) #672		· ·	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.					
Big D Water Soluble Deodorant, Sur Section I	iourst	no information i	s available, the space	must be market	i to matea	ie urat.		
Manufacturer's Name Big D Industries,	Inc.	Emergency Teleph	hone Number (800) :	535-5053	(800) 654	-4752		
Address (number, Street, City, State, and ZIP Code)				00) 654-4752	(405) 6	82-		
5620 S. W. 29th Street (73179)	2541			,				
P. O. Box 82219	Date Prepared	06-01-2002						
Oklahoma City, OK 73148	Signature of Prepa	Signature of Preparer (optional)						
Section II - HMIS Rating								
Health l Flamma	oility 2	Reactivity	0					
Section III - Hazardous Ingre-	lients/Identity In	formation			<u>.</u>			
Hazardous Components (Specific Chemica	Identity: Common Nan	ne(s)) OSHA PEL	ACGIH TLV	Other Lin	nits			
%(optional)								
		<u> </u>		Remnd.				
Isopropanol CAS #67-63-0		400 ppm	400 ppm	-				
Petroleum Distillate CAS #64741-65-7	100 ppm	100 ppm						
Octylphenoxy Polyethoxy Ethanol CAS #9	None	None						
Dipropylene Glycol Methyl Ether CAS #20	100 ppm	150 ppm						
Amyl Acetate CAS #123-92-2		100 ppm	100 ppm					
Section IV - Physical/Chemica	I Characteristics							
Boiling Point	N.D.	Specific Gravity (F	ecific Gravity (H <sub>2</sub> O = 1)		0.99			
Vapor Pressure (mm Hg.)	N/A	Melting Point	Melting Point		N/A			
Vapor Density (AIR = I)	0.98	Evaporation Rate			<u> </u>			
Solubility in Water: 100%		<u></u>						
	d with orange fragrance	, <u></u>						
Section V - Fire and Explosion	Hazard Data							
Flash Point (Method Used) N.D.		Flammable Limits	N/A		LEL	UEL.		
					N/A	N/A		
Extinguishing Media Carbon did	xide, dry foam, water sp	oray						
Special Fire Fighting Procedures	None							
Unusual Fire and Explosion Hazards	lone							
N/A = Not Applicable N/D = Not Determ	nined	Page 1 N/E	= Not					

Section VI - Reactivity Data										
Stability	Unstable		Conditions to Avoid:	None						
	Stable	Х								
Incompatibility (Materials to Avoid): Avoid contact with strong oxidizing agents such as nitric acid.										
Hazardous Decomposition or Byproducts: None										
Hazardous	May Occur		Conditions to Avoid: N	lone						
Polymerization	<u> </u>									
	Will Not Occur	X								
Section VII - Health Hazard Data										
Route(s) of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes										
Health Hazards (Acute and Chronic):										
Acute - Oral toxicity LD50 (Rats) - 15.2 g/kg.										
Chronic - Low order of toxicity; frequent or prolonged contact may irritate skin.										
Carcinogenicity: NTP? No 1ARC Monographs? No OSHA Regulated? No										
Signs and Symptoms of Exposure: None known										
Medical Conditions										
Generally Aggravated by Exposure: None known										
Emergency and First Aid Procedures: Eye contact: flush with large amounts of water. May cause corneal damage on prolonged contact. Seek medical										
attn.										
Ingestion: Do not give anything by mouth to an unconscious person. Seek Medical attn. Inhalation: remove person to fresh air. Seek medical										
attn.										
Section VIII - Precautions for Safe Handling and Use										
Steps to be Taken in Case Material is Released or Spilled:										
Absorb with inert absorbent material. Wash unrecoverable material down the drain with water.										
Waste Disposal Method:										
Incineration or landfill for absorbent material. Dispose in accordance with local, state, and federal regulations.										
Precautions to be Taken in Handling and Storing: Do not store near heat or open flame										
Other precautions: None										
Section IX - Control Measures										
Respiratory Protection (Specify Type): None required										
Ventilation			Local Exhaust	adequate	Special	N/A				
			Mechanical (General	) adequate	Other	N/A				
Protective Gloves: Rubber or plastic for prolonged contact										
	thing or Equipment: Eye									
Work/Hygienic Prac			s. Avoid skin/eye conta	nct.						
N/A = Not Applicable	N/D =	Not Determin	ed Page 2	N/E = Not Established		OSHA 174, Sept. 1985				