MSDS

4039 Material Safety Data Sheet

Conforms to ANSI Z-400.1-1993

Las Vegas, NV 89118 (800) 293-4698

Chemtel 24 Hour Emergency Response (800) 255-3924

1	Chemical	Product	and	Company	Identification

Product: Scale Remover Classification: Cleaner C00

2	Composition/Information	n on Hazardous Ingredients

Z Composition minor mation on riszardoss	ingredicina				
Material	CAS#	%	OSHA(PEL)	TLV(ppm)	Other
Phosphoric Acid	7664-38-2	<30	400 ppm	1 mg/m³	N/A
Ethylene Glycol*	107-21-1	<4	500 ppm	500 ppm	N/A

3 Hazards Identification

Emergency Overview: Irritant. Causes skin and severe eye irritation. Avoid contact with skin and eyes.

Contact with Eyes: Irritation and possible burns, depending on length of contact.

Contact with Skin: Prolonged or repeated contact may cause irritation and/or possible burns.

Skin Absorption: No data.

Ingestion Symptoms: Swallowing will irritate throat, esophagus and digestive tract. Product may cause burns to mucous

membranes of the mouth, throat, esophagus and stomach.

Inhalation Symptoms: Irritation or burns with extended contact. Breathing high concentrations of the vapor, mist or sprayed

compound may cause irritation.

Chronic Effects: Moderately toxic with ingestion or repeated inhalation.

It is important to determine whether exposure is to concentrated or dilute product. The information in this document is intended to deal with exposure to concentrated product. Generally, exposure to diluted product will result in substantially less risk of injury than described herein.

First Aid Measures

Eyes: If eyes are contacted, flush with water for 15 minutes. If irritation persists seek medical attention,

Skin: If skin is contacted, wash affected area with soap and water. If irritation persists, seek medical attention.

Inhalation: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult,

give oxygen and seek medical attention.

Ingestion: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute

remaining residue. Seek medical attention.

1/5/2010 0001 4039	Scale Remover Page 1 of 3

5 Fire Fighting Measures

Flash Point(F° TCC): >210°F

Flammable Limits: LEL No Data

UEL No Data

Auto Ignition Temperature: No Data

Extinguishing Media: Water Spray, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

6 Accidental Release Measures

Large Spills (55 gallons or more):

Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Small Spills:

Mop up spill and rinse area.

7 Handling and Storage

Handling: Keep out of reach of children. Follow appropriate hygiene practices.

Storage: Store in a cool, dry place.

8 Exposure Controls/Personal Protection

Ventilation and Engineering Controls:

Local exhaust

Respiratory Protection:

None

Protective Gloves:

Rubber Gloves

Eye Protection:

Chemical Splash Goggles

Other Protective Equipment:

Corrosive

1/5/2010	0001	4039	Scale Remover	Page 2	2 of	3
----------	------	------	---------------	--------	------	---

			· · · · · · · · · · · · · · · · · · ·		
9 Physical and Ch	emical Proper	ties			
Boiling Point(F°):	>212°F	Solubility in Water:	Complete	Odor:	Phosphoric
Specific Gravity:	1.14	Volatiles(% by Wt.):	70	pH:	1 - 2
Appearance:	Yellow	Vapor Density:	>1	VOC:	N/A
Evaporation Rate:	<1	Vapor Pressure:	<17 mm Hg	Freezing Point(F°):	<32°F
These p Typical v	hysical data ar alues should no	< means less than e typical values based on ma of be construed as a guarante	> means greater than sterial tested but may ve eed analysis of any spe	ary from sample to sar	mple. items.
10 Stability and Re	activity				
Stability: Stable	Co	nditions to Avoid: Extreme	Heat		
Materials to Avoid:	: Strong Oxidiz	zers			
Hazardous Decom	position Prod	lucts:			
Oxides of carbon,	nitrogen and pl	hosphors			
Hazardous Polymer Will Not Occur	rization:				
			· —		
11 Toxicological In No Toxicology Inform		hla			
12 Ecological Infor	· · · · · · · · · · · · · · · · · · ·				
No data available.	macon —				
13 Disposal Consid	laratione	······································			<u>-</u>
Waste Disposal Me					-
•		with federal, state and local i	regulations		
14 Transport Inform	nation		 		
HAZMAT: Yes	Hazard	Code: 1130	ID Number: UN1760	Hazard Class	: 8
Hazardous Divisio	on: Corrosive	liquid, n.o.s.	P	ackaging Group:	I
Hazardous Conten	ts: Phosphori	c acid			
15 Regulatory Infor	mation		· == :·		
Proposition 65: No	t Listed.				
* This product is so	ubject to the r	eporting requirements of S	ARA Title III.		
EPA: No					
16 Other Information	on		·		
HMIS/NFPA Hazard	Rating: H	ealth 2 Flammabili	ity 0 Reactivit	ty 0	
The information conta		based on the data available t curacy of this data or the res			
		y Industries, HQ			
or implied, is made re	stributor, Brad	y Industries, HQ			