

160-755

CD8500; CLO31; 2000160-755



## MATERIAL SAFETY DATA SHEET

11.25 lb

## 1. Product and Company Identification

Product number 031  
Product name Mr Jinx All Purpose Cleaner  
Effective date 06-Jan-2009  
Company information Claire Manufacturing  
500 Vista Ave.  
Addison, IL 60101 United States  
Company phone General Assistance 630-543-7600  
Emergency telephone US 800-424-9300  
Emergency telephone outside US 703-527-3887  
Version # 06  
Supersedes date 29-Feb-2008

## 2. Hazards Identification

Emergency overview CONTENTS UNDER PRESSURE. Aerosol. Pressurized container may explode when exposed to heat or flame.  
Prolonged exposure may cause chronic effects.

Potential health effects

Routes of exposure Ingestion. Skin contact.

Eyes Health injuries are not known or expected under normal use.

Skin This product may be harmful if it is absorbed through the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Ingestion Exposure by ingestion of an aerosol is unlikely. Components of the product may be absorbed into the body by ingestion.

Target organs 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged and may cause blood damage. These effects have not been observed in humans.  
Blood. Central nervous system.

Chronic effects Unconsciousness. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage.

## 3. Composition / Information on Ingredients

Components	CAS #	Percent
2-Butoxyethanol	111-76-2	3 - 5
n-Butane	106-97-8	1 - 3
Non-hazardous and other components below reportable levels		> 90

## 4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.

Skin contact Immediately take off all contaminated clothing. Wash off with warm water and soap. Get medical attention if irritation develops or persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, get medical attention.

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

## 5. Fire Fighting Measures

### Flammable properties

Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.

### Extinguishing media

#### Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

### Protection of firefighters

#### Protective equipment and precautions for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

## 6. Accidental Release Measures

### Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.

### Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

## 7. Handling and Storage

### Handling

Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.

### Storage

Level 1 Aerosol.

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep the container dry. Keep out of the reach of children. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

## 8. Exposure Controls / Personal Protection

### Exposure limits

#### ACGIH

Components	CAS #	TWA	STEL	Ceiling
2-Butoxyethanol	111-76-2	20 ppm	Not established	Not established
n-Butane	106-97-8	1000 ppm	Not established	Not established

#### OSHA

Components	CAS #	TWA	STEL	Ceiling
2-Butoxyethanol	111-76-2	50 ppm	Not established	Not established

### Personal protective equipment

#### Eye / face protection

Wear chemical goggles.

#### Skin protection

Wear appropriate chemical resistant clothing. Protective gloves.

#### Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

## 9. Physical & Chemical Properties

### Appearance

Compressed liquefied gas.

### Boiling point

212 °F (100 °C) estimated

### Color

Pale yellow

trade\_name

Product #: 031 Mr Jinx All Purpose Cleaner

MSDS US

2 / 5

Flammability (HOC)	3.4153 kJ/g estimated
Flash back	No
Flash point	-156 °F (-104.4 °C) estimated
Form	Aerosol.
Odor	Pleasant.
pH	11.8 - 12.8
Physical state	Liquid.
Pressure	60 - 70 psig @70F
Solubility	Partially
Specific gravity	0.978 estimated

#### 10. Chemical Stability & Reactivity Information

Chemical stability	Risk of ignition.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known.
Hazardous decomposition products	No hazardous decomposition products are known.

#### 11. Toxicological Information

Acute effects	Acute LD50: 4536 mg/kg estimated, Rat, Dermal
Sensitization	Not expected to be hazardous by OSHA criteria.
Reproductive effects	Not expected to be hazardous by OSHA criteria.
Teratogenicity	Not expected to be hazardous by OSHA criteria.

#### 12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.
	LC50 1190 mg/L estimated, Fish, 96.00 Hours, EC50 44525 mg/L estimated, Daphnia, 48.00 Hours, IC50 88.19 mg/L estimated, Algae, 72.00 Hours.

#### 13. Disposal Considerations

Waste codes	D001: Waste Flammable material with a flash point <140 F D002: Waste Corrosive material [pH <=2 or >=12.5, or corrosive to steel]
Disposal instructions	Contents under pressure. Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

#### 14. Transport Information

##### Department of Transportation (DOT) Requirements

Basic shipping requirements:	
Proper shipping name	Consumer commodity
Hazard class	ORM-D
Subsidiary hazard class	None
Additional information:	
Packaging exceptions	156, 306
Packaging non bulk	156, 306
Packaging bulk	None

**IMDG****Basic shipping requirements:**

Proper shipping name      AEROSOLS  
 Hazard class                2.1  
 UN number                  1950  
 Additional information:  
 Packaging exceptions        LTD QTY  
 Item                          5F  
 Labels required              None  
 Transport Category         2

**IATA****Basic shipping requirements:**

Proper shipping name      Aerosols, flammable  
 Hazard class                2.1  
 UN number                  1950  
 Additional information:  
 Packaging exceptions        LTD QTY  
 Labels required              2.1



<b>15. Regulatory Information</b>
-----------------------------------

**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

2-Butoxyethanol	111-76-2	1.0 % de minimis concentration (applies to R-(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> -OR', where n = 1, 2, or 3, R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate. Chemical Category N230)
-----------------	----------	---

**Occupational Safety and Health Administration (OSHA)**

29 CFR 1910.1200 hazardous chemical      Yes

**CERCLA (Superfund) reportable quantity**

None

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

Hazard categories      Immediate Hazard - Yes  
                                  Delayed Hazard - No  
                                  Fire Hazard - Yes  
                                  Pressure Hazard - Yes  
                                  Reactivity Hazard - No

Section 302 extremely hazardous substance      No  
 Section 311 hazardous chemical      Yes

**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**State regulations****U.S. - Pennsylvania - RTK (Right to Know) List**

2-Butoxyethanol	111-76-2	Present
n-Butane	106-97-8	Present

## 16. Other information

### Further information

HMIS® is a registered trade and service mark of the NPCA.

### HMIS® ratings

Health: 1

Flammability: 1

Physical hazard: 0

Personal protection:

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### MSDS sections updated

This document has undergone significant changes and should be reviewed in its entirety.



# Technical Information

**C-030 / C-031**

## **MR. JINX ALL PURPOSE CLEANER**



Heavy-duty formula uses a high-foaming spray for cleaning and clinging to vertical and

horizontal surfaces. With a blend of ammonia and butyl, this fast-acting cleaner attacks and loosens dirt, greases, oils and much more from hard surfaces. A non-abrasive product that cleans up marks on both floors and washable painted surfaces. Works well for general housekeeping needs and heavy soils in commercial / industrial markets. Take this product to your cleaning needs and let it clean.

### **AREAS OF USE**

For a fast, deep clean in all areas of your building. To remove, dirty hand prints, dust, lipstick, crayon, grease, oil, smoke film and light carbon residue from surfaces and areas such as:

- Walls
- Doors
- Floors
- Refrigerators
- Cabinets
- Sinks
- Vinyl surfaces
- Washable painted surfaces
- Bath tubs
- Showers
- Toilet bowls
- Stoves
- Counter tops
- Window sills
- Plastic surfaces



- Available in 16 and 20 oz
- Spray and wipe surface clean
- Non-abrasive
- Breaks up grease and grime
- Heavy duty multi-purpose cleaner
- Wide range of cleaning applications
- Clinging foam

### **PRODUCT SPECIFICATIONS**

Can Size:	16 or 20 oz. Aerosol
Net Weight:	15 or 19 oz.
Color:	White, foam Yellowish liquid
Odor:	Floral, ammonia
pH:	12.0
Propellant:	Hydrocarbon
Spray Pattern:	Solid Cone
Flammability:	Non-Flammable as per CPSC Flame Extension Test as described in 16 CFR 1500.45.

## **Claire Manufacturing Company**

1005 S. Westgate • Addison, IL 60101  
Phone (630) 543-7600 or 1-800 CLAIRE-1  
Fax (630) 543-4310 or 1-800-543-4310  
[www.clairemfg.com](http://www.clairemfg.com)