

The Clorox Company 1221 Broadway

Oakland, CA 94612

UD 02450 Material Safety Data Sheet

Tel. (510) 271-7000			Data Sheet		
I Product: ULTRA CLOROX REGULAR BLEACH			· · ·		
Description: CLEAR, LIGH	IT YELLOW LIQUID W	MTH A CHLORINE ODO	R	<del></del>	
Other Designations	Distributor		Emergency Telephone Nos.		
1221 8		es Company Broadway CA 94612	For Medical Emergen (800) 446-101 For Transportation Emerger	ical Emergencies call: 800) 446-1014 fion Emergencies Chemtrec 800) 424-9300	
Il Health Hazard Data	Canding,	III Hazardous			
CORROSIVE to the eyes. May cause severe irritation or damage to eyes		Ingredient	Concentration	Worker	
and skin. Harmful if swallowed; nausea, voniting, and burning sensation of the mouth and throat may occur. The following medical conditions may be aggrevated by exposure to high concentrations of vapor or mist: heart conditions, or chronic respiratory problems such as asthma, chronic bronchitis or obstructive lung disease. Some clinical reports suggest a low potential for skin sensitization upon exaggerated exposure to sodium hypochlorite, particularly on damaged or irritated skin. Routine clinical tests conducted on intact skin with Clorox Liquid Bleach found no sensitization in the test subjects. No adverse health effects are expected with recommended use.		Exposure Limit Sodium hydroxide CAS #1310-73-2	<0.2%	2 mg/m³ TLV-C	
		Sodium hypochlorite CAS #7681-52-9	6-7,35%	not established	
		None of the ingredients in this product are on the IARC, OSHA or NTP carcinogen lists.  TLV-C=Threshold Limit Value-Celling. The worker exposure limit should not be exceeded at any time. Source: ACGIH, 1997.			
FIRST AID: <u>EYE CONTACT</u> : Immediately flush eyes with minutes. Contact a physician, <u>INGESTION</u> : Drink a glassful of water. <u>DO NOT</u> induce volumediately contact a physician or Poison Control Center. <u>SKIN CONTACT</u> : Remove contaminated clothing. Flush skin Contact a physician if irritation or discomfort persists. <u>INHALATION</u> : Remove from exposure to fresh air.	omiting.				
IV Special Protection and Precautions		V Transportation and Regulatory Data			
The following recommendations are given for production facilities and for other conditions and situations where there is increased potential for accidental, large-scale, or prolonged exposure.  Hydienic Practices: Wear safety glasses and nitrite, neoprene or butyl		U.S. DOT Hazard Class: Not restricted per 49 CFR 172.101(c)(12)(iv). U.S. Proper Shipping Name: None IMDG: Not restricted per IMDG Code Page 40 Paragraph 2.3.1.3. IATA: Not restricted per IATA DGR special provision A3 and ICAO special provision 223.			
rubber gloves. The availability of an eye wash and shower is recommended in a manufacturing environment.  Engineering Controls: Use general ventilation to minimize exposure to vapors.  Work Practices: Avoid eye and skin contact and inhalation of vapor or mist.		EPA - SARA TITLE III/CERCLA: Bottled product is not reportable under Sections 311/312 and contains no chemicals reportable under Section 313. This product does contain chemicals (sodium hydroxide <0.2% and sodium hypochlorite <7.35%) that are regulated under Section 304/CERCLA.			
KEEP OUT OF REACH OF CHILDREN		TSCADSL STATUS: All components of this product are on the U.S. TSCA Inventory and Canadian DSL.			
VI Spill Procedures/Waste Disposal		VII Reactivity Data			
Spill Procedures: Control spill. Containerize liquid and use absorbents on residual liquid; dispose appropriately. Wash area and let dry. For spills of multiple products, responders should evaluate the MSDS's of the products for incompatibility with sodium hypochlorite. Breathing protection should be worn in enclosed, and/or poorly ventileted areas until hazard assessment is complete.  Waste Disposal: Dispose of in accordance with all applicable federal, state, and local regulations.		Stable under normal use and storage conditions. Strong oxidizing agent. Reacts with other household chemicals such as toilet bowl cleaners, rust removers, vinegar, acids or ammonia containing products to produce hazardous gases, such as chlorine and other chlorinated species. Prolonged contact with metal may cause pitting or discoloration.			
VIII Fire and Explosion Data		IX Physical Data			
Flash Point: None Special Firefighting Procedures: None Unusual Fire/Explosion Hazards: None, Not flammable or explosive, Product does not ignite when exposed to open flame.		Boiling point			