



Flashpoint: Greater than 200°F

Unusual Fire and Explosion Hazards: None

Fire Extinguishing Agents: Water spray, dry chemical or carbon dioxide (CO<sub>2</sub>) Special Fire-Fighting Procedures: None

## **Clorox Professional Products Company**

1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

## **Material Safety Data Sheet**

	CLOROX COMMERCIAL SOLUTIONS® CLOROX® GERMICIDAL SPRAY CLEAR, FAINT YELLOW LIQUID WITH CHARACTERISTIC BLEACH ODOR				
Description:					
Other Designations	Distributor	For Transportation Emergencies Chemtrec (800) 424-9300			
EPA Reg. No. 67619-13	Clorox Professional Products Company 1221 Broadway Oakland, CA 94612				

Description: CLEAR, FAI		VITH CHARACTERISTI	Emarana, T	elenhone Nos	
Other Designations	D: 1-1-1		utor Emergency Telephone Nos For Medical Emergencies call:		
EPA Reg. No. 67619-13	Clorox Professional Products Company 1221 Broadway Oakland, CA 94612		(800) 446-1041 For Transportation Emergencies Chemtrec (800) 424-9300		
I Health Hazard Data		III Hazardous Ingredients			
Cause substantial but temporary eye injury and can irritate skin. Vapors may irritate. Due to irritating nature, product may be harmful if swallowed. May cause nausea and vomiting if swallowed. Occasional clinical reports suggest a low potential for skin sensitization upon exaggerated exposure to sodium hypochlorite if skin damage (e.g., irritation) occurs during exposure. Routine clinical tests conducted on intact skin with this product found no sensitization in the test subjects. The following medical conditions may be aggravated by exposure to high concentrations of vapor or mist; heart conditions or chronic respiratory problems such as asthma, emphysema, chronic bronchitis or obstructive lung disease. Under normal use conditions, the likelihood of any adverse health effects is low.		Ingredient Sodium hypochlorite CAS #7681-52-9	Concentration 1-5%	Worker Exposure Limit Not established	
		Sodium hydroxide CAS #1310-73-2	0.1-1%	2 mg/m³ ACGIH TLV- STEL <sup>a</sup> 2 mg/m³ OSHA PEL <sup>b</sup>	
		°TLV-STEL = ACGIH Threshold Limit Value-Short Term Exposure Limit  °PEL = OSHA Permissible Exposure Limit-Time weighted average			
FIRST AID:	None of the ingredients in this product are on the IARC, OSHA or NTP carcinogen lists.				
EYE CONTACT: Hold eye open and rinse slowly and ge- 20 minutes. Remove contact lenses, if present, after the continue rinsing. Call a poison control center or doctor for					
SKIN CONTACT: Take off contaminated clothing. Rinse with plenty of water for 15-20 minutes.	skin immediately				
IF INHALED: Move person to fresh air. If person is not to an ambulance then give artificial respiration, preferably repossible.	oreathing, call 911 or mouth-to-mouth if				
IF SWALLOWED: Call a poison control center or doctor treatment advice. Have person sip a glassful if water if not induce vomiting unless told to do so by a poison con Do not give anything by mouth to an unconscious perso	troi center or doctor.				
IV Special Protection and Precauti	ons	V Transporta	tion and Regulat	ory Data	
Useriania Panetices: Do not get in eyes, skin or on clothi	ng. Avoid prolonged	DOT/IATA/IMDG: N	lot restricted.	<b>·</b>	
or repeated skin contact. Avoid prolonged breathing of vapor. Use only in well-ventilated areas.  Personal Protection: Wear safety glasses. For sensitive skin or repeated/prolonged use, wear gloves.  Ventilation: Use general ventilation to minimize exposure to gases or aerosols associated with this product.		U.S. DOT Proper Shipping Name: None.			
		EPA SARA Title III/CERCLA: Product is regulated under Sections 311/312. This product contains no chemicals regulated under Section 313 and contains sodium hydroxide and sodium hypochlorite which are regulated under Section 304/CERCLA.			
					VI Spill Procedures/Waste Disposal
Call Broadures: Absorb and containerize. Wash dow	n residual to sanitary		rong oxidizing agent.		
sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.		Reactivity: Strong Oxidizer. Reacts with other chemicals such as toilet bow cleaners, rust removers, acids or ammonia-containing products to produce hazardous gases, such as chlorine and other chlorinated compounds. Prolonged contact with metal or old porcelain may cause pitting or discoloration.  Storage/Disposal: Store in cool, dry area away from direct sunlight and hea			
Waste Disposal: Dispose of in accordance with all apparand local regulations.					
				y norn direct suringnit and her	
VIII Fire and Explosion Data		IX Physical		12.4 - 12.4	
2000		■ DH	*,		

©1963, 1991 THE CLOROX COMPANY
DATA SUPPLIED IS FOR USE ONLY IN CONNECTION WITH OCCUPATIONAL SAFETY AND HEALTH